



KERALA PUBLIC SERVICE COMMISSION

HEAD OFFICE, PATTOM, THIRUVANANTHAPURAM



APPOINTMENT CHART

No. **R1E(2)2367/21/GW**Dated : **10-04-2026**

Name of Post : **RADIOGRAPHER GR II**

Name of Department : **Medical Education Department**

Date of receipt of the vacancy : 20.02.2026

No. of vacancies reported : Fresh : **1** ([AV : 1])
Total : **1**

Active Ranked List - 1

1	347/2021 (STATEWIDE) - RADIOGRAPHER GR II [Medical Education]{Direct}	w.e.f. 03-08-2023
---	--	--------------------------

Vacancy Split-Up

Sl. No	Tappal No.	Date of Receipt	Ref. Letter No. & Date	Letter From & PostName	No. of Vac	Date of Occurance
1	e-69374	20-02-2026	e-Vacancy - 69374 Dtd:20-02-2026	Medical Education Department Radiographer Gr II	1 (One) Fresh(AV)	01-04-2026

(Anticipatory Vacancy due on 01-04-2026)

Total Vacancies : 1 (One) [1 Fresh]

PENDING TURNS

NJD - Nil

NCA - 2 Turns

1	MR[1] - 44 ST NCA SC on 06-06-2025
2	MR[1] - 92 ST NCA SC on 22-12-2020

TPO - 2 Turns

1	MR 2 - 42 E/B/T TPO on 24-02-2026
2	MR 2 - 44 ST TPO on 05-03-2026

EWS Set-Off - Nil

Previous Rotation stands at MR-2 45 OC already advised. To be continued from MR-2 46 M.

But TPO Turns are to be satisfied

Sl.No.	Name, Address & Community of Candidate	Rank No.	Rotation as approved by the Commission	Post Name, Department & Remarks
1	SHOMA P V VALIPARAMBIL HOUSE SANTHI NAGAR CHENGALLOOR THRISSUR CHENGALLOOR 680312 (E/B/T-EZHAVA)	35	MR 2 - 42 E/B/T TPO on 24-02- 2026 now satisfied	Radiographer Gr II [Medical Education Department]

OC/BC POSITION

	OC	EWS	BC	NJD	DA (LV)	DA (HI)	DA (LD)	DA (MD)	DA	Thrn Out	BT/RT/ LPE	Total
Previous	12	3	14	7	NE	NE	NE	NE	NE	-	NE	36
Present	-	-	1	-	NE	NE	NE	NE	NE	-	NE	1
Total	12	3	15	7	NE	NE	NE	NE	NE	-	NE	37

PENDING TURNS

NJD - Nil

NCA - 2 Turns

1	MR[1] - 44 ST NCA SC on 06-06-2025
2	MR[1] - 92 ST NCA SC on 22-12-2020

TPO - 1 Turn

1	MR 2 - 44 ST TPO on 05-03-2026
---	--------------------------------

EWS Set-Off - Nil

for **SECRETARY**
KERALA PUBLIC SERVICE COMMISSION

To : 1) Enquiry 2) PRO 3) Website 4) Spare