WEBSITE: www.keralapsc.gov.in
E-MAIL : jsaor.psc@kerala.gov.in
Telephone No:0471-2546255

KERALA PUBLIC SERVICE COMMISSION

HEAD OFFICE, PATTOM, THIRUVANANTHAPURAM

APPOINTMENT CHART

No. **R1B-3/12/2026-KPSc** Dated : **17-07-2026**

Name of Post : ***SURVEYOR GR II***

Name of Department : ***KERALA WATER AUTHORITY***

Date of receipt of the vacancy : 05.01.2026

No. of vacancies reported : Fresh : **1**(*[AV : 1]*)
Total : **1**

Active Ranked List - 1

1	**683/2023** (STATEWIDE) - **SURVEYOR GR. II** [*Kerala Water Authority*]{Direct}	w.e.f. **19-03-2026**

Vacancy Split-Up

Sl. No	Tappal No.	Date of Receipt	Ref. Letter No. & Date	Letter From & PostName	No. of Vac	Date of Occurance
1 .	***e-*** 67621	05-01-2026	e-Vacancy - 67621 Dtd:05-01-2026	Kerala Water Authority ***Surveyor Gr II***	**1** (One) Fresh(AV)	01-07-2026

(Anticipatory Vacancy due on 01-07-2026)

Total Vacancies : 1 (One) [**1** Fresh]

PENDING TURNS

NJD - Nil

NCA - Nil

TPO - 1 Turn

1	MR 3 - 60 HN TPO on 16-05-2026

EWS Set-Off - Nil

Previous Rotation stands at MR-3 61 OC already advised. To be continued from MR-3 62 E/B/T.
But TPO Turns are to be satisfied

DA Serial Number stands at [139]. To be continued from [140]

Sl.No. & DA Sl.No.	***Name, Address & Community of Candidate***	***Rank No.***	***Rotation as approved by the Commission***	***Post Name, Department & Remarks***
1 *140*	**LEKSHMI V** KADUTHARISU VEEDU KALLUVILA, KALLIYOOR P O KALLIYOOR THIRUVANANTHAPURAM 695042 **(HINDU NADAR)**	**116**	MR 3 - 60 HN TPO on 16-05-2026 now satisfied	**Surveyor Gr II** [*Kerala Water Authority*]

OC/BC POSITION

	OC	EWS	BC	NJD	DA (LV)	DA (HI)	DA (LD)	DA (MD)	DA	Thrn Out	BT/RT/ LPE	Total
Previous	8	2	9	6	NE	1	-	1	2	-	NE	27
Present	-	-	1	-	NE	-	-	-	-	-	NE	1
Total	**8**	**2**	**10**	**6**	NE	1	-	1	**2**	**-**	**NE**	**28**

PENDING TURNS

NJD - Nil

NCA - Nil

TPO - Nil

EWS Set-Off - Nil

for **SECRETARY**
KERALA PUBLIC SERVICE COMMISSION

To : 1) Enquiry 2) PRO 3) Website 4) Spare