FINAL ANSWER KEY

Question Paper Code:	165/2026/OL
Category Code:	610/2025
Exam:	Hospital Superintendent
Date of Test	15-10-2026
Department	Pharmaceautical Corporation (IM) Kerala Ltd

Question1:-Klaibya is/are mentioned in which dhatu pradoshaja vikara:

A:-Rasavaha Srotas

B:-Raktavaha Srotas

C:-Sukravaha Srotas

D:-Both 1 and 3

Correct Answer:- Option-D

Question2:-Which of the following is not a typical manifestation of Vata Prakopa due to excessive intake of food?

A:-Agni vaishamya

B:-Anaha

C:-Mukha sosha

D:-Jwara

Correct Answer:- Option-D

Question3:-Which of the following is 9 Anjali Prmana?

A:-Mutra

B:-Rasam

C:-Kapha

D:-None of these

Correct Answer:- Option-B

Question4:-According to Charaka samhita, which type of Prakriti is/are described as Sada Atura (always prone to illness)

A:-VATA

B:-PITTA

C:-KAPHA

D:-All of the above

Correct Answer:- Option-D

Question5:-Which of the following is/are nourished by the Ahara sara?

A:-Panchendriya Dravya

B:-Vata

C:-Nakha

D:-Pitta

Correct Answer:- Option-A

Question6:-Which of the following pair is not correctly matched according to the Srotas and Sroto Moola described by Charaka?

A:-Pranavaha Srotas - Hridaya and Mahasrotas

B:-Raktavaha Srotas - Hridaya and Dasa Dhamani

C:-Asthivaha Srotas - Medas, Jaghanam

D:-Mutravaha Srotas - Vasthi, Vamkshanam

Correct Answer:- Option-B

Question7:-A patient develops severe abdominal pain, vomiting and diarrhoea soon after taking an excessive quantity of food. Which condition is more likely?

A:-Alasaka

B:-Vishuchika

C:-Amlapitta

D:-Both 1 and 2

Correct Answer:- Option-B

Question8:-Lakshana of Pittavrutha Prana Vata includes:

A:-Niswasa Uchwasa samgraha

B:-Swasa

C:-Swara graham

D:-Soola

Correct Answer:- Option-D

Question9:-According to Charaka Samhita, the constitution of Prakriti of an individual is determined by all of the following except

A:-Desha

B:-Jati

C:-Ahara

D:-Kula

Correct Answer:- Option-C

Question10:-Which of the following is considered as karma of Manas?

A:-Indirya abhigraha

B:-Bhava and Abhava of Jnana

C:-Chinthyam

D:-Both 1 and 3

Correct Answer:- Option-A

Question11:-The Modified Ghent Criteria are primarily used for the diagnosis of which disease?

A:-Loeys-Dietz Syndrome

B:-Ehlers-Danlos Syndrome

C:-Marfan Syndrome

D:-Osteogenesis Imperfecta

Correct Answer:- Option-C

Question12:-Which *Kalka dravyas* are indicated as *Asyadharana* drugs for the management of *Aruchi* especially in the context of Jwara?

A:-Matulunga Kesaram, Grutha and Saidhavam

B:-Dhatri, Draksha and Sitha

C:-Both 1 and 2

D:-Guluchi, Saindavam and Grutha

Correct Answer:- Option-C

Question13:-In which disease *Parasara Ghrutam* indicated?

A:-Jwara

B:-Vathasonitha

C:-Pandu

D:-Rajayakshama

Correct Answer:- Option-D

Question14:-According to Charaka Samhita, in which two diseases are patients advised to be protected from water, fire, trees, rocks and uneven places?

A:-Unmada and Apasmara

B:-Jwara and Pandu

C:-Shwasa and Kasa

D:-Rajayakshma and Madatyaya

Correct Answer:- Option-A

Question15:-Among the following formulations, identify two - one Ghṛta and one Anuvāsana Taila - that possess the property of Mūḍhavātānulomana

A:-Sukumara grutha : balathaila

B:-Dadimadigrutha : Pippalyadi thaila

C:-Sukumara grutha : Erandathaila

D:-Pippalyadi grutha : Nirgudyeranda thaila

Correct Answer:- Option-B

Question16:-According to Charaka Samhita, which one of the following should be strictly avoided by a Visarpa Rogi?

A:-Divāsvapna

B:-Śoka

C:-Avyayāma

D:-Avidhahi Annapana

Correct Answer:- Option-A

Question17:-Inverted champagne bottle appearance of the legs seen in which disease?

A:-Congestive heart failure

B:-Neprotic syndrome

C:-Charcot Marie Tooth Disease

D:-Deep Vein Thrombosis

Correct Answer:- Option-C

Question18:-The Digit Span Test is used to assess which type of memory and recall?

A:-Immediate memory and attention

B:-Remote memory

C:-Procedural memory

D:-Semantic memory

Correct Answer:- Option-A

Question19:-According to Susruthacharya, Cheshtankhya and Aharakhya are two divisions of Pareeksha

A:-Satwam

B:-Satmya

C:-Desa

D:-Nadi

Correct Answer:- Option-B

Question20:-According to Yogaratnakara, Dharani is the synonym of _____.

A:-Nadi

B:-Samjna

C:-Budhi

D:-Manas

Correct Answer:- Option-A

Question21:-Which of the following parasite causes cerebral malaria?

A:-Plasmodium vivax

B:-Plasmodium falciparum

C:-Plasmodium ovale

D:-Plasmodium malariae

Correct Answer:- Option-B

Question22:-The following is not a complication of Pneumonia

A:-Pneumonia

B:-Lung abscess

C:-Empyema

D:-Lung collapse

Correct Answer:- Option-D

Question23:-The premalignant lesion of esophageal adenocarcinoma is

A:-Barrets esophagus

B:-APD

C:-Antral gastritis

D:-GERD

Correct Answer:- Option-A

Question24:-Splenomegaly is a feature of

A:-Poly arteritis nodosa

B:-Scleroderma

C:-Felty syndrome

D:-Sjogrens disease

Correct Answer:- Option-C

Question25:-Raised GGT with Normal ALP is a feature of

A:-Alcoholic liver disease

B:-DILI

C:-Both A and B

D:-Biliary Cholangitis

Correct Answer:- Option-C

Question26:-What is the duration to be followed for Sneha prayoga bhojana and vihara niyama according to acharya Vagbhata?

A:-Wholesome regimens should be followed for double the number of days after undergoing treatment

B:-Wholesome regimens should be followed for same number of days after undergoing treatment

C:-Wholesome regimens should be followed for half the number of days after undergoing treatment

D:-Wholesome regimens should be followed for 1 month after undergoing treatment

Correct Answer:- Option-B

Question27:-Quality of food during Pathya Kala?

A:-Drava, ushna, anabhisyandhi, natisnigdham, asamkaram

B:-Laghu, seeta, abhisyandhi, rooksha

C:-Drava, ushna, abhisynadhi, natisnigdham, asamkaram

D:-Laghu, ushna, rooksha, abhisyandhi

Correct Answer:- Option-A

Question28:-In the context of snehana the word "Kshapashaya (क्षपाशयः)" means?

A:-Excessive hunger and good sleep

B:-Less hunger and poor sleep

C:-Not to sleep during the day and not to stay awake at night

D:-Sleep during day time and awake at night time

Correct Answer:- Option-C

Question29:-The dose of Madana Phala Pippali Matra for Vamana according to Charaka is

A:-Athura hastapramana

B:-Antarnakha musthipramana

C:-Bindupramana

D:-All the above

Correct Answer:- Option-B

Question30:-The order of Vasti samyojana vidhi is

A:-Lavana, Makshika, Kalka Sneha, Kwatha

B:-Makshika, Lavana, Sneha, Kalka, Kwatha

C:-Sneha, Makshika, Lavana, Kalka, Kwatha

D:-Makshika, Sneha, Lavana, Kwatha, Kalka

Correct Answer:- Option-B

Question31:-Time of Virechana is

A:-Poorvahne

B:-Sayam kale

C:-Madhyane kinchit avarthe

D:-Sleshma kale gate jnatwa

Correct Answer:- Option-D

Question32:-Nasya is administered for the patients suffering from Manyastambha during

A:-Daily Morning

B:-Daily Evening

C:-Daily Morning and Evening

D:-Alternate days

Correct Answer:- Option-C

Question33:-Specific food advised to a patient prior to raktamoksha according to Dalhana Acharya?

A:-Vilepi

B:-Tila yavagu

C:-Krisara

D:-Mamsarasa

Correct Answer:- Option-B

Question34:-Time of administration of Shodana Snehapana?

A:-After food

B:-Along with food

C:-After digestion of previous day meal

D:-After the onset of appetite

Correct Answer:- Option-C

Question35:-Instrument used for doing parisheka sweda

A:-Kumbhi, Galanthi, Nadi, Varshanika

B:-Kumbhi, Galanthi, Nadi, Gokarnam

C:-Kundam, Galanthi, Nadi, Gokarnam

D:-Varshanika, Kundam, Kumbhi, Dhara yantram

Correct Answer:- Option-A

Question36:-Match the following :

a.	After sastrakarma	-	i.	Mridu dhumapana
b.	After snana	-	ii.	Madhyama dhumapana
c.	After taking food	-	iii.	Tikshna dhumapana
d.	After evacuation of bowel	-		

A:-a-iii, b-iii, c-ii, d-ii

B:-a-i, b-iii, c-ii, d-i

C:-a-iii, b-i, c-ii, d-ii

D:-a-ii, b-i, c-i, d-iii

Correct Answer:- Option-B

Question37:-Find out the correct statements according to Ashtanga hridaya?
a. Dhumapana can be performed by using a straight nozzle with trikosha and with its tip and base having the measurement of angushta and kolashti.
b. Dhumapana can be performed using a sarava sampuda with a hole in the upper part fitted with a 10 or 8 angula nali.

A:-Only a is correct

B:-Only b is correct

C:-Both a and b are correct

D:-Both a and b are incorrect

Correct Answer:- Option-C

Question38:-When anthapravishta jihwa (retraction of tongue) occurs as a complication of vamana, which of the following measure is not mentioned in Ashtanga hridaya?

A:-Tila draksha kalka lepam over the tongue

B:-Kabalagraham

C:-Intake of mamsarasa having snigdha, amla, lavana and hridya guna

D:-Eating amlarasa dravya in front of the patient

Correct Answer:- Option-A

Question39:-Find out the wrong statement regarding the treatment of vamana-virechana vyapath by Acharya Charaka.
a. Suseetha piccha vasti is indicated for jeevadana.
b. Kashaya madhura seetha pichavasti is indicated for parikarthika.

A:-Only i

B:-Only ii

C:-Both i and ii

D:-None of the above

Correct Answer:- Option-D

Question40:-मूर्छायां शीत तोयेन सिञ्चेत् परिहरन् शिरः।।
Sprinkle the body with cold water in case of '*Murcha*', is mentioned in the management of complication of which Panchakarma procedure?

A:-Vamana

B:-Virechana

C:-Nasya

D:-Niruha vasti

Correct Answer:- Option-C

Question41:-According to Acharya Charaka, in the context of 'samsarjana krama', the amount of 'odana' that should be take along with 'yusha' is

A:-1 pala

B:-3 pala

C:-1 prasritha

D:-2 prasritha

Correct Answer:- Option-D

Question42:-According to Acharya Charaka, after samyak vamana, the food advised for the first Annakala is

A:-Mandapurva sukhoshna peya

B:-Mandapurva sukhoshna yavagu

C:-Sukhoshna manda

D:-Sukhoshna peya

Correct Answer:- Option-B

Question43:-According to Acharya Charaka, administration of snehapana and sneha vasti together leads to the complication of

A:-Dusti of vata and agni

B:-Dushti of kapha and agni

C:-Agnimadyam

D:-Ama samchayam

Correct Answer:- Option-A

Question44:-According to Ashtanga hridaya, which of the following karmas having similar paschathkarma?

a. Sodhananga snehapana
b. Samananga snehapana
c. Vamana
d. Virechana
e. Anuvasana
f. Niruha
g. Uttarvasti
h. Virechana nasya

A:-a and g

B:-b and d

C:-c and h

D:-e and f

Correct Answer:- Option-B

Question45:-Match the following :

a.	Klinna	-	i.	Nisrava
b.	Chinna	-	ii.	Adharyathvam
c.	Jalika	-	iii.	Chyuthi
d.	Snigdha	-	iv.	Srava

A:-a-iii, b-iv, c-i, d-ii

B:-a-iii, b-i, c-iv, d-ii

C:-a-ii, b-iv, c-i, d-iii

D:-a-ii, b-i, c-iv, d-iii

Correct Answer:- Option-C

Question46:-Which of the following is/are true about effleurage?

A. It can be applied using slightly clenched fist
B. It is performed in a circular movement either from proximal to distal or distal

to proximal
C. It can be applied in the direction of the lymph glands or opposite.

A:-A only

B:-B only

C:-A and C only

D:-A, B and C

Correct Answer:- Option-C

Question47:-Assertion (A) : To minimize reflection in ultrasonic therapy avoid leaving air between the treatment head and the patient.
Reason (R) : Air will not transmit ultrasonic waves.

A:-Both (A) and (R) are true and (R) is the correct explanation of (A)

B:-Both (A) and (R) are true and (R) is not the correct explanation of (A)

C:-(A) is true but (R) is false

D:-(A) is false but (R) is true

Correct Answer:- Option-A

Question48:-Which type of muscle contraction occurs when the muscle length remains constant while tension is generated?

A:-Isometric

B:-Isotonic

C:-Isokinetic

D:-Eccentric

Correct Answer:- Option-A

Question49:-Which among the following is NOT considered as the deciding factor for dose fixation of cryotherapy?

A:-Size of the injury

B:-Depth of the tissue injured

C:-Subcutaneous fat depth

D:-Bleeding time

Correct Answer:- Option-D

Question50:-In Rehabilitation, muscle tone is commonly assessed using which of the following outcome measures?

A:-Visual Analogue Scale (VAS)

B:-Modified Ashworth Scale

C:-Barthel Index

D:-Rivermead Motor Assessment

Correct Answer:- Option-B

Question51:-Which of the following is an example of distributive shock?

A:-Hypovolaemic shock

B:-Anaphylactic shock

C:-Cardiogenic shock

D:-Obstructive shock

Correct Answer:- Option-B

Question52:-In road traffic accident the patient is unconscious and we are suspecting the head injury, immediate diagnostic investigation is

A:-USG

B:-MRI

C:-CAT

D:-X - ray

Correct Answer:- Option-C

Question53:-Ethical principle related with informed consent in surgery

A:-Beneficence

B:-Do no harm

C:-Justice

D:-Autonomy

Correct Answer:- Option-D

Question54:-Which of the following is an indication for siravydhana?

A:-Pandu roga

B:-Siragranthi

C:-Bhrama

D:-Garbhini sopha

Correct Answer:- Option-B

Question55:-The Sadyovrana with severe internal organ injury

A:-Bhinna

B:-Grishta

C:-Vidalitha

D:-Picchitha

Correct Answer:- Option-A

Question56:-According to susruta the powder of chitraka and langali are added in

A:-Mridu kshara

B:-Madhyama kshara

C:-Theekshna kshara

D:-Paneeya kshara

Correct Answer:- Option-C

Question57:-Name of the arterial occlusive disease found in smokers

A:-Haemangioma

B:-Buerger's disease

C:-Aneurysm

D:-Port - wine stain

Correct Answer:- Option-B

Question58:-Bhedana sastra karma is the treatment of

A:-Ama vrana sopha

B:-Garbhini sopha

C:-Pachyamana vrana sopha

D:-Pakva vrana sopha

Correct Answer:- Option-D

Question59:-Which of the following is an absolute contraindication for spinal anaesthesia?

A:-Severe hypovolaemic shock

B:-Pelvic surgery

C:-Lower limb orthopaedic surgery

D:-Perineal surgery

Correct Answer:- Option-A

Question60:-Encapsulated, smooth, non-tender, freely moving lump in breast common in females of 15-25 years of age group is

A:-Fibro adenosis

B:-Fibroadenoma

C:-Phyllodes tumour

D:-Mastitis

Correct Answer:- Option-B

Question61:-Select the most appropriate answer regarding Plummer Vinson Syndrome:
i. Typical patients are men above 40 years of age
ii. Cervical dysphagia is an important symptom
iii. Fibrous web partially obstructing oesophageal lumen at upper end
iv. Is a pre-malignant lesion

A:-Statement iv only is incorrect

B:-All statements are incorrect

C:-Statement ii and iii only are incorrect

D:-Statement i only is incorrect

Correct Answer:- Option-D

Question62:-"*Trikandakasya beejaanaam choornam makshikasamyutham Awiksheerena sapthaham ..... pibeth*".
Above mentioned sloka is typically indicated by susrutha for the management of which roga/rogas?
i. Kaphaja granthi
ii. Bhagnam
iii. Asmari
iv. Kaphaja udara

A:-i and iv only

B:-iii only

C:-iii and iv only

D:-ii only

Correct Answer:- Option-B

Question63:-Select the most appropriate answer regarding "Amoebic liver abscess":

A:-Chocolate sause/anchovy sauce sauce appearance of pus

B:-Picknet fence pattern of fever

C:-Casonis test will be positive

D:-Positive hydatid thrill

Correct Answer:- Option-A

Question64:-Which among is not a component of Ranson scoring system used for the diagnosis of pancreatitis?
i. Age above 55 years
ii. Arterial oxygen saturation (kPa) - Less than 8
iii. Blood glucose more than 200 mg per 100 ml
iv. Serum sodium - less than 100 mg per mol

A:-Statement i and iv only

B:-All statements are components of Ranson scoring system

C:-Statement iii and iv only

D:-Statement iv only

Correct Answer:- Option-D

Question65:-"*Kshatah nimittah kodha upajaayathae, tasmincha kshathae pooya rudhiraawakeenam mamsakadhae bhoomaviwa jala praklinnaayaam krimayhah*

samjaayanthae"
is feature found in which bhagandara as per susrutha
i. Shambookavarta
ii. Parisravi
iii. Ushtagreeva
iv. Unmargi

A:-iv only

B:-i, ii and iii only

C:-ii only

D:-Above sloka is not a feature of any of the bhagandaras

Correct Answer:- Option-A

Question66:-Complete the verse as per susrutha samhita:
"*Yadha sarvaani kushtaani hatha Khadira beejakow*
Thadaaiwa arshaamsi sarvaani _____ *hatha*"

A:-Ksharagnaair

B:-Vrikshakarushkarow

C:-Haridraya

D:-Kaalasheyow

Correct Answer:- Option-B

Question67:-Select the incorrect statement, regarding Prostate Specific Antigen (PSA).
i. Normal upper limit is 4-5 nmol/ml
ii. Major and minor are two types of PSA
iii. Out of the two forms of PSA, "major" form is the 'free' form
iv. PSA level more than 35 ng/ml is almost diagnostic of prostate carcinoma

A:-Statement iii only is incorrect

B:-all statements are incorrect

C:-statement ii and iii only are incorrect

D:-statement i only is incorrect

Correct Answer:- Option-A

Question68:-"*Manaerdhadhasthaath koshascha granthioroopena lambhathae*"
is feature mentioned by susrutha in the context of

A:-Kaphaja granthi

B:-Asadhya lakshana of galaganda

C:-Parivarthika

D:-Nirudhaprakasha

Correct Answer:- Option-C

Question69:-Select the most appropriate answer regarding undescended testis:
i. 'Prune belly syndrome' can be a cause of undescended testis
ii. Cryptorchidism is bilateral undescended testis
iii. Dysfunction of gubernaculum can lead to undescended testis
iv. Undescended testis is more on left side compared to right side

A:-Statement iii only is incorrect

B:-All statements are correct

C:-Statement ii only is incorrect

D:-Statement iv only is incorrect

Correct Answer:- Option-D

Question70:-Sastra indicated in Susrutha Samhitha Chikitsa-sthana for vyadhana-karma in udara
i. Vethasapathra
ii. Trikoorchaka
iii. Soochi
iv. Vreehimukha

A:-i and iv only

B:-iii only

C:-iii and iv only

D:-iv only

Correct Answer:- Option-D

Question71:-Prognosis of Gudabhramsha as per Susrutha Samhitha

A:-Krichra sadhya

B:-Asadhya

C:-Sukhasadhya

D:-Anupakrama

Correct Answer:- Option-A

Question72:-"Racoon eye" sign is a clinical feature of which of the following?

A:-Fracture of middle cranial fossa

B:-Fracture of posterior cranial fossa

C:-Subdural hematoma

D:-Fracture of anterior cranial fossa

Correct Answer:- Option-D

Question73:-In the Salter - Harris classification of epiphyseal injuries, a characteristic triangular fragment of the metaphysis attached to the slipped epiphysis is seen in

A:-Type IV

B:-Type III

C:-Type II

D:-Type V

Correct Answer:- Option-C

Question74:-Assertion (A) : Wasting of the deltoid muscle may occur following shoulder dislocation.
Reason (R) : Shoulder dislocation may cause temporary loss of function of the axillary nerve supplying the deltoid.

A:-Both A and R are true, and R is the correct explanation of A

B:-Both A and R are true, but R is not the correct explanation of A

C:-A is true, but R is false

D:-A is false, but R is true

Correct Answer:- Option-A

Question75:-Risser's sign is a radiological feature used in the assessment of

A:-Spondylolisthesis

B:-Scoliosis

C:-Slipped capital femoral epiphysis

D:-Perthes disease

Correct Answer:- Option-B

Question76:-अतिशीर्धयान is mentioned as one of the nidanas of Netra roga in

A:-Madhava Nidana

B:-Susruta samhita

C:-Bhavaprakasha

D:-Yogaratnakara

Correct Answer:- Option-C

Question77:-Which of the following medicine is used for gandusha in 'Mukha-dourgandhya'?

A:-Tailam

B:-Dhanyamlam

C:-Madhu

D:-Sarpi

Correct Answer:- Option-B

Question78:-सुपर्ण दृष्टि प्रतिमं च चक्षु: is mentioned as an indication for which of the following?

A:-Traiphala Ghritam

B:-Jeevantyadi Nasyatailam

C:-Shadbindu tailam

D:-Saptamrita loham

Correct Answer:- Option-C

Question79:-The Cardiff visual Acuity Test is primarily used to assess visual acuity in children in which age group?

A:-6 - 12 months

B:-1 - 3 years

C:-3 - 5 years

D:-Above 5 years

Correct Answer:- Option-B

Question80:-Which of the following statement/statements regarding the mechanism of action of antiglaucoma drug is/are correct?
i. Prostaglandum analogues reduce IOP by increasing the Uveoscleral outflow
ii. Topical beta blockers reduce IOP by blocking beta-2 receptors in the ciliary process and thereby increasing trabecuilar outflow
iii. Carbonic anhydrase inhibitors reduce IOP primarily by increasing trabecular outflow through inhibition of carbonic anhydrase in the trabecular meshwork.
iv. Brimonidine lowers IOP by decreasing aqueous production and also by increasing uveoscleral outflow:

A:-i, ii and iv are correct

B:-i and iii are correct

C:-ii and iii are correct

D:-i and iv are correct

Correct Answer:- Option-D

Question81:-In the management of 'Atipravrishta Nayana' all of the following are mentioned as therapeutic measures Except:

A:-Pranoparodha

B:-Vamana

C:-Ucchinghana

D:-Kantarodha

Correct Answer:- Option-C

Question82:-A patient with a large cerebellopontine angle vestibular schwannoma is examined for cranial nerve involvement. Which of the following ocular findings is most suggestive of late involvement due to compression of the trigeminal nerve?

A:-Absent pupillary light reflex

B:-Absent corneal reflex

C:-Increased lacrimation

D:-Reduced blink rate

Correct Answer:- Option-B

Question83:-हीनाधिकाङ्गान्यथवा ज्योतिष्यपि च पश्यति is seen in _____ Timira.

A:-Vataja

B:-Pittaja

C:-Raktaja

D:-Sannipathaja

Correct Answer:- Option-D

Question84:-A severely decomposed body is brought for identification. Which dental evidence would be most useful for establishing identity?

A:-Comparison of postmortem dental findings with available ante mortem dental records

B:-Tooth colour and gingival appearance

C:-Salivary pH

D:-Dental caries

Correct Answer:- Option-A

Question85:-Which of the following is an acute complication of advanced keratoconus?

A:-Acute corneal hydrops

B:-Hypopyon

C:-Endophthalmitis

D:-Anterior uveitis

Correct Answer:- Option-A

Question86:-A patient with chronic otitis media is suspected to have mastoid involvement . Which X-ray view would be most appropriate to assess the mastoid air cells?

A:-Schuller's view

B:-Rhese view

C:-Owen's view

D:-Water's view

Correct Answer:- Option-A

Question87:-Merciful anosmia is seen is:

A:-Chronic sinusitis

B:-Nasal polyp

C:-Deviated nasal septum

D:-Atrophic rhinitis

Correct Answer:- Option-D

Question88:-The clinical feature, "Paracusis Willisii" is most commonly seen in

A:-Meniere's disease

B:-Cholesteatoma

C:-Otosclerosis

D:-Otomycosis

Correct Answer:- Option-C

Question89:-Sastra recommended for Prachanakarma in Indraluptha in Ashtangasamgraham is

A:-Aara

B:-Soochi

C:-Badisa

D:-Soochi Koorchaka

Correct Answer:- Option-D

Question90:-Select the disease in which karnashoola is a lakshana (according to Vagbhata):

A:-Dantavidradhi

B:-Vidarbha

C:-Adhimamsa

D:-Dandanadi

Correct Answer:- Option-C

Question91:-Find the odd one with respect to Sadhya Asadhya (According to Vagbhata_

A:-Alasa

B:-Jalarbuda

C:-Oordhwaguda

D:-Valaya

Correct Answer:- Option-B

Question92:-According to Ashtangahrudaya, Aschyothanam with masthu, sarkara and kshoudra is indicated in

A:-Sukthika

B:-Pishtaka

C:-Arjuna

D:-Arma

Correct Answer:- Option-C

Question93:-Paithikanethraroga in which Vamana is inidicated?

A:-Pakshmasatha

B:-Lagana

C:-Sukthika

D:-Pithothklishtam

Correct Answer:- Option-A

Question94:-'Berlin's Oedema' is caused by

A:-Photoretinitis

B:-Blunt trauma

C:-Papilloedema

D:-CRVO

Correct Answer:- Option-B

Question95:-Under the revised focus areas of National Programme to Prevention and control of Deafness (NPPCD) in India, which ojective screening method is commonly used for hearing screening of Newborns?

A:-Pure Tone Audiometry (PTA)

B:-Oto Acoustic Emissions (OAE)

C:-Tuning fork test

D:-Brain stem Auditory Evoked Response (BAER)

Correct Answer:- Option-B

Question96:-Hypervitaminosis D may lead to

A:-Zonular cataract

B:-Band keratopathy

C:-Papilloedema

D:-Increased lacrimation

Correct Answer:- Option-B

Question97:-Which of the following is/are considered as Pathya in netra roga?

A:-Eye wash with Triphala kashaya daily in the morning

B:-Applying paste of Krishna Tila over head and then taking bath

C:-Drinking sufficient quantity of water after meals

D:-All the above

Correct Answer:- Option-D

Question98:-_____ of nasal skin is the first indication of disease progression of asymptomatic HIV to AIDS.

A:-Herpes Zoster

B:-Seborrheic dermatitis

C:-Kaposi's sarcoma

D:-None of the above

Correct Answer:- Option-C

Question99:-Which of the following statement/statements is/are true regarding Armachedana as per Acharya Vagbahata?
i. Vimardana of eye with Beejapoora rasa and saindhava as purvakarma
ii. Sechana with Karanjabeeja siddha ksheera from 4th day onwards
iii. Removal of bandage on 7th day

A:-i, ii and iii are true

B:-i and ii are true

C:-i and iii are true

D:-Only i is true

Correct Answer:- Option-C

Question100:-Match the following Sastrakarma:
(Column I) with appropriate Netraroga
(Column II) as described by Acharya Susruta

	Column I		Column II
i.	chedya	a.	Bisavartma krimigranthi
ii.	Lekhya	b.	Sirotpatam, Siraharsham
iii.	Bhedya	c.	Sirajalam, Sirapitaka
iv.	Vedhya	d.	Utsangi, Pothaki

A:-i-c, ii-d, iii-a, iv-b

B:-i-b, ii-d, iii-a, iv-c

C:-i-c, ii-a, iii-d, iv-b

D:-i-a, ii-b, iii-d, iv-c

Correct Answer:- Option-A