138/2014

1.	Which one of the following is called as valence electron in an atom?												
	(A)	No. of electron											
	(B)	No. of electron	s in the	N shell									
	(C)	No. of electron	ns in the	outermost orl	oit								
	(D)	No. of electron	ns in the	M shell									
2	I - CI	unit one coulo	mb corre	penonde to a a	nantity (of electricity of	about	electi	rons.				
2.		6.24×10^{18}		6.24×10^8	(C)	62.4×10 ⁸	(D)	62.4×10^{18}					
3.	Whi	ch material is h	aving th	e negative ter	nperatui	re co-efficient a	mong the	following:					
		Copper	(B)	Aluminium	(C)	Tungsten	(D)	Carbon					
4.	The resis	equivalent res							ingle				
	(A)	Greater	(B)	Smaller	(C)	Equal	(D)	Half					
5.		en resistance an	d curre	nt are known		formula ca	n be app	lied to find p	ower				
	(A)	I^2R	(B)	$\frac{1}{R}$	(C)	IR^2	(D)	$\frac{R}{I^2}$					
6.		50 V lamp has	its hot	resistance of	625 ohn	n. What is the			y the				
	(A)	0.4 A	(B)	4 A	(C)	2 A	(D)	0.625 A					
7.	In a	lead acid batte re in the same b	ry there	are 6 positive	e plates.	How many nu	ımber of	negative plate	es are				
	(A)	4	(B)	5	(C)	7	(D)	8					
8.	Ac	apacity of the s	torage c	ell is always s	pecified	as							
٠.	(A)					npere rating							
	(C)	Full voltage		(D) Vo	ltage/Cell ratio	ng						
	***	ich instrument	la mand i	lo mascura the	snecific	e gravity of a h	attery ?						
9.	(A)		(B)	Hydrometer) Lactometer		Fuel gauge					

10.	Which among the following constitutes the major load for an automobile battery?											
	(A)	Parking lights	(B)	Brake lights	(C)	Spark plug	(D)	Self starter				
11.	Cell	s are connected in	n para	llel :								
	(A)	To increase the										
	(B)	To increase the										
	(C)	To increase the	a ann an T	*St. 13*10								
	(D)	To increase the	curre	nt capacity								
12.	The	active material or	n the p	oositive plates	of a full	y charged lead a	acid cell	is:				
				Lead pentox				Pure lead				
13.	Whi	le Fleming's righ ards :	t han	d rule to find	the dir	ection of induce	ed emf,	the thumb p	oints			
	(A)	Direction of flux	<									
	(B)	Direction of ind	uced e	emf								
	(C)	Direction of mo	tion co	onductor if for	efinger j	points along the	lines of	flux				
	(D)	Direction of mot	ion of	the conductor	if forefi	nger points in th	e direct	ion of induced	emf			
14.	The	material for comm	nutato	or brushes is g	enerally	:						
		Carbon	(B)	Mica	(C)		(D)	Cast iron				
15.	The	armature core of	DC ge	nerator is usu	ally mad	le of :						
	(A)	Cast iron		(E	Silic	on steel						
	(C)	Copper		(1) Non	-ferrous materia	al					
16.	The	emf generated in	a DC	generator is di	irectly p	roportional to:						
	(A)	Number of poles	-	(B) Flux	per pole						
	(C)	Speed of armatu	re	(E) All o	of the above						
17.	The p	polarity of DC ger	nerato	r can be rever	sed by :							
	(A)	Increasing field	curren	nt	(7)			19				
	(B)	Reversing field o	urren	t								
	(C)	Reversing field c	urrent	as well as dir	rection o	f rotation						
	(D)	Any of the above	2									

18.												
	(A)	Amount of curre	nt to	be collecte	ed							
	(B)	Speed of Armati	ire									
	(C)	Type of Winding	5									
	(D)	Voltage										
19.	Whic	h spring is used t	to pre	vent the p	inion f	rom st	triking the flyw	heel acc	identally ?			
	(A)	Drive spring	•		(B)		e spring					
		Anti drift spring			(D)	Clute	ch spring					
20.	The	axial starter work	s on	the princi	ple of _		mechanis	m.				
20.		Our running clu		•	(B)		ng armature					
	(C)	Friction clutch			(D)	None	e of the above					
21	In or	n open core ignitio	on coi	L the resis	stance o	f the v	winding is of th	ne order	of:			
21.	(A)	20 - 40 ohm					2 - 4 k ohm		2 - 4 ohm			
					1:	law awa	aina iá af tha ar	rder of ·				
22.		usual value of car				(C)	39 - 42°	(D)	20 - 25°			
	(A)	32 - 37°	(B)	26 - 30°		(C)	37 - 42	(0)	20 20			
23.	Whi	ch are the two ge	neral	ways of s	park a	lvance	e mechanism ?					
	(A)	Centripetal and	com	pression								
	(B)	Centrifugal and	vacu	ıum								
	(C)	Centrifugal and										
	(D)	Centripetal and	vacu	ium								
24.	Spa	rk plug "reach" is				No. an						
	(A)	Distance from t			o the e	nd of	the threads					
	(B)	Distance betwee										
	(C)	The total length	of th	ie spark p	lug							
	(D)	None of the abo	ove									
25.	An	alternator is a :										
	(A)	Homopolar ma	chine	•	(B)		tropolar machir					
	(C)	Either of (A) or	(B) a	bove	. (D)	No	ne of the above	ĝ.				

26.		at will happer tested by ext	n to the l ernal gro	Hack saw b wler ?	olade, ii	fany	short exists in	the arm	ature winding w	vhe
	(A)	Sale of Care and								
	(B)	The blade v			with no	ise				
	(C)						ding			
	(D)									
27.	The	illumination	of a surf	ace is		to th	e square of its	distance	from the source	a
	(A)				(B)	Equ			and the board	-
	(C)	Inversely pr	oportion	ıal	(D)		ne of the above	:		
28.	Whi	ich is the pock	et size ir	nstrument i	used to	mea	sure illuminano	ne ?		
	(A)	Lumen mete	er (B)	Light me	eter	(C)	Test lamp	(D)	Arc lamp	
29.	One	watt is equal	to:							
	(A)	One volt/On	ne ohm		(B)	One	Joule/second			
	(C)	One Farad			(D)	One	ohm/One an	pere	•	
30.	Amı	meters are alw	ays con	nected in _			vith the load.			
	(A)	Series			(B)	Para	allel			
	(C)	Either parall	el or seri	es	(D)	Nor	ne of the above			
31.	The	most commor	ıly used	transistor	circuit a	arran	gement is		configuration.	
	(A)	Common Ba			(B)		nmon Emitter			
	(C)	Common Co	llector		(D)	Non	e of these			
32.	A Ze	ener diode is u	ised as a							
	(A)	Rectifier	(B)	Switch		(C)	Amplifier	(D)	Voltage regula	tor
33.	What	t is the ripple	factor of	a full-wav	e rectif	ier ?				
	(A)	1.21	(B)	0.99		(C)	0.48	(D)	0.50	
34.	What	is the knee v	oltage of	silicon PN	junctio	n die	ode ?			
		0.7 V		1.1 V			0.3 V	(D)	0.1 V	
138/	2014				6					Λ

35.	The addition of trivalent impurities creates										
	(A)	Holes			(B)	Free	electrons				
	(C)	Valence electro	ons		(D)	Non	e of the above				
36.	The	function of an al	ternato	or in an au	tomobi	le is t	o :				
	(A)	Supply electric	power	r							
	(B)	Convert mecha	nical e	nergy into	electri	cal er	ergy				
	(C)	Continually ch	arge th	ne battery							
	(D)	Partially conve	rt engi	ne power i	nto ele	ectric j	power				
37.	If the		e ignite	es before th	ne spar	k take	s place at the sp	oark plu	ig, the condition is		
	(A)	Detonation	(B)	Ignition		(C)	Pre-ignition	(D)	Rumble		
38.	The	air gap between	the ce	ntral electr	ode an	d gro	und electrode o	f a spar	k plug is around :		
	(A)	0.2 mm	(B)	1.5 mm		(C)	1 mm	(D)	0.5 mm		
39.	The	starter motor is	driven	by:							
	(A)	Chain drive			(B)	Gea	r drive				
	(C)	Flat belt drive			(D)	V-Be	elt drive				
40.	The	ignition coil is u	sed to	:							
	(A)	Step up currer	nt		(B)	Step	down current				
	(C)	Step up voltag	e		(D)	Step	down voltage				
41.	With	n the increase of	batter	y temperat	ure, th	e spec	ific gravity of e	lectroly	te:		
	(A)	Increases	•	•	(B)		reases				
	(C)	Remains same			(D)	Nor	e of the above				
42.	The	starting system	includ	es:							
	(A)	A battery, a st			tion sw	ritch					
	(B)	A battery, a di					rch				
	(C)	A battery, a st									
	(D)	A distributer,	a starte	er and an i	gnition	swite	ch				

43.	The most accurate ignition system of a spark ignition engine is:											
	(A)	Magneto syste	m									
	(B)	Battery switch	L									
	(C)	Electronics cor	ntrol ur	nit system								
	(D)	Magneto and	Electro	nic system								
44.	Wh	ich of the follow	ing bul	b in a car v	vill ha	ve the	e least	wattage	?			
		Head light bul			(B)		light					
	(C)	Parking light b	oulb		(D)	33.17		arning l	oulb			
45.	In I	Diesel engine the	e dura	tion betwe	en the	e time	of inj	uction	and the	time o	f ignition	i
	(A)	Split cut off	(B)	Delay per	riod	(C)	Injec	tion per	iod (D) Igniti	ion period	
46.	Hov	w many cells are	used in	n a 12 V car	r batte	ry ?						
	(A)	2	(B)	4		(C)	8		(D) 6		
47.	The	brake warning I	ight wa	arns the dri	iver :							
	(A)	Water in the m	aster c	ylinder								
	(B)	Air in the hydr	aulic s	ystem								
	(C)	Failure of the p	rimary	or seconda	ary cir	cuit o	f hydr	aulic sys	stem			
	(D)	Power-brake fa	ilure									
48.	Whi	ch device preven	its the	generation	of exc	essive	voltag	ge ?				
	(A)	Dyer drive	(B)	Current li	miter	(C)	Barre	l drive	(D)	Volta	ge regulato	r
49.	The	force tending to	move t	he electrici	ty is ca	alled :						
	(A)	Current			(B)	E.M.	F					
	(C)	Potential differ	ence		(D)	Resis	stivity					
50.	The :	source of AC sup	pply is	:								
	(A)	AC generator			(B)	Indu	ction r	notor				
	(C)	DC motor			(D)	Lead	acid c	ell				
51.	The p	polarity of DC vo	oltage s	source :								
	(A)	Changes			(B)	Chan	iges at	time				
	(C)	Does not chang	e		(D)	Eithe	r (A) o	or (B)				

138/2014

52.	Cable	e joints are solde	ered for	r:						
	(A)	Good mechanic	cal stre	ngth						
	(B)	Electrical cond	uctivity	,						
	(C)	To avoid corros	sion							
	(D)	All the above								
53.	The	voltage induced	in a co	nductor o	r coil by	y its o	wn magnetic f	ield is ca	lled :	
	(A)	Mutually indu			(B)		induced emf			
	(C)	Reactance volt			(D)	Mag	neto motive fo	orce		
54.	In a 300	centre tap circu V peak. Then PI	it, if vo	oltage betw	veen or	ne end	d of secondary	winding	and cent	re tap is
	(A)	300 V	(B)	100 V		(C)	150 V	(D)	600 V	
55.	A ca	pacitor blocks:								
	(A)	AC but allow	DC		(B)		but allow AC			
	(C)	Both			(D)	Nor	ne of the above			
56.	In a	semiconductor,	the en	ergy gap b	etweer	vale	nce band and	conductio	on band is	nearly :
		1 eV	(B)	15 eV			5 eV	(D)	10 eV	
57.	Rev	erse resistance o	f a dio	de is of the	order	of:				
77.00	(A)		(B)	$m\Omega$		(C)	$k\Omega$	(D)	$ M \Omega$	
58.	The	light emitting d	iode (I	FD) ·						
50.	(A)	Is usually mad								
	(B)	Uses reversed								
	(C)				rease w	rith in	crease in temp	perature		
	(C) (D)									
	(D)	Depends on a	ile rece	110341111						
59.	The	input and outp	ut sigr	nals of a co	mmon-	emitt	er amplifier ar	e:		
	(A)	Always equal			(B)	Ou	t of phase			
	(C)	Always negal	ive		(D)	In	phase			

00.	111 6	transistor with	i norma	i bias, the e	mitte	r junct	ion:			
	(A)	has a high re	sistance							
	(B)	has low resis	tance							
	(C)	is reversed								
	(D)	emits such ca	rriers ir	ito base wh	ich ar	e in m	ajority (in	the base)		
61.	A co	onstant current nged to 100 Ω t	source :	supplies a c current wil	urren	it of 30	00 mA to a	load of 1	kΩ. When t	he load i
	(A)	3 A	(B)	30 mA		(C)	300 mA	(E) 600 mA	
62.	In a	lead acid batter	ry, the l	evel of the	electro	olyte sl	hould be:			
	(A)	Equal to that	of the p	lates	(B)	Belo	w the level	of plates		
	(C)	Above the lev	el of pla	ites	(D)		where in t			
63.	Fuse	e rating is expre	ssed in	terms of :						
		Voltage	(B)	Current		(C)	kVA	(D) VAR	
64.	A fu	se wire should	have :							
	(A)	Low resistano	e and h	gh melting	point	t				
	(B)	High resistance								
	(C)	Low resistance	e and lo	w melting	point					
	(D)	High resistance			-					
65.	The	stator of an alte	rnator o	onsist of :						
	(A)	An iron core			(B)	Stato	r winding			
	(C)	Both (A) and ((B) abov	e			of the abo	ve		
66.	The	frequency of vo	ltage ge	nerated in	an alt	ernato	r denends :	upon :		
	(A)	Number of pol			(B)		ive speed	проп.		
	(C)	Both (A) and (e	(D)		ive speed a	and kVA r	ating	
67.	In ge full :	neral the design	n of the	current reg	ulator	is suc	h that its n	nain actual	ing winding	g carries
	(A)	Generator volt	age		(B)	Gene	rator outpu	ıt		
	(C)	Field current			(D)		ry voltage			
138/	2014				10					А

68.	The	material which re	eflects	all wave leng	gth ir	n the	spectrum of ligh	ıt appe	ar to be :
	(A)	Black to white	(B)	Opaque		(C)	Transparent	(D)	Green to red
69.	Glar	e is caused due to	o :						
	(A)	Excessive lumin	ance						
	(B)	Excessive lighting	ng cor	ntrast in the fi	ield o	f visi	on		
	(C)	Either (A) or (B							
	(D)	None of the abo							
70.	Lum	ninous flux is :							3
	(A)	The rate of ener	gy ra	diation in the	forn	n of li	ght wave		
	(B)	The part of ligh	t ener	gy radiated b	y su	n that	is received on	earth	
	(C)	Scattering of lig	ht ov	er dust partic	les				
	(D)	Measured in Lu	ıx						
71.	A pe	erfect diffuser sui	face i	s one that :					
	(A)	Transmitts all t	he inc	ident light					
	(B)	Absorbs all the	incide	ent light					
	(C)	Diffuses all the	incid	ent light					
	(D)	All of the above	9						
72.	Mos	st effective param	eter o	f a filament la	amp	due t	o variation in o	perating	g voltage is :
	(A)	Life			(B)	Ligh	nt output		
	(C)	Luminous effic	iency		(D)	Wat	tage		
73.	The	lamp is provided	l with	reflector in o	order	to:			
	(A)	Avoid glare			(B)	Pro	vide better illum	inatior	1
	(C)	Protect the lam	p		(D)	All	the above		
74.	Batt	ery driven vehicl	es:						
	(A)	are easy to con	trol a	nd very conv	enien	t to u	ise	90	
	(B)	have low main	tanan	ce cost					
	(C)	cause no pollui	tion						
	(D)	all the above							
	(2)								

75.	The armature reaction of an alternator influences:												
	(A)	Winding loss	es		(B)	Operating speed							
	(C)	Generated vo	ltage po	er phase	(D)	Was	ve form o	of voltage	gene	erated			
76.	As t	he speed of an	alterna	tor increase	es:								
	(A)	The frequenc	y increa	ises									
	(B)	The frequenc	y decrea	ases									
	(C)	The frequenc	y remai	ns constant	but p	ower	factor de	creases					
	(D)	None of the a	bove										
77.	Whi	ch of the follow	ving co	nverts elect	rical er	ergy	to radiar	nt heat ?					
	(A)	Solar cell			(B)	Stor	age batte	ery					
	(C)	Wankel engir	ne		(D)	Inca	ndescent	lamp					
78.	In at	atomobile the s	ound is	produced	by hor	n due	to:						
7.07.0	(A)	Magnetic stri			(B)		rating dia	phram					
	(C)	Moving coil			(D)		illating co						
79.	Mini	ature lamps au	itomobi	les are used	l for :								
	(A)	Tail lamp			(B)	Dasl	h board l	amp					
	(C)	Side lamp			(D)	All	of the abo	ove					
80.	The	life of a spark p	olug de	oends upon	:								
		Careful select											
	(B)	Design and a	ssembly	technique									
	(C)	Testing of the	materia	als									
	(D)	All of the abo	ve										
200	(4												
81.		am Buddha w											
	(A)	Haridwar	(B)	Lumbini		(C)	Ujjain		(D)	Bodha Gaya			
82.	Toxic	cology is the st	udy of										
	(A)	Bones	(B)	Fossils		(C)	Teeth		(D)	Poisons			
83.	Sard	ar Sarovar Dar	n is bui	lt across th	e river								
	(A)	Narmada	(B)	Krishna		(C)	Kaveri		(D)	Gomathi			

84.	Who was popularly known as the Fa	ather of	Indian Renaissance ?					
	(A) Swami Vivekananda	(B)	Raja Rammohan Roy					
	(C) Mahatma Gandhi	(D)	Dr. Bhimrao Ambedi	car				
85.	The book 'war and peace' is written	by:						
	(A) George orwell	(B)	Charles Dickens					
	(C) Leo Tolstoy	(D)	Mark Twain					
86.	Mogadishu is the capital of :							
	(A) Rwanda (B) Romani	a	(C) Senegal	(D)	Somalia			
87.	The parliament of Isreal is known a	5						
	(A) Duma	(B)	Federal Assembly					
	(C) Knesset	(D)	Majlis					
88.	Who won Ezhuthachan Award for	2013 ?						
	(A) M.K. Sanu	(B)	Prabha Varma					
	(C) Vilasini	(D)	M.T. Vasudevan Nai	r				
89.	Sadhujana Paripalana Sangham was	founde	d by :					
	(A) Sree Narayana Guru	(B)	Vagbhatananda					
	(C) Chattambi Swami	(D)	Ayyankali					
90.	Human right day is observed on		w(*))					
	(A) December 10 (B) Decemb	er 9	(C) November 9	(D)	September 7			
91.	In which amendment did the voting	age is l	owered from 21 to 18	?				
	(A) 46th amendment	(B)	61st amendment					
	(C) 62 nd amendment	(D)	47 th amendment					
92.	St. Thomas came to Kerala in							
	(A) AD 12 (B) AD 52		(C) AD 49	(D)	AD 46			
93.	The book "Bahuleya Ashtakam" is v	written b	y:					
	(A) Brahmananda Sivayogi	(B)	Vagbhatananda					
	(C) Sree Narayana Guru	(D)	Chattambi Swami					

94.	The	capital city of ve	enad k	ingdom wa	as				
	(A)	Travancore	(B)	Kollam		(C)	Kochi	(D)	Kottayam
95.	Myc	pia can be corre	cted b	у					
	(A)	Convex lenses		7)	(B)	Cyli	indrical lenses		
	(C)	Vertical lenses			(D)	Con	cave lenses		
96.	The	civil disobedieno	e mov	ement was	starte	ed in			
	(A)	1930	(B)	1935		(C)	1940	(D)	1927
97.	Who	founded the po	litical	party called	l Forw	ard E	Block?		
	(A)	B.R. Ambedkar			(B)	C.R.	. Das		
	(C)	Subhash Chanc	dra Bo	se	(D)	Vin	oba Bhave		
98.	The	term 'Fourth Est	ate' re	fers to					
	(A)	Legislature			(B)	Exe	cutive		
	(C)	Judiciary			(D)	Pres	ss		
99.	The	book 'Daughter	of the	East' is the	autob	oiogra	phy of		
	(A)	Aunng San Sut	ı Kyi		(B)	Indi	ra Gandhi		
	(C)	Ghalidhasia			(D)	Bena	azir Bhutto		
100.	Who	is known as the	Gran	d Old Man	of Ind	lia ?			
	(A)	Dadabhai Naoi	roji		(B)	Rab	indranath Tago	re	
	(C)	Bal Gangadhar	800		(D)		ilal Nehru		

-000-