Maximum: 100 marks

Time: 1 hour and 15 minutes

1.	The numb	per of articles in Indian constitution	:	
	(A)	395	(B)	375
	(C)	385	(D)	295
2.	The right	to property was taken away from a	nong the	Fundamental Rights by the :
	(A)	42 <sup>nd</sup> constitutional amendment	(B)	44th constitutional amendment
	(C)	46th constitutional amendment	(D)	47th constitutional amendment
3.	The Right	to Information Act was passed in t	he year :	
	(A)	2000	(B)	2002
	(C)	2004	(D)	2005
4.	The Chair	rman of Western Ghats Ecology Exp	ert Panel	was:
ď.	(A)	Kasthurirangan	(B)	Madhav Gadgil
	(C)	Dr. D. K. Subramanian	(D)	Dr. V. S. Vijayan
5.	The wome	en leader whom Gandhiji hailed as "	The Jhan	si Rani of Travancore' :
	(A)	Rosamma Punnuse	(B)	Anna Chandi
	(C)	Akkamma Cheriyan	(D)	Lalitha prabhu
6.	Yuktivat	i' was published under the editorshi	p of:	
	(A)	K. Ayyappan	(B)	E. Moidu Moulavi
	(C)	C. Krishnan	(D)	K.P. Kesava Menon
7.	The credi	t for having laid the foundation of V	Vestern E	ducation in Malabar area goes to :
	(A)	Church Mission Society	(B)	London Mission Society
	(C)	Basel Evangelical Mission	(D)	Salvation Army
8.	'Suchindr	am Kaimukku' the traditional ordia	l of boilin	g ghee was abolished by :
	(A)	Uthradam Thirunal	(B)	Ayilyam Thirunal
	(C)	Swathi Thirunal	(D)	Gauri Lakshmi Bai

9.	Who initia	ated the method 'Misrabhojanam' to fi	ght aga	inst caste system in Kerala?
	(A)	Ayyankali	(B)	K. Ayyappan
	(C)	Pandit Karuppan	(D)	Vagbhadananda
10.	The 'Islan	n Dharma Paripalana Sangham' was	founded	by:
	(A)	Makti Thangal	(B)	Muhammed Abdurahiman
	(C)	E. Moidu Moulavi	(D)	Vakkom Abdul Khader Moulavi
11.	The first o	characteristic Malayalam novel is:		
	(A)	Chemmeen	(B)	Indulekha
	(C)	Kundalatha	(D)	Dharmaraja
12.	'AMRUT',	the programme introduced by the C	overnn	nent of India in June 2015 is intended
	(A)	Child care	(B)	Rural Development
	(C)	Mother care	(D)	Urban Development
13.	Who was	the first Chair Person of the Kerala S	State Wo	omen's Commission?
	(A)	Sugatha Kumari	(B)	Justice D. Sreedevi
	(C)	M. Kamalam	(D)	K. C. Rosakutty
14.	In norma	l case the period allowed to furnish in Right to Information Act is :	formati	on by the Principal Information Officer
	(A)	15 days	(B)	45 days
	(C)	7 days	(D)	30 days
15.	The write	er who won the first 'Jnanpith Award'	was:	
	(A)	G. Sankara Kurup	(B)	P. V. Akilan
	(C)	Shivaram Karanth	(D)	S. K. pottakkad
16.	The then led by:	ne of the historical novel 'Keralasiml	nam' is	the struggle against the British power
	(A)	Marthanda Varma	(B)	Velu Thambi
	(C)	Kunjali Marakkar	(D)	Pazhassi Raja
17.	Who won	the 'Ezhuthachan Prize' for the year	2014?	
	(A)	Vishnu Narayanan Namboothiri	(B)	M. K. Sanu
	(C)	Attoor Ravivarma	(D)	M.T. Vasudevan Nair

18.	. Sanju V. Samson made his international debut for India against:			
	(A)	Bangladesh	(B)	Australia
	(C)	Zimbabwe	(D)	Sri Lanka
19.	Dr. A.P.J.	Abdul Kalam delivered his last lecture	in th	e Indian Institute of Management at :
	(A)	Calcutta	(B)	Shillong
	(C)	Kashipur	(D)	Indore
20.	The comm	nission to probe the 'Solar Scam" is head	ded by	y:
	(A)	Justice Sukumaran	(B)	Justice Thomas P. Joseph
	(C)	Justice Sivarajan	(D)	Justice C.N. Ramachandran
21.	The only	cranial nerve that emerges through dors	sal as	pect of brain stem is:
	(A)	abducent	(B)	facial
	(C)	oculomotor	(D)	trochlear
22.	True rega	rding otic ganglion is :		
	(A)	preganglionic fibres arise from superio	or sal	ivatory nucleus
	(B)	nerve fibres pass through tympanic bi	ranch	of glossopharyngeal nerve
	(C)	nerve fibres traverse greater petrosal	nerve	
	(D)	post ganglionic fibres pass through fac	cial n	erve
23.	Submand	ibular duct is in intimate relation to the	e follo	wing nerve :
	(A)	Facial	(B)	Hypoglossal
	(C)	Lingual	(D)	Inferior alveolar
24.	Floor of ca	arotid triangle is formed by all muscles	EXCI	EPT:
	(A)	Hyoglossus	(B)	Inferior constrictor
	(C)	Thyrohyoid	(D)	Superior constrictor
25.	Carotid to	bercle is prominent in following verteb	ra:	
	(A)	C 2	(B)	C 6
	(C)	C 7	(D)	T1
26.	Motor are	a in cerebrum is mainly associated with	n :	
	, (A)	Controlling all motor activity	(B)	Executing fine movements
	(C)	Performing an involuntary movement	s(D)	Performing all voluntary movements

27.	Colour vis	ion is by:		
	(A)	Bipolar cells	(B)	Cones
	(C)	Occipital cortex	(D)	Rods
28.	Stimulation	on of Baroreceptor leads of:		
	(A)	Decrease in Heart rate and Blood pr	essure	
	(B)	Increase in Heart rate and Blood pre	essure	
	(C)	Decrease in Intracranial tension		
	(D)	Increase in Intracranial tension		
29.	Cerebrosp	pinal fluid is principally secreted by:		
	(A)	Arachnoid granulation	(B)	Choroid plexus
	(C)	Floor of Fourth ventricle	(D)	Periaqueductal grey
30.	In Athleta	s bradycardia is because of:		
	(A)	Cardiac output	(B)	Decreased sympathetic tone
	(C)	Increased Vagal tone	(D)	Low Venous return
31.	Which of	the following is an intranuclear inclu	sion?	
	(A)	Warthin Finkelday	(B)	Donovan body
	(C)	Negri body	(D)	Cowdry inclusion
32.	Durck gr	anuloma is seen in ———— i	infectio	n.
	(A)	Falciparum malaria	(B)	Anthrax
	(C)	Cutaneous Leishmaniasis	(D)	Mycobacterium avium intracellulare
33.	p53 acts	as a tumor suppressor by following m	echanis	sms EXCEPT:
	(A)	quiescence	(B)	senescence
	(C)	down regulation of catenin	(D)	induction of apoptosis
34.	The follo	wing statements are true about Super	rantige	ns EXCEPT:
	(A)	they are bacterial proteins		
	(B)	antigens on surface of Bombay grou	up RBC	
	(C)	cause polyclonal Tcell activation		
	(D)	cause syndrome similar to septic sh	nock	

238/2015

35.	Gum hype	rtrophy is se	en in:			
	(A)	AML M3		(B)	ALL L2	
	(C)	AML M5		(D)	CML	
36.	Zero order	kinetics of e	limination applies to	which dru	g:	
	(A)	Ampicillin		(B)	Ethyl Alcohol	
	(C)	Paracetamo	1	(D)	Verapamil	
37.	The prefer	rred drug for	the treatment of org	ganophospho	prous poisoning is :	
	(A)	Adrenaline		(B)	Atropine	
	(C)	Neostigmin	e	(D)	Vecuronium	
38.	Which am	ong the follo	wing is a sympathon	nimetic bron	nchodilator?	
	(A)	Budesonide		(B)	Ipratropium	
	(C)	Montelukas	st ·	(D)	Salbutamol	
39.	The Drug	of choice for	the treatment of sta	tus Epilepti	cus is:	
	(A)	Carbamaze		(B)	Lorazepam	
	(C)	Phenobarbi	tone	(D)	Sodium Valproate	
40.	The prefer	rred drug for	the treatment of my	ultidrug-res	istant typhoid fever is:	
	(A)	Ampicillin	4.50	(B)	Cephalexin	1.5
	(C)	Ceftriaxone		(D)	Cotrimoxazole	
41.	All of the	following are	true regarding Vita	min A activ	ity EXCEPT:	
	(A)		g all-trans-retinal		$1 \text{ RAE} = 12 \ \mu\text{g}$ beta-carotene	
	(C)	1 iu = 3.6 µ	g beta - carotene	(D)	$1 \text{ iu} = 36 \ \mu\text{g}$ all-trans-retinal	
40	Cood shall	esterol is :				
42.	(A)	LDL		(B)	VLDL	
	(C)	Chylomicro	ın	(D)	HDL	
43.	GLUT2 ta	400	seen in all the follow			
	(A)	Liver		(B)	Brain	
	(C)	Pancreatic	beta cell	(D)	Small intestine	

44.	Which of the following is false regarding HbS?					
	(A)	(A) Glutamic acid in beta chain is replaced by valine				
	(B)	GAG in $6^{\text{th}}$ codon is replaced by GUG				
	(C)	RBCs are always abnormally shaped				
	(D)	Sickled RBCs can cause splenic infarc	tion			
45.	Transami	nation is the first catabolic step of whic	h am	ino acid given below :		
10.	(A)	Arginine	(B)	Proline		
	(C)	Threonine	(D)	Lysine		
			nm.			
46.		ions of Louis Pasteur include all EXCE	PI:			
	(A)	Hot air oven				
	(B)	Autoclave				
	(C)	Live attenuated anthrax vaccine				
	(D)	Discovery of Mycobacterium tubercule	osis			
47.	Componer	nt of Bacterial cell responsible for endo	toxic	shock is:		
	(A)	Lipopolysaccharide	(B)	Peptidoglycan		
	(C)	Cytoplasmic membrane	(D)	Porins		
48.	The mech	anism of gene transfer associated with	Penio	cillin resistance in Staphylococci is :		
	(A)	Transformation	(B)	Conjugation		
	(C)	Transduction	(D)	Lysogenic conversion		
10	D 1	F7 I' in all EVCEPT.				
49.		of Zoonotic disease is all EXCEPT:	(B)	Brucellosis		
	(A)	Taeniasis	(D)	Leptospirosis		
	(C)	Hydatid disease	(D)	Leptospirosis		
50.	During w	indow period in HIV infection :				
	(A)	Viral RNA cannot be detected in the	serun	1		
	(B)	HIV antibody tests are negative				
	(C)	Viral components cannot be detected	in thi	is phase		
	(D)	Infection cannot be transmitted in th	is per	riod		

51.	The lines light are		n clearly in longitudinal (	ground	sections of enamel viewed by reflected
	(A)	Gnarled en	amel	(B)	Straie of Retzius
	(C)	Hunter Sch	nreger bands	(D)	Perikymata
52.	The organ	nic phase in o	lentin is primarily compos	sed of :	
	(A)	Type I colla	ngen	(B)	Type V collagen
	(C)	Type III co	llagen	(D)	Type XI collagen
53.	The first	sign of denti	formation is the appeara	nce of	:
14	(A)	Lines of Vo	n Ebner	(B)	Tomes process
	(C)	Von Korff '	s fibres	(D)	Contour lines of Owen
54.	The princ	ipal cell in th	ne lamina propria of gingi	va is th	ne:
	(A)	Endothelia	l cell	(B)	Mucous cell
*	(C)	Histiocyte		(D)	Fibroblast
55.	The earlie	est histologic	indication of tooth develo	pment	is at:
	(A)	6th week of	embryogenesis	(B)	2 <sup>nd</sup> week embryogenesis
	(C)	4th week of	embryogenesis	(D)	3 <sup>rd</sup> week of embryogenesis
56.	The accur		ph for the diagnosis of ap	proxin	nal caries lesions when a contact point
	(A)	Occlusal		(B)	RVG
	(C)	Bitewing		(D).	Intra oral periapical
57.	A restorat	tion material	that will set in the dark i	s:	
	(A)	Compomer		(B)	Resin modified GIC
	(C)	Nanofilled	composite	(D)	Pit and fissure sealants
58.	IPS Empr	ess 2 is an e	xample of:		
	(A)	Injection m	oulded ceramic	(B)	CADCAM ceramic
	(C)	Sintered ce	ramic	(D)	Glass infiltrated ceramic

238/	2015		10					
	(C)	50-56	(D)	50-100				
	(A)	20-26	(B)	30-35				
67.	Optimum	orthodontic force in gm/cm <sup>2</sup> is:						
	(C)	46	(D)	40				
	(A)	44	(B)	45				
66.		f bones present in an infant sku						
cc	N	61	11.2					
	(C)	Cementoma	(D)	Adenoameloblastoma				
	(A)	Pindborg's tumour	(B)	Ameloblastoma				
65.	Driven sn	ow appearance in radiograph is	seen in:					
	(C)	Advanced dentinal caries	(D)	Necrotic dentine				
	(A)	Initial dentinal caries	(B)	Arrested dentinal caries				
64.		l dentine is :						
	(0)		(1)	Entotal Hattood				
	(A)	Palate Palate	(D)	Labial mucosa				
63.	(A)	the following is the commonest i Buccal mucosa	ntra orai site (B)	for mucoepidermoid carcinoma?  Floor of mouth				
CO	Whi i e	1 - C.11 - i - i - i - i - i - i - i - i - i -		6				
	(C)	Dentinogenesis imperfecta	(D)	Dentin Dysplasia				
	(A)	Turner's hypoplasia	(B)	Taurodontism				
62.	Tulip shar	ped crown is a feature of which o	of the followi	ng condition?				
	(C)	Periapical cyst	(D)	Gingival cyst				
	(A)	Dentigerous cyst	(B)	Odontogenic keratocyst				
61.	Which is t	the most common odontogenic cy						
		- Comment proparations for anno						
	(D)	Proximal preparations for ama						
	(B) (C)	Calla lily preparations for com Primary flare for indirect cast	100					
	(A)	Lamination techniques	nocitos					
60.		is usually employed in :						
	(D)	undreds of a millimeter						
	(C)	The width of the primary cutting edge in hundreds of a millimeter  The width of the primary cutting edge in tenths of a millimeter						
	(B)							
55.	(A) The length of the primary cutting edge in tenths of a millimeter							
DJ.	in the hal	ia instrument formula the first	number maie	cates:				

68.	Which ar		owing is not an	example of	second messenger involved in tooth
+	(A)	Cyclic AMP		(B)	Inositol Phosphate
	(C)	Cyclic GMP		(D)	Prostaglandins
69.	Deckbiss :	malocclusion i	s seen in :		
	(A)	Class I bima	xillary protrusion	(B)	Class II Div. 1
	(C)	Class II Div.	2	(D)	Class III malocclusion
70.	Reverse C	orthodontics is	a term used in :		
	(A)	Interceptive	orthodontics	(B)	Preventive Orthodontics
	(C)	Camouflage	treatment	(D)	Surgical orthodontics
71.	Class VI o	of Ellis and Da	vey classification	of tooth fract	ure is :
	(A)	Avulsion			
	(B)	Fracture of r	oot with or withou	it loss of crov	vn structure
	(C)	Displacemen	t of tooth		
	(D)	Non vital too	th		
72.	External	root resorption	due to infected p	ulp is:	
	(A)	Inflammator	y resorption	(B)	Surface resorption
3	(C)	Replacement	resorption	(D)-	Osseous resorption
73.	Objective	test of assessi	ng pulp vitality is		
	(A)	Cold test		(B)	Electric pulp test
	(C)	Pulse oximet	ry test	(D)	Test cavity test
74.	Preservat	ion pulpotomy	is:		
	(A)	MTA pulpoto	omy	(B)	Calcium hydroxide pulpotomy
	(C)	Formocresol	pulpotomy	(D)	Ferric sulfate pulpotomy
75.		ce maintainer of permanent i		uous second	molar is prematurely extracted prior to
	(A)	Band and loo	ор	(B)	Distal shoe
	(C)	Lingual arch		(D)	Trans palatal arch

76.	Multiple fi	bromas of face can be seen in :		
	(A)	Gorlin Goltz Syndrome	(B)	Cowden's Syndrome
	(C)	Albright Syndrome	(D)	Gardner's Syndrome
77.	Reddish to	purple discolouration of skin or mu vessels leaking into the connective	ucous me tissue is	embrane of size $0.4 - 0.9$ cm caused by called:
	(A)	Petechiae	(B)	Ecchymoses
	(C)	Purpura	(D)	Haemangioma
78.	Hardner u	used in a Fixer solution is :		
	(A)	Ammonium Sulfate	(B)	Benzotriazole
	(C)	Aluminium Sulfate	(D)	Sodium Sulfate
79.	The abilit	y of a radiograph to define an edge p	recisely	is called:
	(A)	Film Sensitivity	(B)	Film Sharpness
	(C)	Film Contrast	(D)	Film Resolution
80.	SI Unit of	Radiation Exposure is:	*	
	(A)	Coulomb/kilogram	(B)	Becquerel
	(C)	Roentgen	(D)	Sievert
81.	Which is	a Non-operating Dental Auxiliary?		
	(A)	Dental Laboratory Technician		
	(B)	Dental Therapist		
	(C)	Dental Hygienist		
	(D)	Expanded Function Dental Auxilia	ıry (EFD	(A)
82.	Which is	not a property of normal curve?		
	(A)	Bell shape		
	(B)	Mean is Zero and standard deviati	on is one	e.
	(C)	Mean, Median, Mode Coincide		
	(D)	Mean is one and standard deviation	n is zero	
83.	Example	of an irreversible index:		
	(A)	Loe and Silness Gingival index	(B)	DMFT index
	(C)	Oral hygiene index	(D)	None of the above

238/2015

84.	Safety tol	erated dose of fluoride :		
	(A)	4-8 mg of fluoride/kg body weight	(B)	8-16 mg of fluoride/kg body weight
	(C)	16-32 mg of fluoride/kg body weight	(D)	32-64 mg of fluoride/kg body weight
85.	Which is	not true for Cohort study as compared	to cas	e control Study?
	(A)	Expensive	(B)	Proceeds from cause to effect
	(C)	Unsuitable for study of rare disease	(D)	Yields results quickly
86.	The lymp to:	h nodes that are involved in acute nec	rotisii	ng ulcerative periodontitis are confined
	(A)	Submandibular lymph nodes		
	(B)	Sublingual lymph nodes		
	(C)	Submandibular and Sublingual lymp	h node	98
	(D)	Submandibular and Cervical Lymph	nodes	
87.		erial present between the bacteria in for around:	denta	al plaque called intermicrobial matrix
	(A)	25% of plaque volume	(B)	35% of plaque volume
	(C)	50% of plaque volume	(D)	75% of plaque volume
88.	The enzy	me Arg1 protease in biofilm is produced	d by:	
	(A)	Porphyromonas gingivalis	(B)	Actinomycosus viscosus
	(C)	Capnocytophaga	(D)	Treponima pallidum
89.	The desqu	uamative lesion having an ocular mani	festati	ion:
	(A)	Pemphigus vulgaris		
	(B)	Benign Mucous membrane pemphigo	id	
	(C)	Erosive lichen Planus		
	(D)	Erythema multiforme		
90.	The most	ideal surgical treatment for single toot	h ging	gival recession is :
	(A)	Coronally displaced flap	(B)	Sub epithelial connective tissue graft
	(C)	Laterally displaced flap	(D)	Free gingival graft
91.	Which is	the naturally occurring catacholamines	3?	
	(A)	Isoproterenol	(B)	Ephedrine
	(C)	Dopamine	(D)	Levonordefrin
A		19		238/2015

		The state of the s				
92.	One of th	e following nerve is not aneasthesied in	gowg	gate technique of nerve block :		
	(A)	Auriculotemporal	(B)	Lingual Nerve		
	(C)	Nerve to lateral pterygoid	(D)	Mylohyoid nerve		
93.	Andygum	p deformity commonly occur following				
	(A)	Total maxillectamy	(B)	Alveolar ridge agumentation		
	(C)	Gunshot injury of midface	(D)	Total mandibular resection		
94.	Following	is not a clinical feature of superior orb	ital s	yndrome :		
	(A)	Opthalmoplegia	(B)	Forehead aneasthesia		
	(C)	Constricted pupil	(D)	Proptosis		
95.	Which of	the following is not associated with ten	peror	nandibular joint pathology?		
	(A)	Diastema	(B)	Open bite		
	(C)	Deep bite	(D)	Traumatic occlusion		
96.	Which of	the following materials is commonly us	ed for	making Laminate veneers?		
	(A)	Metal ceramic	(B)	Injection moulded ceramic		
	(C)	Zirconia ceramic	(D)	In Ceram		
97.	A desirab	le property of metal ceramic alloys is :				
	(A)	Low elasticity	(B)	High thermal expansion		
	(C)	Sag resistance	(D)	High flexibility		
98.	Shaped bl	ock out is used for :				
	(A) Removal of undercut in the proximal side					
	(B) Removal of undercut in the buccal side					
	(C)	Removal of undercut in the interproxi	mal a	rea		
	(D)	Placement of retentive clasps				
99.	Minor con	nector for a mandibular distal extensio	n RPI	) should extend posteriorly to the :		
	(A)	Retromolar pad	(B)	1/2 the length of the edentulous ridge		
	(C)	2/3 the length of the edentulous ridge	(D)	Length is not a problem		
100.	Which of t	he following is an occlusal scheme not	seen i	n natural dentition?		
	(A)	Balanced occlusion	(B)	Canine guided Occlusion		
	(C)	Group function Occlusion	(D)	Mutually protected occlusion		