Maximum: 100 marks

Time: 1 hour and 15 minutes

1.	(A)	ituent Assembly firstly summoned in Cor Constituent Assembly Hall	(B)	Central Hall of Parliament
	(C)	Assembly Hall of Lok Sabha	(D)	Assembly Hall of Rajya Sabha
2.	Which art	icles of Indian Constitution deals about	citize	enship?
	(A)	Article 14–18	(B)	Article 36–51
	(C)	Article 5–11	(D)	Article 6–12
3.	The Unto	uchability Offence Act passed by Indian	parli	iament in:
	(A)	1955	(B)	1956
	(C)	1961	(D)	1972
4.	The Right	to Information Act came to exist on :		
1	(A)	2005 - Sept. 16	(B)	2005 – Aug. 18
	(C)	2005 – Nov. 13	(D)	2005 – Oct. 12
5.	The first	Echo Tourism Centre in India :		
	(A)	Thattekkad	(B)	Thenmala
	(C)	Pampadumpara	(D)	Odakkali
6.	Veenapoo	ov' of Kumaranasan firstly published in	:	
	(A)	Vivekodayam	(B)	Swaraj
	(C)	Malayalee	(D)	Mithavadi
7	The New	spaper Al-Ameen was started by:		and the second second
	(A)	Muhammed Abdul Rahman	(B)	
	(C)	Moulana Abdul Kalam Azad	(D)	Moulana Shoukathali
8.	The head		i tran	nsferred from Thiruvananthapuram to
	(A)		(B)	1956
	(C)		(D)	1961
9.	Who was	inaugurated Kerala Sangeetha Nadak	a Akk	cadami in 1958?
	(A)		(B)	Pattam Thanu Pilla
	(C)		(D)	E.M.S. Namboothiripad

10.	Who is re	egarded as 'John of Arch' of Kerala?		
	(A)	Akkamma Cheriyan	(B)	Anna Chandi
	(C)	Parvathi Nenmenimangalam	(D)	A.V. Kuttimalu Amma
11.	The real	name of Brahmananda Siva Yogi :		
	(A)	Karatt Achutha Menon	(B)	Karatt Govinda Menon
	(C)	Krishnan Nambiadiri	(D)	Kunchi Kannan
12.	Who got	the 'Njanapita Award' of 2014?		
	(A)	O.N.V. Kurup	(B)	Thara Sankar Bandopadyaya
	(C)	Balachandra Nomade	(D)	Amritha Preetham
13.	Who wro	te the first biography of Sree Naraya	na Guru	?
	(A)	Moorkoth Ramanunni	(B)	Kumaranasan
	(C)	Moorkoth Kumaran	(D)	Dr. Palppu
14.	The Asso	ciation formed by Poykayil Yohannar	1:	
	(A)	PRCS	(B)	PRDA
	(C)	PADS	(D)	PRDS
15.	Who was	the first Non-Brahmin man who ring	the ten	
	(A)	P. Krishna Pillai	(B)	
	(C)	K. Kelappan	(D)	Mannathu Padmanabhan
16.		apam' written by :		
	(A)	Chattambi Swamikal	(B)	Vakbadananda
	(C)	Markuriakose Elias Chavara	(D)	Vaikunda Swamikal
17.	Who is re	garded as 'Kerala Hemingway'?		
	(A)	M.T. Vasudevan Nair	(B)	Thakazhi Sivasankara Pillai
	(C)	C.V. Raman Pillai	(D)	Kurisseri Gopala Pillai
18.		lled the Legal Adviser of Indian Gove	rnment	?
	(A)	Attorni General	(B)	Advocate General
	(C)	Controller and Auditor General	(D)	Planning Commission
19.		women speaker of Lok Sabha, Meera	kumar v	vas elected from which constituency?
	(A)	Thoothukudi	(B)	Sasaram
	(C)	Amaravati	(D)	Indore
20.		of 'Rajiv Awaz Yojana' :		
	(A)	Rural housing	(B)	Urban housing
	(C)	Slum free India	(D)	Housing for SC, ST

074/2016

21.	The every	ession which indicates th	ne units of	f a physi	cal quantity in terms of fundamental
21.	units is:	section without mandates of	ic diffes of	a page	
	(A)	homogenous equation		(B)	dimensional equation
	(C)	analysis equation		(D)	none of these
22.	The maxi	mum permissible error in	a differen	ce $z = x -$	y is:

(A)
$$\Delta z = \Delta x + \Delta y$$
 and $\Delta z / z = (\Delta x + \Delta y) / (x - y)$

(B)
$$\Delta z = \Delta x - \Delta y$$
 and $\Delta z / z = (\Delta x - \Delta y) / (x - y)$

(C)
$$\Delta z = \Delta x + \Delta y$$
 and $\Delta z / z = (\Delta x - \Delta y) / (x - y)$

(D)
$$\Delta z = \Delta x + \Delta y$$
 and $\Delta z / z = (\Delta x + \Delta y) / (x + y)$

23. The threshold frequency corresponds to the wavelength of radiation incident on certain metal with work function 3.31×10^{-19} J is: $(h = 6.62 \times 10^{-34} \text{ Js})$

(A)
$$\Lambda = 6500 \,\text{Å}$$

(B)
$$\Lambda = 6200 \,\text{Å}$$

(C)
$$\Lambda = 6000 \,\text{Å}$$

(D)
$$A = 7000 \text{ Å}$$

24. Which of the following schemes does not produce lasing action?

25. A person sitting inside a car is safe because :

26. The differential form of Gauss's theorem is:

(A)
$$V.E = \rho / \mu_0$$

(B)
$$V^2 E = 0$$

(C)
$$V.E = \rho/\varepsilon_0$$

(D)
$$V.V = \rho / \varepsilon_0$$

27. Change in entropy when 0.2 kg water falls in temperature from 360 K to 340 K is:

28. The Mayer's relation is:

(A)
$$C_P - C_V = R$$

(B)
$$C_P/C_V = r$$

(C)
$$PV = nRT$$


20.	(A)	al velocity, the acceleration of the maximum	(B)	same as that of the velocity
	(C)	square of the velocity	(D)	zero
	(0)	square of the velocity	(D)	2010
30.	The veloc	ity of the particle is given by the	e relation v=	$at^2 + bt + c$. The dimension of a , b and
	are:			
		$(LT^{-3}, LT^{-2}, LT^{-1})$	(B)	$(LT^{-1}, L^{-1}T^{2}, LT^{-1})$
	(C)	(LT^3, LT^{-2}, LT^2)	(D)	(LT^{-3}, LT^2, LT^{-1})
31.	The You	ing's modulus $Y = MgL/\pi r^2 l$, it is giv	ven that $L=2.890 \mathrm{m}$, $M=3.00 \mathrm{kg}$
	g = 9.81 n	n/s^2 , $r = 0.041$ cm, $l = 0.087$ m.	The possible	percentage of error is:
	(A)	6.036%	(B)	6.306%
	(C)	6.360%	(D)	6.630%
32.	Of the fiv	e spectrum series of hydrogen, v	which one lies	s in ultraviolet region?
	(A)	Balmer series	(B)	Lyman series
	(C)	Pfund series	(D)	Bracket series
33.	A quarter	wave plate produces a path diff	ference of :	
	(A)	2/4	(B)	2 2/4
	(C)	3 2/4	(D)	4 2/4
34.	The force	F experienced by a moving char	ge with spee	d v in electric and magnetic field is :
	(A)	$F = [qE + (v \times B)]$	(B)	$F = [E + q(v \times B)]$
	(C)	$F = [q(E \times B) + v]$	(D)	$F = q[E + (v \times B)]$
35.	The frequ	ency of oscillation of charging L	CR circuit is	
	(A)	$f = 2\pi \sqrt{1/LC - R^2/4L^2}$	(B)	$f = 1/2\pi\sqrt{1/LC - R^2/4L^2}$
	(C)	$f = 2\pi\sqrt{1/LC^2 - R^2/4L^2}$	(D)	$f = 1/2\pi\sqrt{1/LC - R/4L}$
36.	The dime	nsion of scattering cross section	is that of:	
	(A)	velocity	(B)	volume
	(C)	area	(D)	none of these
37.	The work	done in blowing a bubble of sur	face tension	T, having radius r is:
	(A)	$4\pi r^2T$	(B)	$4\pi T/r^2$

(C) $8\pi r^2 T$

(D) $8/\pi r^2 T$

38.		moment of inertia, tic energy is	ω is the angular velocity	and m is the mass of a rotating body
	(A)	$K = \frac{1}{2} m \omega^2$	(B)	$K = \frac{1}{2}l\omega^2$
	(C)	$K = \frac{1}{2} lm \omega^2$	(D)	$\frac{1}{2}l^2m\omega^2$
39.	In CE am	plifier emitter curre	ent = 6 mA, base current =	= 0.1 mA, then current gain is:
	(A)	59	(B)	65
	(C)	60	(D)	50
40.	resistance	of 25 Ω . To convert	t it into an ammeter up to	sensitivity of 20 µA/div and it has a 1 amp, the shunt required is:
	(A)	1.050 Ω	(B)	1.0050 Ω
	(C)	1.510 Ω	(D)	0.1050 Ω
41.	The addit	ional term introduc		the inconsistency of Ampere' law is:
	(A)	$\mu_0 \partial B/\partial t$	(B)	$\varepsilon_0 \ \partial^2 E / \partial t^2$
	(C)	$\varepsilon_0 \partial E/\partial t$	(D)	$\mu_0 \varepsilon_0 \ \partial^2 E / \partial t^2$
42.	The efficie	ency of a network w	hen it transfer maximum	power to the load is:
		25%	(B)	50%
	(C)	75%	(D)	100%
43.	Skieter, t	he dog weighs exact ntage of error in me	ly 36.5 kg. When weighed	on a defective scale he weighed 38 kg.
	(A)	4.1%	(B)	4.3%
	(C)	4.2%	(D)	4.0%
44.	When a p	plane polarised ligh	t incident on a rotating	analyser, in one complete rotation one
	(A)	one complete exti	nction	
	(B)	one brightness an	d two complete extinction	
	(C)	two brightness an	d one complete extinction	
	(D)	two brightness an	d two complete extinction	
45.	Sky is blu	ie because of:		
	(A)	Raman scattering	(B)	Rayleigh scattering
	(C)	Brillouin scatterin	ng (D)	Meiser scattering

46. Which of the logic gate is represented by the following combination?



47. A uniform electric field pointing in positive y direction exists in a region. Let A be the origin, B be the point on x axis at x = 2 cm and C be the point on y axis at y = 2 cm, the potential at the points A, B and C satisfy:

(A)
$$V_A < V_B$$

(B)
$$V_A > V_B$$

(C)
$$V_A < V_C$$

(D)
$$V_A > V_C$$

48. A cricket ball is thrown at a speed of 28 m/s in a direction 30° above the horizontal, the distance from the thrower to the point where the ball returns to the same level is:

49. The escape velocity of a body depends on :

- (A) mass of the body
- (B) the direction of projection
- (C) the location from where it is projected
- (D) the height of the location from where it is projected

50. The unit of power of lens is:

51. The dimension of gravitational field intensity is:

52. The wavelength of light, when the angle of minimum deviation is 30° for the second order and the number of lines per cm of the grating is 5000, is:

	(A)	by using a cross	ed lens			
	(B)	by using two ler	ises separated by a	distance		
	(C)	by using a plana	able lens			
	(D)	all of these				
54.			moving with a spee 0 cm. The retardation			heavy wooden block and
	(A)	$-6750~\mathrm{m/s^2}$		(B)	$-6570~\mathrm{m/s^2}$	
	(C)	-7650 m/s^2		(D)	-6705 m/s^2	
55.		ntage in the meas e error in kinetic		nd veloc	ity is 1% and	2% respectively. Then the
	(A)	4%		(B)	5%	
	(C)	6%		(D)	8%	
56.	The meas	sured value of a	quantity is 75.5 and	the ex	pected value	is 80.0. Then the relative
	(A)	0.05%		(B)	-5.6%	
	(C)	-6.5%		(D)	6.5%	
57.	Which pr	operty of zener di	ode is used to regula	ate supp	ly voltage?	
	(A)		voltage there is a lar			rrent
	(B)	The large revers	se current will chan	ge the r	everse voltag	e
	(C)		ge is independent of			
	(D)	None of these				
58.	The dens	ity of atmosphere	e at sea level is 1.29 xtended up to :	9 kg/m ³		at it does not change with
	(A)	8 km		(B)	9.5 km	
	(C)	12.5 km		(D)	18 km	
59.	The least	count of screw ga	uge is given by:			
	(A)	pitch / number	of division on main	scale		
	(B)	magnitude of or	ne main scale divisio	n / num	ber of division	on on vernier scale
	(C)	pitch / number	of division on head s	scale		
	(D)	magnitude of or	ne pitch scale divisio	on / num	ber of division	on on vernier scale
60.	air space	n's ring experime between the le index of the liqu	ns and the plate	m th ring is repla	changes from	n 1.2 cm to 1 cm when the transparent liquid. The
	(A)	1.45		(B)	1.44	
	(C)	1.33		(D)	1.35	
A			9			074/2016
						[P.T.O.]

The spherical aberration of the lens can be minimised:

53.

61.	How one can prepare a p-type conducting polymer from polyacetylene?							
	(A)	Doping with Na ⁺	(B)	Doping with Ca ²⁺				
	(C)	Doping with Naphthalene	(D)	Doping with I [±]				
62.	The fact t	hat differentiate a conducting pol	ymer from	a conventional metallic conductor is :				
	(A)							
	(B)	conducting polymer possesses a	valance ba	and and conduction band				
	(C)	the charge carriers in conducting polymers are electrons						
	(D)	in conducting polymers the cond	luctance in	creases with increase in temperature				
63.	Monomer	unit of Neoprene is :						
	(A)	Chloroprene	(B)	Isoprene				
	(C)	Acetylene	(D)	Caprolactum				
64.	Find out t	Find out the odd one among the following polymers:						
	Polyethyle	ene, Polystyrene, Teflon, Nylon 6,	6					
	(A)	Polyethylene	(B)	Polystyrene				
	(C)	Teflon	(D)	Nylon 6,6				
65.	Which one	e of the following is a method for t	the prepara	ation of carbon nanotubes?				
	(A) High pressure carbon monoxide process							
	(B)	Chemical vapour deposition met	hod					
	(C)	Arc discharge method						
	(D)	All the above	4					
66.	What is th	ne hybridisation of carbon in carbo	on nanotub	e?				
	(A)	sp	(B)	dsp ² .				
	(C)	sp ²	(D)	sp ³				
67.	Which of t	he following is related with carbo	n nonotube	200				
•	(A)	Single walled	(B)	Chiral				
	(C)	Arm chair	(D)	All the above				
68.	Which one	of the following is an example for	r a thermos	setting plastic?				
	(A)	Polypropylene	(B)	Polystyrene				
	(C)	PVC	(D)	Bakelite				
69.	The paran	neter which is measured experime	entally in a	bomb calorimeter is:				
	(A)	ΔC _v	(B)	ΔH_{C}				
	(C)	ΔG_{c}	(D)	ΔΤ				
	(-/		(0)					

70.	The process inside a bomb calorimeter is assumed to be:							
	(A)	isenthalpic	(B)	isobaric				
	(C)	adiabatic	(D)	isothermal				
71.	Beer-Lan	bert law shows deviation of high	ner concentra	ations because :				
	(A) wavelength of incoming radiation experiences a variation at higher concentrations							
	(B)	intermolecular interactions bed	comes signifi	cant at higher concentrations				
	(C)	path length measurements err	s at higher c	oncentrations				
	(D)	none of the above						
72.	A substar	ace which absorbs the wavelengt	hs at the red	end of the visible spectrum appears:				
	(A)	white	(B)	blue				
	(C)	black	(D)	red				
73.	The inter	nal standard used in proton NM	R spectrosco	py to calibrate chemical shift is:				
	(A)	D_2O	(B)	COCl ₃				
	(C)	Tetramethyl silane	(D)	DMSO-D ₆				
74.	Unit of ch	emical shift is:						
	(A)	nm	(B)	ns				
	(C)	MHz	(D)	ppm				
75.	Paper chr	omatography is an example for :	Television in					
	(A)	Adsorption chromatography	(B)	Ion exchange chromatography				
	(C)	Partition chromatography	(D)	None of the above				
76.		matography experiment the distance travelled by the sample is		led by the solvent measured is 10 cm. sthe R_f -value of the sample?				
		10	(D)	5				
	(A)	5	(B)	5 10				
	(C)	5×10	(D)	None of these				
77.	An X-ray	diffraction pattern is a plot of :						
	(A)	λ against d	(B)	θ against λ				
	(C)	2θ against intensity	(D)	none of these				
78.	Which on	e of the following is correct abou	t TGA (Ther	mogravimetric analysis)?				
	(A)	Used to find out the melting po	oint					
	(B)	Used to find out the enthalpy of	of phase tran	sitions				
	(C)	It is a plot of heat flow Vs temp						
	(D)	It is a plot of percentage weig decomposition temperature of		nst temperature and helps to find out				

	(C)		of ΔT against t and endothermic ev	TO THE REAL PROPERTY OF THE PARTY OF THE PAR		nformation about the
	(D)	None of the a	bove			
80.	Which on	e of the following	ng is correct about	TEM (Tran	smission electron	n microscopy)?
	(A)	Used to find o	out the morpholog	y of hard obj	ects	
	(B)		out the morpholog			
	(C)		out the structure o			
	(D)		nd (C) are correct			
81.	A and B c	an do a piece o	f work in 12 days	B and C car	n do it in 20 days	while C and A can do
4			ny days will they			
	(A)	8 days		. (B)	10 days	
	(C)	9 days		(D)	6 days	
82.	In a certa	in code BADE i	is coded as 12 and	BYE is code	d as 32. Then ho	w will GOOD be coded
		ne language?:				
	(A)	41		(B)	16	
	(C)	28		(D)	56	
83.		e between the		the minute	e hand of a clo	ck when the time is
	(A)	60 degree		(B)	50 degree	
	(C)	45 degree		(D)	40 degree	
84.			1st January) of twill have new year		100	day then which year
	(A)	2015		(B)	2017	
	(C)	2019		(D)	2020	
85.	The area triangle is		s 216 cm ² and its	sides are in	the ratio 3:4:5.	The perimeter of the
	(A)	60 cm		(B)	100 cm	
200	(C)	56 cm		(D)	72 cm	
86.		incurs a loss of earn a profit o		vatch for Rs.	1,140. At what	price should the watch
	(A)	1260		(B)	1280	See X
	(C)	1300		(D)	1320	
074	/2016			12		A

Which one of the following is correct about DTA (Differential thermal analysis)?

(B) Helps to find out the dissociation temperature of a compound

(A) It provides information about the weight loss of a compound upon heating

87.	The next	term in the ser	ies 1, 3, 7, 15, 31, is:		
	(A)		2, 0, 1, 20, 02, 25.	(B)	63
	(C)			(D)	66
88.	at the ra	travels at the r te of 50 Km/hr ach the airport	he reaches the airport	es th	e flight by 11 minutes and if he travels autes earlier. The distance travelled by
	(A)	35 Km		(B) ·	50 Km
	(C)	70 Km		(D)	40 Km
89.	When sin	nplified the exp	ression $\frac{10}{1.2} + \frac{10}{2.3} + \frac{10}{3.4} + \cdots$	$\cdot + \frac{1}{n!}$	$\frac{10}{(n+1)}$, for any natural number is:
	(A)	$\frac{10n}{n+1}$		(B)	$\frac{10n^2}{n+1}$
	(C)	$\frac{10n}{n+1}$ $\frac{10(n-1)}{n+1}$		(D)	$\frac{n+1}{10(n+1)}$ $\frac{10(n+1)}{n(n+1)}$
90.	If a certain si	in sum of mone	y amounts to Rs. 1,008 i ate the amount deposited	n 2 y	ears and to Rs. 1,164 in $3\frac{1}{2}$ years at a
		1,000	we the amount deposited	(B)	900
	100000	800		(D)	850
91.			$\frac{dy}{dx}$ at the point where 3	(B)	
	(A) (C)	_1		(D)	
92.		of $\int_{0}^{6} x-3 dx$ is		(D)	
			- James .		
	(A)			(B)	9
	(C)	12		(D)	18

93. How many four digit numbers 'abcd' exist such that a is odd, b is divisible by 3, c is even and d is prime?

(A) 380

(B) 360

(C) 400

(D) 620

94. The system of linear equations 3x+y-z=2, x-z=1, $2x+2y+\alpha z=5$ has a unique solution when:

(A) α≠3

(B) α≠4

(C) α≠5

(D) α≠2

- 95. If $\begin{vmatrix} 2a & x_1 & y_1 \\ 2b & x_2 & y_2 \\ 2c & x_3 & y_3 \end{vmatrix} = \frac{abc}{2} \neq 0$, then area of the triangle whose vertices are $\left(\frac{x_1}{a}, \frac{y_1}{a}\right)$, $\left(\frac{x_2}{b}, \frac{y_2}{b}\right)$ and
 - $\left(\frac{x_3}{c}, \frac{y_3}{c}\right)$ is:
 - (A) $\frac{abc}{4}$
 - (C) $\frac{1}{4}$

- (B) abo
- (D) $\frac{1}{8}$

- 96. $\int \frac{\sqrt{5+x^2}}{x^4} dx$ is equal to:
 - (A) $\frac{1}{15} \left(1 + \frac{5}{x^2} \right)^{3/2}$
 - (C) $\frac{-1}{15} \left(1 + \frac{5}{x^2} \right)^{3/2}$

- (B) $\frac{-1}{15} \left(1 + \frac{1}{x^2} \right)^{3/2}$
- (D) $\frac{1}{15} \left(1 + \frac{1}{x^2} \right)^{3/2}$
- 97. The radius of a cylinder increasing at the rate 5 cm/sec in such a way that the volume remains as a constant. When radius is 5 cm and height is 3 cm, the rate of change of height with respect to time is:
 - (A) 9 cm/sec

(B) -6 cm/sec

(C) -3 cm/sec

- (D) 5 cm/sec
- 98. The area of the curve $y = \sin x$ between x = 0 and $x = \pi$ is:
 - (A) 4

(B) 0

(C) -2

- (D) -4
- 99. A ball is thrown vertically upwards with an initial velocity of 128 ft/sec and the ball's height after t seconds is given by $S(t) = 128t 16t^2$. At what time the velocity is 48 ft/sec?
 - (A) 2 sec

(B) 2.5 sec

(C) 3 sec

- (D) 1.5 sec
- 100. If sum of two numbers is k, then the minimum value of the sum of their cubes is:
 - (A) k³

(B) 2k3

(C) $\frac{1}{4}k^3$

(D) $\frac{1}{2}k^3$