Maximum: 100 marks

Time: 1 hour and 15 minutes

1.	Heavy fly	wheel required in :		
	(A)	Multi cylinder engine	(B)	Two stroke engine
	(C)	V-Engine	(D)	Single cylinder engine
2.	In two str	oke three cylinder engine, the firing int	erval	of crank shaft is:
	(A)	360°	(B)	240°
	(C)	60°	(D)	120°
3.	The diam	eter of inlet valve is:		
	(A)	Same as exhaust valve	(B)	Greater than exhaust valve
	(C)	Smaller than exhaust valve	(D)	1/4th of exhaust valve
4.	Firing ord	ler of 4 cylinder 'I'-head engine is :		
	(A)	1 –2 –3 –4	(B)	1 -3 -4 -2
	(C)	1 -2 -4 -3	(D)	1-4-2-3
5.	Material	used for making cylinder head gasket is	3:	
	(A)	Copper and asbestos	(B)	Cork and copper
	(C)	Sheet of aluminium	(D)	Asbestos and fibre
6.	Engine w	ith equal bore and stroke is called :		
	(A)	Uniform engine	(B)	Equalised engine
	(C)	Square engine	(D)	None of these
7.	Vibration	damper is mounted:		
	. (A)	On flywheel	(B)	Front end of gear box
	(C)	Front end of crank shaft	(D)	Top end of connecting rod

8.	Excessive valve stem – guide clearance may cause :						
	(A)	Valve breakage	(B)	Noisy valve operation			
	(C)	Valve face wear	(D)	Necking of valve stem			
9.	Exhaust	valve face angle is generally :					
	(A)	30°	(B)	60°			
	(C)	45°	(D)	15°			
10.	The inlet	valve starts opening:					
	(A)	At TDC	(B)	At BDC			
	(C)	Before TDC	(D)	After TDC			
11.	Aluminiu	m alloy is used to make piston for :					
	(A)	Reduce piston expansion	(B)	Make the piston stronger			
	(C)	Reduce corrosion	(D)	Reduce piston weight			
12.	Compress	sion rings are generaly made of :					
	(A)	Steel	(B)	High carbon steel			
	(C)	Aluminium	(D)	Chromium			
13.	Maximum	n permissible bearing clearance for	the cam s	haft is:			
	(A)	0.05 mm	(B)	0.01 mm			
	(C)	0.5 mm	(D)	0.7 mm			
14.	Cylinder	head is tightened by using:					
	(A)	Spanner	(B)	Lifting screw			
	(C)	Torque spanner	(D)	Hammer			
15.	In Radiat	or, coolant is pumped from:					
	(A)	Radiator cores	(B)	Collector tank			
	(C)	Upper tank	(D)	Reservoir tank			
16.	Thermost	at in cooling system is used to :					
	(A)	Reduce temperature of coolant					
	(B)	Protect radiator from bursting					
	(C)	Transfer coolant from radiator to	engine				
-0.0	(D)	Maintaining coolant temperature					
84/2	2014	4					

17.	Coolant p	ump used in automobile is:			
	(A)	Reciprocating type	(B)	Vane type	*
	(C)	Centrifugal type	(D)	None of the above	
18.	Radiator o	ore is made of :			
	(A)	Steel	(B)	Copper	
	(C)	Cast iron	(D)	Plastic	
19.	The lubric	ation system commonly used in two str	roke e	ngine is:	
	(A)	Splash	(B)	Drisump	
	(C)	Pressure	(D)	Petroil	
20.	Number o	f gears used in gear pump is :			
	(A)	4	(B)	3	
	(C)	2	(D)	8	
21.	One of the	e reason of high oil consumption in eng	ine is		
	(A)	Oil having high viscosity		Oil lines clogged	
	(C)	The releaf valve may be struck	(D)	Incorrect piston ring gap	
22.	Oil filter	should be changed near about ———	ki	lometers of vehicle run.	
	(A)	10,000	(B)	25,000	
	(C)	50,000	(D)	60,000	
23.	Oil passe	s from the oil pump to:			
	(A)	Oil gallery	(B)	Main bearings	
	(C)	Oil stainer	(D)	Oil filter	
24.	End play	of gears of an oil pump is checked by:			
	(A)	Inside caliper	(B)	Vernier	
	(C)	Outside caliper	(D)	Feeler gange	
25.	Calorific	value of gasolines is approximately :			
	(A)	40 MJ/Kg	(B)	20 MJ/Kg	
	(C)	90 MJ/Kg	(D)	1200 MJ/Kg	0.4/0.01.4
A		5			84/2014 [P.T.O.]

26.	Diesel kn	ock happens when :		
	(A)	Ignition delay period increases	(B)	Ignition delay period decreases
	(C)	C.R is high	(D)	None of these
27.	Common	fuel supply system in two-wheeler i	s:	
	(A)	Pressure	(B)	Pump
	(C)	Gravity	(D)	Vaccum
28.	Stoichiom	etric mixture of petrol engine at its	ideal con	dition is:
	(A)	14.6:1	(B)	20:1
	(C)	12:1	(D)	1:1
29.	The drive	for mechanical fuel pump is taken	from:	The second second
	(A)	Cam shaft	(B)	Crank shaft
	(C)	Distributor shaft	(D)	None of these
30.	The choke	e used in petrol engine for :		
	(A)	Accelerating the vehicle	(B)	Idealing the engine
	(C)	Stopping the engine	(D)	Starting the engine
31.	The ventu	uri in carburettor is used to :		
	(A)	Accelerate the engine		
	(B)	Cold starting		
	(C)	Increasing fuel pressure		
	(D)	Increase air velocity for suction of	fuel	
32.	In petrol i	injection system, the petrol is comm	only injec	eted into:
	(A)	The port	(B)	The throttle
	(C)	Cylinder	(D)	Venturi
33.	An examp	ole of constant vaccum type carbure	ttor is :	
	(A)	Solex carburattor	(B)	S.U carburettor
	(C)	Zenith carburettor	(D)	Carter carburettor

34.	The compr	ression ratio of C.I engine is near	about:		
	(A)	22:1	(B)	7:1	
	(C)	10:1	(D)	15:1	
35.	The test u	sed for finding brake power of ea	ich cylinder	in multy cylinder is called :	
	(A)	Power test	(B)	Efficiency test	
	(C)	Morse test	(D)	Stroke test	
36.	Brake mea	an effective pressure in an engin	e depends u	pon its :	
	(A)	Speed	(B)	Power	
	(C)	Torque	(D)	Compression ratio	
37.	Ignition co	oil is used to:			
	(A)	Increase the voltage	(B)	Increase the current	
	(C)	Controls the ignition	(D)	None of these	
38.	Condense	r in ignition system is mounted :			
	(A)	In the carburettor	(B)	On the spark plug	
	(C)	In the distributor housing	(D)	On the ignition coil	
39.	The factor	which will not effect ignition ac	lvance is :		
	(A)	Speed	(B)	Load	
	(C)	Engine temperature	(D)	Battery voltage	
40.	Hot spark	is used in:			
	(A)	Medium duty engine	(B)	Heavy duty engine	
	(C)	High speed engine	(D)	All of the above	
41.	The prim	ary winding of ignition coil cons	ists of:		
	(A)	Many turns of thin wire	(B)	Few turns of thick wire	
	(C)	Many turns of thick wire	(D)	Few turns of thin wire	
42.	Spark oc	curs when:			
	(A)	C.B. point opens	(B)	The state of the s	
	(C)	Ignition switch is on	(D)	Primary voltage increases	04/0014
A			7		84/2014 [P.T.O.]

43.	Spark plu	ig having white insulator tip indi	cates:	
	(A)	Leaded fuel	(B)	Gas leak
	(C)	Retarded ignition	(D)	Over advanced ignition
44.	The numb	per of ignition coils in a distribute	or less igniti	on system for a 6 cylinder engine is:
	(A)	1	(B)	6
	(C)	2	(D)	3
45.	Increasin	g plate size in lead acid battery in	ncreases :	
	(A)	Voltage	(B)	Current
	(C)	Capacity	(D)	None of these
46.	The numb	per of negative plates in lead acid	battery is:	
	(A)	One more than +Ve plate	(B)	Three more than +Ve plate
	(C)	One less than +Ve plate	(D)	Two less than +Ve plate
47.	Specific g	ravity of fully charged battery is		
	(A)	2.30	(B)	1.29
	(C)	1.60	(D)	12
48.	The negat	ive plate of lead acid battery has		
	(A)	Pb	(B)	PbO ₂
	. (C)	Pb ₂ O ₂	(D)	SO ₄
49.	Cadmium	test in lead acid battery is to fine	i:	
	(A)	sp. gravity of electrolyte	(B)	concentration of H ₂ SO ₄
	(C)	chemical condition of plates	. (D)	self discharge
50.	Internal s	hort circuiting in plates is due to	:	
	(A)	High voltage	(B)	Overcharging of battery
	(C)	Plate damage	(D)	Damaged separators

51.	Cut out re	elay is used to:		
/4	(A)	Increase the voltage in circuit	t	
	(B)	Increase the current in circui	t	
	(C)	Charging of battery		
	(D)	Prevent discharge of battery	to generator	
52.	The outpu	nt of alternator is controlled by		
	(A)	Voltage regulator	(B)	Current regulator
	(C)	Brushes	(D)	None of the above
53.	Growler i	s used for testing :		
	(A)	Inertia of bendex	(B)	Short circuit of armature
	(C)	Clearance of armature	(D)	Earthing of starter motor
54.	Parking d	listance of a vehicle from fire en	ngine is :	
	(A)	2 meter	(B)	1 meter
	(C)	4 meter	(D)	1 Kilometer
55.	The docu	nent which shows the maximu	m weight that	a vehicle can carry :
	(A)	Permit	(B)	Insurance certificate
	(C)	Goods carriage record	(D)	None of these
56.	Should no	ot reverse the vehicle in :		
	(A)	Ferry	(B)	Upward gradient
	(C)	One way	(D)	Railway gate
57.	The dista	nce kept by the vehicle in the b	ack of other v	ehicle running in same direction is :
	(A)	10 meter	(B)	5 meter
	(C)	2 meter	· (D)	6 meter
58.	Number o	of passengers can travel on the	back seat of a	motor cycle is :
	(A)	2	(B)	1 adult and 1 child
	(C)	1	(D)	0
A		the tay the first	9	84/2014
				[P.T.O.]

59.	The signa	l which is not able to show by electr	ic equipn	nent is:	
	(A)	Overtaking permission	(B)	Left turn	
	(C)	Stopping	(D)	Reverse	
60.	Maximum	speed of a motorcycle is:			
	(A)	50 km/hr	(B)	60 km/hr	
	(C)	70 km/hr	(D)	No limit	
61.	While rea	ching a junction a vehicle should giv	ve prefere	ence:	
	(A)	to left side vehicle	(B)	rear vehicle	
	(C)	right side vehicle	(D)	none of the above	
62.	Yellow lin	ne at the center of the road shows:			
	(A)	Should not overtake			
	(B)	Not allowing heavy vehicle			
	(C)	Should not allow other vehicle to o	vertake		
	(D)	Should not cross the line			
63.	Yellow lig	tht on automatic signal shows:			
	(A)	Turn right	(B)	Should not stop the vehicle	
	(C)	Make ready to move the vehicle	(D)	Allow other vehicle to overtake	
64.	The place	where the vehicle is not permitted	to park :		
	(A)	Near bus stop	(B)	Road with downward gradient	
	(C)	Public road side	(D)	Near to public office	
65.	Number o	of person allows on a tractor :			
	(A)	One	(B)	Two	
	(C)	Ten	(D)	None	
66.	Loose gea	r on the main shaft in a gear box m	ay cause		
	(A)	Easy gear shifting	(B)	Clash of gears	
	(C)	Gear slipping	(D)	None of these	
84/2	014	10	1		A

67.	Increasin	g of torque in gear box by:			
*	(A)	Decreasing power	(B)	Increasing power	
	(C)	Decreasing speed	(D)	Increasing speed	
68.	Epicyclic	gear box is used in :			
	(A)	Automatic transmission	(B)	Petrol vehicles	
	(C)	Locomotive engines	(D)	Heavy vehicle	
69.	Axle shaf	t is splinned to :			
	(A)	Differential cage	(B)	Sun gear	
	(C)	Crown wheel	(D)	Propeller shaft	
70.	Torque tr	ansmission at an angle made by	. 4		
	(A)	Bearings	(B)	Slide joint	
	(C)	Helical gears	(D)	Universal joint	
71.	Fading of	brakes occurs :			
	(A)	During continuous application	(B)	At high speed	
	(C)	At low speed	(D)	None of these	
72.	Shock abs	sorber is used to :			
	(A)	Take the load of a vehicle	(B)	Keep the vehicle for stability	
	(C)	Damping the vibration of sprin	g (D)	Keep the wheels in same position	
73.	Inclinatio	n of king pin in the plane of tyre	is called:		
	(A)	Castor	(B)	Camber	
	(C)	Kingpin inclination	(D)	Toe-in	
74.	Excessive	castor may cause :			
	(A)	Excessive tyre wear	(B)	Wheel wobbling	
	(C)	Wheel tramp	(D)	Hard steering	
75.	Purpose o	of tyre rotation is for :			
	(A)	Avoiding ply separation	(B)	Reducing uneven wear	
	(C)	Equalising wear	(D)	Avoiding wheel wobbling	
A	*		11	84/201 [P.T.C	

76.	Brake ble	eding is used for :		
	(A)	Removing excess fluid	(B)	Removing air
	(C)	Removing excess pressure	(D)	Removing vaccum
77.	The term	"ply rating" with reference to a	tyre indicate	s:
	(A)	Number of plies	(B)	Rated inflation
	(C)	Rated strength	(D)	Size of tyre
78.	The type	of reflector used for automobile	head lamp is	
-	(A)	Spherical	(B)	Parabolic
	(C)	Hyperbolic	(D)	Plain
79.	The diam	eter of the engine cylinder is ca	lled:	
	(A)	Boss	(B)	Rim
	(C)	Bore	(D)	Stroke
80.	When chi	ld lock is actuated the door can'	t be opened?	
	(A)	Permanently	(B)	From inside
	(C)-	For a few minutes	(D)	From outside
81.	Which of	the following Rivers flows west	ward?	
	(A)	Krishna	(B)	Kaveri
	(C)	Mahanadi	(D)	Narmada
82.	Who was	the leader of Vaikyam satyagra	ha?	
	(A)	A.K. Gopalan	(B)	K.Kelappan
	(C)	T.K. Madhavan	(D)	Mannath Padpnabhan
83.	Who was	the first Defence Minister of In	dia after Indi	a became independent:
	(A)	Sardar Vallabai Pattel	(B)	V.K. Krishnan Menon
	(C)	V.P. Menon	(D)	Moulana Abdul Kalam Azad
84.	Who was	the President of Indian Nation.	al Congress d	uring the time of partition of Bengal?
	(A)	Gopalakrishna Gokale	(B)	Bala Gangadhara Tilak
	(C)	Dada Bai Naoroji	(D)	Subhash Chandra Bose
84/2	2014		12	

85.	Central C	oconut Research Station Situate	ed at:		
	(A)	Thiruvananthapuram	(B)	Calcutta	
	(C)	Kasergode	(D)	Jodhpur	
86.	The word	"Socialist, Secular" were added	into the pres	amble of Indian Constitution by the :	
	(A)	24th Amendment	(B)	25th Amendment	
	(C)	42 nd Amendment	(D)	37th Amendment	
87.	The year	of Aruvipuram Prathishta done	by Sree Nara	yana Guru :	
	(A)	1888	(B)	1898	
	(C)	1903	(D)	1788	
88.	The Assoc	ciation formed by Poikayil Yohar	nnan :		
	(A)	PRCS	(B)	PRDA	
	(C)	PRDS	(D)	PADS	
89.	The Aray	a Samajam was founded by :			
	(A)	Sahodaran Ayyappan	(B)	Pandit Karuppan	
	(C)	Ayyankali	(D)	Ayya Vaikundar	
90.	The dram	a 'Adukalayil Ninnu Arangathe	kku' written	by:	
	(A)	E.M.S. Namboodiripad	(B)	Vagbadananda	
	(C)	V.T. Bhatathiripad	(D)	Chempaka Raman Pillai	
91.	The Kolla	m Era began in which year :			
	(A)	A.D. 825	(B)	A.D. 925	
	(C)	A.D. 78	(D)	A.D. 390	
92.	Black soil	was founded in which district o	f Kerala :		
	(A)	Idukki	(B)	Wayanad	
	(C)	Palakkad	(D)	Kottayam	
93.	In addition	on to Lakdives which among the	m was one of	the coral Island in Arabian Sea :	
	(A)	Sree Lanka	(B)	Andaman Nicobar	
	(C)	Medagasker	(D)	Mal dives	
A			13	84/2014 [P.T.O.	

94.	In the following statements which statement is common to the rivers Pamba, Meenachilaru and Muvattupuzha:				
	(A)	Length below 100 metre			
	(B)	Reached at Arabian sea			
	(C)	Reached at Vembanattu Lake	(R)		
	(D)	Flowing through kottayam and A	lapuzha d	istricts	
95.	The Hiral	sud Dam constructed in which Rive	er:		
	(A)	Mahanadi	(B)	Satlej	
	(C)	River Ganga	(D)	River Bageeradi	
96.	Indian pla	anning commision came in to exist	:		
	(A)	1950 - March	(B)	1950 – June	
	(C)	1951 – December	(D)	1951 - March	
97.	'National	Food security bill' passed by Lok S	abha on :		
	(A)	2013 - Aug - 26	(B)	2013 - Sept - 26	
	(C)	2013 – July – 26	(D)	2013 - Octo - 26	
98.	India's fir	st Mars discovery satelite :			
	(A)	PSLV - 5D	(B)	Metsat	
	(C)	Mangalyan	(D)	Chandrayan	
99.	The langu	nages in India which is attained las	stly the cla	ssical status :	
	(A)	Tamil	(B)	Malayalam	
	(C)	Telungu	(D)	Sanskrit	
100.	In which	Olympics India got more medals:			
	(A)	2012 - London Olympics	(B)	2004 – Athens Olympics	
	(C)	2008 – Baijing Olympics	(D)	2000 - Sydney Olympics	