

WEBSITE:[www.keralapsc.gov.in](http://www.keralapsc.gov.in)  
E-MAIL:[kpsc.psc@kerala.gov.in](mailto:kpsc.psc@kerala.gov.in)



FAX: 0471-2443068  
Telephone: 0471-2443068

## KERALA PUBLIC SERVICE COMMISSION

No. R&A I (2)17477/2017/GW

Thiruvananthapuram,  
Dated: 24.01.2018

### E- TENDER NOTICE

Invitation of E-Tender for the supply and installation of 1 (one) number Lipi 6815 Series Line Matrix Printer on buy back basis for the use of the Kerala Public Service Commission.

E-Tender in one cover system is invited from competent dealers and manufacturers for the supply and installation of 1(One) number of Lipi 6815 Line Matrix Printer in accordance with respective specifications as shown in Annexure I of the Tender document..

### Details of Items to be supplied

Sl No.	Item Details	Quantity (Nos)	Cost of Tender Forms	EMD
1	Lipi 6815 Line Matrix Printers Warranty : 2 years OEM warranty	1	Rs. 700/-	Rs.8750/-

### Details of Old Stores for Buy Back

SL No.	Item Description	Model Number	Quantity (No.s)	Remarks
1	Lipi line Printer 6215	T625KNBSP5229	1	Not working
2	Lipi line Printer 6215	T625KKBOP5216	1	Not working

Tenders shall be submitted as e-tender through <https://etenders.kerala.gov.in>. Bidders who have enrolled in the above portal with their own digital signature certificate (DSC) can participate in the tender. E-Tender document and other details can be obtained from the above e-portal.

Tender no. : 01/18/SN  
Document download/sale start date : 25/01/2018  
Bid submission start date : 25/01/2018  
Document closing date : 16/02/2018 - 5.00 pm  
Date & Time of opening of tender : 19/02/2018 - 2.30 pm

Cost of e-Tender & EMD (Online payment):-

Payment as shown in the above table including EMD should be made as a single payment through online.

Dates up to which rates are to remain-

firm for acceptance	:	90 days
Performance security	:	5% of the contract value
Period of supply	:	within 20 days of supply order

The bidder desiring to take part in the bid shall log in to <https://etenders.kerala.gov.in/> and then select tender and initiate payment. Bidders will be directed to the online payment gateway page and they shall make payment as directed therein.

**The e-tenders submitted by the competent dealer should definitely contain a scanned and signed copy of the declaration of product offered to supply and dealership certificate from the manufacturer.**

**Bidders shall clearly indicate prices with and without buy back options separately.**

The Purchasing officer has the right to trade or not to trade the old stores on buy back basis. Interested tenderers can inspect the old stores during office hours on working days. The tenderer who would be awarded with the tender should take the old stores at their expense after supply of the new items.

Tenders will be opened in the online presence of each bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be holiday or due to net failure the tenders will be opened in the next working day at the same time.

The price of the e-tender form will be received only through online payment methods stipulated on the website.

**Scanned copy of the agreement (Annexure I) in the prescribed format in Kerala Stamp paper worth Rs.200/- shall be submitted online and original shall be given to the Secretary, Kerala Public Service Commission before opening of e-tender.**

The rates should be quoted in Indian Currency only.

The Secretary ,Kerala Public Service Commission ,Pattom will scrutinise the tenders received and will take necessary action for the award of contract.

The right of acceptance or rejection of any e-tender in full or in part without assigning any reasons thereof is reserved with the Secretary.

The rules and regulations prescribed for e-tenders by the Government of Kerala ,shall be applicable to this e-tender also.

**Terms and Conditions:**

1. The make,model,year of manufacture etc of the Printer shall be clearly mentioned.
2. **Two years Original Equipment Manufacturer (OEM) warranty should be assured. Dealership/Authorization and Warranty Certificates from OEM shall be submitted with the tender. Dealership warranty will not be accepted.**
3. All charges ,taxes,duties and levies should be clearly indicated.
4. The items should be supplied to the office of the Kerala public Service Commission ,Pattom,Thiruvananthapuram-4 at the expense of the Tenderer.
5. The installation,commission and initial operation to the satisfaction of the KPSC will be the responsibility of the supplier.
6. The payment will be made after completion of supply,installation and commission subject to the certification by our Technical Experts as to the quality and efficiency of the item supplied.
7. In case of under performance during the warranty period,the item should be replaced and period of warranty will recommence from the date of replacement.

Any legal disputes that may arise in relation to the e-tender formalities will be restricted to jurisdiction of Thiruvananthapuram District.

The communications should be addressed to :

The Secretary,  
Kerala Public Service Commission  
Pattom,Thiruvananthapuram  
Kerala-695004

Sd/-  
SAJU GEORGE  
SECRETARY,  
KERALA PUBLIC SERVICE COMMISSION

Note:- More details can be had from the office of **Joint Secretary, R&A wing, Kerala Public Service Commission.Pattom,Thiruvananthapuram-4**

## ANNEXURE-I

### Product Specification

Printer Model	6815
Printing Technology	Line Matrix impact printer, 136 column
Print Speed (LPM) Upper Case/Lower Case	HSD 1500/1289
	DP 1125/900
	NLQ 600/459
Graphics Speed	Inches (mm) per minute
60x48 dpi	187 (4750)
60x72 dpi	127 (3226)
90x96 dpi	61 (1549)
Paper Feed Speed Inches (mm) per sec.	25 (635)
Character Pitch (Character per inch)	5,6,6.7,7.5,8.3,8.6,10,12,13.3,15,16.7,17.1 and 20
Line Spacing (Lines per inch)	1.5, 2, 3, 4, 5, 6, 8, 9, 10 and 12
Graphic Resolution	240 dpi Horizontal, 288 dpi Vertical (max)
Barcodes	Code 39, Code 128, Interleaved 2 of 5, UPC-A, UPC-E, EAN 8, EAN 13, EAN 128, Codabar, MSI, PDF-417, Postnet, Intelligent Mail Barcode (IMB)
Fonts	Draft, Data Processing, Courier, Gothic, OCR A, OCR B
Character Sets	47 Languages and 43 Character Sets
Character Styles	Bold, Italic, Superscript, Underline, Overline, Strike-through
Paper type/ Media width	Continuous, Fan folded, Edge-perforated, 3 to 17 inches (76 to 432 mm) wide, 2 to 12 inches (5.08 to 30.48cm) long
Paper Handling	Straight Paper path with easy-load adjustable tractors, Paper-out detection & alarm, paper-motion detection & alarm
Print Width	13.6 inches (345 mm)
Stationery	Upto 6 part, 56 to 163 GSM, upto 0.64 mm thickness
Ribbon Life ( standard)	9,000 Pages (Page yield based on ISO LSA page)
Emulations	Tally ANSI, Genicom ANSI, P5000/P600/P6000, Epson FX-1180, IBM Proprinter, MTPL (Tally Dot Matrix), PGL (TG Version), QMS Code V, Tally Industrial Graphics, PCL-3: HP-2564C, DEC LG01
Connectivity/ Interfaces	Standard USB 2.0, Serial RS-232 and Ethernet-10/100 Base T. Optional: Parallel-IEEE-1284-Centronics

Accoustic (dBA)	Pedestal	NA
	Cabinet	52
MTBF		10,000 hrs at 25% duty cycle & 25% page density
Dimensions (Unpacked)	Pedestal	H 920 mm x W 640 mm x D 530 mm
	Cabinet	H 1070 mm x W 640 mm x D 530 mm
Weight (Unpacked)	Pedestal	NA
	Cabinet	73 Kg
Power Supply		AC 220-240 V $\pm$ 10%, 50 Hz $\pm$ 2%
Power Consumption (Typical)		310 W
		7 W (Energy save mode)

