Question Booklet Alpha Code





Total Number of Questions: 100 Time: 75 Minutes

Maximum Marks: 100

INSTRUCTIONS TO CANDIDATES

- The Question Paper will be given in the form of a Question Booklet. There will be four versions of Question Booklets with Question Booklet Alpha Code viz. A, B, C & D.
- 2. The Question Booklet Alpha Code will be printed on the top left margin of the facing sheet of the Question Booklet.
- 3. The Question Booklet Alpha Code allotted to you will be noted in your seating position in the Examination Hall.
- 4. If you get a Question Booklet where the alpha code does not match to the allotted alpha code in the seating position, please draw the attention of the Invigilator IMMEDIATELY.
- The Question Booklet Serial Number is printed on the top right margin of the facing sheet. If your Question Booklet is un-numbered, please get it replaced by new Question Booklet with same alpha code.
- 6. The Question Booklet will be sealed at the middle of the right margin. Candidate should not open the Question Booklet, until the indication is given to start answering.
- 7. Immediately after the commencement of the examination, the candidate should check that the Question Booklet supplied to him/her contains all the 100 questions in serial order. The Question Booklet does not have unprinted or torn or missing pages and if so he/she should bring it to the notice of the Invigilator and get it replaced by a complete booklet with same alpha code. This is most important.
- 8. A blank sheet of paper is attached to the Question Booklet. This may be used for rough work.
- Please read carefully all the instructions on the reverse of the Answer Sheet before marking your answers.
- Each question is provided with four choices (A), (B), (C) and (D) having one correct answer.
 Choose the correct answer and darken the bubble corresponding to the question number using Blue or Black Ball Point Pen in the OMR Answer Sheet.
- 11. Each correct answer carries 1 mark and for each wrong answer 1/3 mark will be deducted. No negative mark for unattended questions.
- 12. No candidate will be allowed to leave the examination hall till the end of the session and without handing over his/her Answer Sheet to the Invigilator. Candidates should ensure that the Invigilator has verified all the entries in the Register Number Coding Sheet and that the Invigilator has affixed his/her signature in the space provided.
- 13. Strict compliance of instructions is essential. Any malpractice or attempt to commit any kind of malpractice in the Examination will result in the disqualification of the candidate.

A -2-

1.	A)	g-kit B is given at PHC CHC	•	Sub center FRU
2.	A)	national AIDS day is celebrated on 1 May 11 April	B)	every year. 7 April 1 December
3.	A) .	is the Chairman of Health Survey and A. L. Mudaliar A. K. Mukherji	B)	nning Committee ? M. S. Chadha Joseph Bore
4.	A)	ciples of health education include all Ex Participation Punishment	B)	ot Motivation Reinforcement
5.	Cens A) :		B)	15
6.	A) B) C)	A is recruited under NRHM National Urban Health Mission ICDS Village Health System		
7.	A)	most common side effect of IUD insert Pain Pelvic infection	B)	is Bleeding Ectopic pregnancy
8.	A)	R vaccine is given at Birth 5 years	•	9 months 18 months
9.	A) : B) : C)	nosis of TB according to DOTS is 2 out of 3 samples positive 3 out of 4 samples positive 1 out of 2 samples positive None of the above		

10.		cording to Maternal Health Programme, man should be	the	daily dose of folic acid for pregnant	
	A)	100 mcg	B)	200 mcg	
	C)	300 mcg	D)	400 mcg	
11.	Wh	ich of the following vaccine is not admir	iste	ered at birth ?	
	A)	Hib	B)	OPV	
	C)	BCG	D)	Hepatitis B	
12.	DM	PA is an injectable contraceptive given	eve	ery	
	A)	3 weeks	B)	3 months	
	C)	2 months	D)	2 years	
13.	Tox	cic shock syndrome is due to which vac	cine	?	
	A)	Mumps	B)	Tetanus	
	C)	Salk	D)	Measles	
14.	Min	imum gap that should be allowed in bet	we	en to administer two live vaccines is	
	A)	2 weeks	B)	2 months	
	C)	4 weeks	D)	4 months	
15.	GOBI Campaign of the UNICEF includes all Except				
	A)	Observation			
	B)	Breast feeding			
	C)	Immunization			
	D)	Growth monitoring			
16.	Wh	ich is the best determinant of the health	sta	itus of a community?	
	A)	Crude death rate			
	-	Infant mortality rate			
	C)	Maternal mortality rate			
	D)	Early neonatal deaths			
17.	Zer	o incidence is			
	A)	Elimination of disease			
	,	Eradication of disease			
	,	Elimination of infection			
	D)	Eradication of infection			

18.	A)	ro nutrients includes Proteins Fats	,	Minerals Water
19.	A) B) C)	agra is due to the deficiency of Niacin Pyridoxine Riboflavin Thiamine		
20.	A)	erson with Body Mass Index of 18.5 – 2 Normal weight Over weight	B)	elongs to the category of Under weight Obese
21.	A) B) C)	ich of the following is an example for for Mixing of folic acid with bread Mixing of iodine with salt Mixing of papaya seeds with pepper Mixing of iron in wheat flour	od a	adulteration ?
22.	A)	allest bone situated in the middle ear is Stapes Atlas	,	Malleus Incus
23.	A)	ammation of gum is called Stomatitis Glossitis	•	Gingivitis Uveitis
24.	A)	al number of canines in human oral cav Eight Six	B)	Ten Four
25.	A)	er layer of the heart wall is Myocardium Pericardium	,	Perichondrium Periosteum
26.	A)	e of mosquito transmitting malaria Anopheles Culicine	,	Aedes Mansonia

A -5-

27.	Instrument used to calculate the amount well A) Sphygmomanometer B) Boyel's apparatus C) Lactometer D) Horrock's apparatus	of bleaching powder for disinfection of
28.	Hormone secreted by posterior pituitary glands A) Follicle stimulating hormone B) Oxytocin C) Luteinizing hormone D) Prolactin	and
29.	Minimum distance between septic tank and A) 50 meters B) 30 meters C) 15 meters D) 5 meters	d source of water
30.	The ability to understand self is termed as A) Attention C) Perception	B) Judgement D) Insight
31.	Defence mechanism in which unaccepta desirable channels A) Projection C) Displacement	ble desires are redirected into socially B) Sublimation D) Rationalisation
32.	False fixed belief that cannot be corrected A) Delusion C) Illusion	by reasoning is called B) Hallucination D) Compulsion
33.	Science dealing with ageing process A) Oncology C) Gerontology	B) Cytology D) Pathology
34.	The term for fear of height A) Agoraphobia C) Arachnophobia	B) Algophobia D) Acrophobia

Α

35.	A)	bies is caused by Arbovirus Lyssavirus	•	Adenovirus Rotavirus
36.	A)	oulation covered by an Anganwadi work 2000 2500	B)	s 3000 1000
37.	A)	ng sign" is a characteristic feature of wh Kwashiorkor Marasmus	B)	disease ? Rickets Poliomyelitis
38.	A)	versal Immunisation Programme was la 1975 1985	B)	ched in India in 1980 1990
39.	A)	der Vitamin A prophylaxis programme, o 1 lakh IU of Vit. A 2.5 lakhs IU of Vit. A	B)	dren between 1 to 6 years are given 2 lakhs IU of Vit. A 1.5 lakhs IU of Vit. A
40.	A)	oin vaccine is given for the prevention o Measles Poliomyelitis	B)	Typhoid fever Diphtheria
41.	A)	e subcentre is for a population of 30,000 15,000	•	5,000 10,000
42.	A)	e most appropriate time to collect sputur Before meals Early morning	B)	pecimen from a patient is After meals At bedtime
43.	A)	nunity transferred to fetus from the moth Active natural immunity Passive natural immunity	B)	through placenta is Active artificial immunity Passive artificial immunity
44.	A)	e simplest method of prevent cross infection Handwashing	B)	n is Sterilization Fumigation

45.	Immunization is a method of A) Primary prevention C) Tertiary prevention	B) Secondary preventionD) Barrier prevention
46.	Pap Smear Examination is done to diagno A) Ca breast C) Ca bladder	ose B) Ca cervix D) Ca rectum
47.	Root of administration of measles vaccine A) Intradermal C) Intramuscular	is B) Subcutaneous D) Oral
48.	Which of the following is a live vaccine? A) TT C) BCG	B) DPT D) DT
49.	Constant presence of a disease within a g A) Endemic C) Pandemic	eographic area B) Epidemic D) Outbreak
50.	A person who harbours pathogenic organ of the disease A) Agent C) Carrier	isms without showing the manifestations B) Host D) Patient
51.	Five teaspoon is equivalent to how many (A) 30 ml (C) 12 ml	milliliters ? B) 25 ml D) 20 ml
52.	Which pulse should the nurse palpate during patient? A) Radial C) Femoral	rapid assessment of an adult unconscious B) Brachial D) Carotid
53.	The following are the standard tuberculosi A) Streptomycin C) INH	is drug Except B) Chloromycin D) Rifampicin
54.	A) Vitamin A C) Vitamin B	B) Vitamin K D) Vitamin D

55. The infant sit alone at thA) 1 monthC) 6 months	ne age of B) 2 months D) 12 months
56. The Child Labour Prote factories below the ageA) 10 yearsC) 18 years	ction and Regulation Act prohibit employment of children in of B) 14 years D) 21 years
 57. Psychosocial developm A) Industry Vs Inferior B) Trust Vs mistrust C) Identity Vs role con D) Autonomy Vs Shan 	ty fusion
58. A protein deficiency syr generalised oedemaA) MarasmusB) KwashiorkorC) PellagraD) Rickets	drome in which weight below 60%, growth retardation and
59. Damage to the upper b result inA) ERB's palsyB) Klumpke's palsyC) TorticollisD) Meningocele	rachial plexus involving the 5 th and 6 th cervical nerve roots
60. Which vaccine preventA) MeaslesC) DPT	ooth Measles and Rubella ? B) OPV D) MR
61. Surgical management of A) OrchiopexyB) TURPC) Ramstedt's pyloronD) Duhamel's operation	nyotomy

A -9-

62.	Congenital X linked recessive bleeding disc factor VIII or IX A) Thalassemia B) Hemophilia C) Sickle cell disease D) ITP	order caused by deficiency of coagulation
63.	Which of the following worm larvae is transindividual? A) Round worm B) Pin worm C) Hook worm D) Round worm	smitted by penetrating skin on barefooted
64.	A commonly found eating disorder in adole carbohydrate and fat or by refusing food of A) Anorexia nervosa B) Bulimia nervosa C) Pica D) Dyslexia	
65.	The dose of PPD used in Mantoux test is A) .5 ml C) 1 ml	B) 0.5 ml D) 0.1 ml
66.	Projectile non bilious vomiting visible perista shaped mass, weight loss are clinical man A) Hirschsprung's disease B) Oesophageal atesia C) Intestinal obstruction D) Hypertrophic pyloric stenosis	
67.	The exclusive breast feeding recommended A) 3 months B) 6 months C) 1 year D) 2 years	ed up to the age of

A -10-

68.	The type of pelvis commonly known as mathematical A) Gynecoid pelvisB) Anthropoid pelvisC) Android pelvisD) Platypelloid pelvis	ale pelvis is
69.	Anterior fontanelle normally closes by the A) 8 months C) 12 months	age of B) 6 months D) 18 months
70.	Normal fetal heart rate A) 100 – 120 beats/minute B) 120 – 160 beats/minute C) 60 – 100 beats/minute D) 160 – 200 beats/minute	
71.	Name given to the endometrium during property. A) Endometriosis C) Myometrium	egnancy B) Decidua D) Corpus luteum
72.	A woman who has not carried a pregnance A) Multipara C) Nulligravida	y to the point of viability B) Nullipara D) None of the above
73.	Partograph is a tool for A) Treating complications of delivery	
	B) Observing the progress of labourC) Monitoring woman with eclampsiaD) For finding gestational age	
74.	C) Monitoring woman with eclampsia	B) 9 cm D) 15 cm

- 76. The liberal administration of high concentration of oxygen to preterm babies for a prolonged period of period may lead to
 - A) Asphyxia
 - B) Retrolental fibroplasia
 - C) Cerebral hemorrhage
 - D) Hypothermia
- 77. An abortion in which the conceptus, placenta and membranes are expelled completely from the uterus
 - A) Inevitable abortion
 - B) Habitual abortion
 - C) Spontaneous abortion
 - D) Complete abortion
- 78. A mild, benign and transient mood change during puerperal period is termed as
 - A) Postpartum depression
 - B) Puerperal psychosis
 - C) Postpartum blues
 - D) All of the above
- 79. Indications of emergency cesarean section not include
 - A) Cord prolapse
 - B) Cephalopelvic disproportion diagnosed in labor
 - C) Preterm baby
 - D) Eclampsia
- 80. An average life of the human being which is coming in the next years is
 - A) Life cycle approach
 - B) Life expectancy
 - C) Holistic approach of life
 - D) Quality of life
- 81. A woman whose husband does not want to continue as a life partner with her is
 - A) Widow
 - B) Divorced woman
 - C) Single woman
 - D) Deserted woman

A -12-

82.	Causative organism of syphilis is A) Wuchereria bancrofti B) Treponema pallidum C) Hemophilus influenza D) Neisseria gonorrhoeae	
83.	A test to assess the patency of fallopian tA) Rubin's testC) Shick test	ube B) Sickling test D) Widal test
84.	VCTC stands for A) Voluntary Counselling and Testing C B) Vocational Counselling and Testing C C) Voluntary Counselling and Treating C D) Various Counselling and Therapy Ce	Centre Centre
85.	Following are 3 P's of normal labour Exce A) Pelvis B) Powers C) Passenger D) Parity	pt
86.	Janani Suraksha Yojana was launched of A) 10 th May 2006 B) 12 th April 2005 C) 5 th April 2008 D) 21 st December 2006	
87.	An investigation to identify women at the defect A) Amnioscopy B) Alpha – Fetoprotein test C) Fetal blood sampling D) USG	e risk of having a baby with neural tube
88.	The term given to reduction in fundal height. A) Quickening C) Lightening	ht after 38 th weeks of gestation is B) Moulding D) None of the above

- 89. An abnormality of the placenta in which the umbilical cord is inserted at the edge or margin of the placenta?
 - A) Velamentous insertion
 - B) Vasa previa
 - C) Battledore placenta
 - D) Circumvalleate placenta
- 90. During post partum period, deep vein thrombosis can be assessed by
 - A) Hegar's sign
 - B) Osiander's sign
 - C) Goodell's sign
 - D) Homan's sign
- 91. Which hormone is responsible for stimulating milk production?
 - A) Estrogen
 - B) Progesterone
 - C) Prolactin
 - D) Oxytocin
- 92. According to MTP Act, medical termination of pregnancy is to deliberate induction of abortion prior to
 - A) 16 weeks
 - B) 18 weeks
 - C) 24 weeks
 - D) 20 weeks
- 93. The ratio of infant deaths registered in a given year to the number of live births per 1000 live births is
 - A) Infant mortality rate
 - B) Perinatal mortality rate
 - C) Neonatal mortality rate
 - D) Maternal mortality rate
- 94. The name given to the lochia which occurs 4 10 days after delivery
 - A) Lochia serosa
 - B) Lochia rubra
 - C) Lochia alba
 - D) None of the above

95.	Population covered by one sub centre in hilly, tribal and backward areas A) 1500 B) 3000 C) 5000 D) 7000
96.	A health worker should have better co-ordination with which of the following sectors? A) Grama panchayath B) Religious representatives C) Non-Governmental organizations D) All of the above
97.	National programme for control of blindness was launched in the year A) 1976 B) 1962 C) 1982 D) 1995
98.	National Vector Borne Disease Control Programme is implemented for the prevention and control of the following diseases Except A) Kala-azar B) Japanese encephalitis C) Leptospirosis D) Malaria
99.	The approaches that can be used for providing Information Education and Communication are A) Public education B) Broadcasting C) Social marketing D) All of the above
100.	Registers maintained in a sub centre includes all of the below Except A) Family planning register B) In patient register C) U I P master register D) M C H master register

A -15-

Space for Rough Work

A -16-