

PROVISIONAL ANSWER KEY

Question 46/2023/OL

Paper Code:

Category 502/2022

Code:

Exam: Assistant Professor in Prasuti and Strirog

Date of Test 26-05-2023

Department Ayurveda Medical Education

Question1:-The only intra-abdominal structure not covered by peritoneum

A:-Fallopian Tube

B:-Cervix

C:-Vagina

D:-Ovary

Correct Answer:- Option-D

Question2:-In Mc Cune-Albright syndrome

A:-Both FSH and LH absent

B:-Both FSH and LH low

C:-FSH increased, LH decreased

D:-FSH decreased, LH increased

Correct Answer:- Option-B

Question3:-_____ is contraindicated in Ritumati.

A:-Krisara

B:-Ksheera

C:-Kshara

D:-Katayam

Correct Answer:- Option-C

Question4:-According to Harita, Udanavaya in neck and heart forms _____.

A:-Oral cavity

B:-Vocal cord

C:-Alimentary canal

D:-Sinuses

Correct Answer:- Option-A

Question5:-The Fetus dies when _____ and _____ comes out of body.

A:-Akasa + Jala

B:-Jala + Prithvi

C:-Vayu + Agni

D:-Akasa + Prithvi

Correct Answer:- Option-C

Question6:-According to Charaka, Apana Vayu is formed from _____ bhava.

A:-Satvaja

B:-Atmaja

C:-Rasaja

D:-Satmyata

Correct Answer:- Option-B

Question7:-The amniotic fluid is replaced every _____ hours.

A:-24 hrs

B:-3 hrs

C:-1 hr

D:-12 hrs

Correct Answer:- Option-B

Question8:-Strawberry skull is characteristic of _____.

A:-Turner syndrome

B:-Trisomy 13

C:-Trisomy 21

D:-Trisomy 18

Correct Answer:- Option-A

Question9:-According to Susruta, Couple should perform _____ after Putreshti yajna.

A:-Celibacy

B:-Coitus

C:-Asthapana Vasti

D:-Virechana

Correct Answer:- Option-A

Question10:-Recurrent spontaneous miscarriages are seen in all except _____.

A:-Herpes Infection

B:-TORCH Infection

C:-Uterine Pathology

D:-None of the above

Correct Answer:- Option-B

Question11:-Inhibition of uterine Myometrium in pregnancy occur due to _____.

A:- ↑ Progesterone, ↓ Estrogen

B:- ↑ Progesterone, ↑ Estrogen

C:- ↓ Progesterone, ↓ Estrogen

D:- Equal amount of estrogen and Progesterone

Correct Answer:- Option-A

Question12:-In Normal Pregnancy, hCG level reaches its peak by _____.

A:-15-20 days

B:-30-60 days

C:-60-70 days

D:-100-200 days

Correct Answer:- Option-C

Question13:-During Pregnancy, according to Kashyapa, which Meat soup is considered best?

A:-Meat treated e Tikta and Madhura

B:-Meat treated e Amla & Lavana

C:-Meat treated e Katu and Madhura

D:-Meat treated e Madhura and Lavana

Correct Answer:- Option-D

Question14:-Harita advises _____ for Garbhini in 6th month.

A:-Ghritapooraka

B:-Sweetened curd

C:-Ghritakhanda

D:-Payasa

Correct Answer:- Option-B

Question15:-The Jataharini which causes miscarriage in early pregnancy

A:-Mohini

B:-Stambhani

C:-Kalaratri

D:-Krosana

Correct Answer:- Option-C

Question16:-In Garbhasphurana, _____ is used.

A:-Varanadi

B:-Guluchyadi

C:-Ambashtadi

D:-Utpaladi

Correct Answer:- Option-D

Question17:-Most valuable diagnostic test in suspected ectopic Pregnancy is

_____.

A:-Progesterone measurement

B:-Transvaginal ultrasound

C:-Serial β hcG level

D:-Culdocentesis

Correct Answer:- Option-B

Question18:-Stallworthy sign is seen in _____.

A:-Abruptio placenta

B:-Hydatidiform Mole

C:-Placenta praevia

D:-Multiple Pregnancy

Correct Answer:- Option-C

Question19:-Chorioadenoma destruens is _____.

A:-Endometrial carcinoma

B:-Choriocarcinoma

C:-Fibroid

D:-Invasive Mole

Correct Answer:- Option-D

Question20:-Lecithin-Sphingomyelin ratio (2 : 1) is evidence of

A:-Fetal lung maturity

B:-Fetal Heart maturity

C:-Fetal Brain maturity

D:-Fetal liver maturity

Correct Answer:- Option-A

Question21:-The woman just before labour is given _____ to her full capacity.

A:-Hot water

B:-Peya

C:-Yavagu

D:-Manda

Correct Answer:- Option-C

Question22:-Which one of the following is Apathya in Labour

A:-Matravasthi

B:-Nasya

C:-Yonipichu

D:-Anuvasana

Correct Answer:- Option-B

Question23:-Perception of Fire in peacock-blue colour is a bad prognostic sign of _____.

A:-Akalapasava

B:-Garbhapata

C:-Mudagarbha

D:-Makkala

Correct Answer:- Option-C

Question24:-In Moodagarbha, for cutting the cranial bones, _____ is used.

A:-Mandalagrasasthra

B:-Vridhipatra

C:-Garbhasanku

D:-All of these

Correct Answer:- Option-A

Question25:-Which of the following is not an indication for Induction of Labour?

A:-Post-term Pregnancy

B:-Intra-Uterine Fetal Demise

C:-Maternal Diabetes

D:-Placenta Praevia

Correct Answer:- Option-D

Question26:-In Cephalic presentation, the greatest transverse Diameter is always _____.

A:-Sub-occipitobregmatic

B:-Biparietal

C:-Occipito-frontal

D:-Submento bregmatic

Correct Answer:- Option-B

Question27:-Which of the following is not a feature of Cervical ripening?

A:-Decrease in Collagen

B:-Decrease in dermatan sulfate

C:-Decrease in Hyaluronic acid

D:-Increase in Hyaluronic acid

Correct Answer:- Option-C

Question28:-In Active Management of Third stage of Labour, Prophylactic Oxytocics is administered _____ of delivery (WHO).

A:-Within 3 mnts

B:-Within 2 mnts

C:-Within 10 mnts

D:-Within 1 mnt

Correct Answer:- Option-D

Question29:-After 20 weeks, the presence of _____ is predictive of Pre-term labour.

A:-Oestrogen

B:-Fibronectin

C:-Human Placental Lactogen

D:-All the above

Correct Answer:- Option-B

Question30:-_____ is the most common cause of sensorineural deafness in neonates.

A:-Cytomegalo Virus

B:-Rubella

C:-Herpes simplex

D:-Toxoplasmosis

Correct Answer:- Option-A

Question31:-Which of the following is a typical ultrasound cranial sign in open spina bifida?

A:-Robert wign

B:-Hegars sign

C:-Lemon sign

D:-Stallworthy sign

Correct Answer:- Option-C

Question32:-In Resuscitation, suction pressure should not exceed _____mm Hg.

A:-200 mm Hg

B:-150 mm Hg

C:-100 mm Hg

D:-125 mm Hg

Correct Answer:- Option-C

Question33:-The ratio between chest compression to positive pressure ventilation in neonatal resuscitation is _____ excluding-cardiac etiology.

A:-2 : 1

B:-4 : 1

C:-5 : 1

D:-3 : 1

Correct Answer:- Option-D

Question34:-Anti D immunoglobulin is given within _____ to non-sensitized Rh -ve

women who gave birth to Rh +ve fetus.

A:-50 hrs

B:-24 hrs

C:-72 hrs

D:-48 hrs

Correct Answer:- Option-C

Question35:-Prolonged lithotomy position in delivery can lead to _____.

A:-Ankle drop

B:-Foot drop

C:-Knee drop

D:-None of these

Correct Answer:- Option-B

Question36:-The Programme launched by WHO and UNICEF in 1992 to promote breast feeding is _____.

A:-PMTCT

B:-JSY

C:-BFHI

D:-JSSK

Correct Answer:- Option-C

Question37:-_____ is advised in Stanyanasa.

A:-Vamana

B:-Asthapana

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-B

Question38:-According to Kashyapa, which is contraindicated in Stanyavridhi

A:-Manda

B:-Ikshu

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-C

Question39:-Which of the following is a clinical feature of Suthika roga?

A:-Diarrhoea

B:-Menorrhagia

C:-Constipation

D:-All the above

Correct Answer:- Option-A

Question40:-In Sutika jwara due to grahas, _____ chikitsa is done.

A:-Vatajwara chikitsa

B:-Pittajwara chikitsa

C:-Sannipathajwara chikitsa

D:-Kaphajwara chikitsa

Correct Answer:- Option-A

Question41:-Mayer-Rokitansky Klister - Hauser Syndrome is associated with _____.

A:-Partial agenesis of ovary

B:-Complete agenesis of Fallopian tube

C:-Complete agenesis of Cervix

D:-Complete agenesis of Vagina

Correct Answer:- Option-D

Question42:-According to Harita, who suffers from excessive menstrual bleeding?

A:-Suthika

B:-Vandhya

C:-Ritumati

D:-All of these

Correct Answer:- Option-B

Question43:-'Haritala varna' is seen in _____.

A:-Vatika Artavadushti

B:-Ksheena Artavadushti

C:-Pittaja Asrigdhara

D:-Sannipatika Asrigdhara

Correct Answer:- Option-D

Question44:-_____ is the classical clinical sign of Lymphogranulomavenereum.

A:-Donovan bodies

B:-Clue cells

C:-Groove Sign

D:-Banana Sign

Correct Answer:- Option-C

Question45:-Erysipelas is caused by _____.

A:- β -hemolytic Streptococcus

B:-Staphylococcus aureus

C:-Varicella Zoster Virus

D:-Chlamydia trachomatis

Correct Answer:- Option-A

Question46:-Uterine body and Cervix ratio at menopause is _____.

A:-2 : 1

B:-3 : 1

C:-1 : 2

D:-1 : 1

Correct Answer:- Option-D

Question47:-Most serious adverse effect of Menopause

A:-Hot Hashes

B:-Osteoporosis

C:-Heart Disease

D:-Both (2) and (3)

Correct Answer:- Option-B

Question48:-Makler Chamber is used in

A:-RBC Count

B:-WBC Count

C:-Sperm Count

D:-Platelet Count

Correct Answer:- Option-C

Question49:-Vasa Previa is seen in which type of Placenta?

A:-Central

B:-Peripheral

C:-Velamentous

D:-None of these

Correct Answer:- Option-B

Question50:-The safe analgesic used in pregnancy

A:-Indomethacin

B:-Acetaminophen

C:-Ibuprofen

D:-All the above

Correct Answer:- Option-B

Question51:-Kaphajastanavidradhi resembles _____.

A:-Ripe udumbara fruit

B:-Earthen plate

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-B

Question52:-Stanavidradhi after Bhedana, should be treated like

A:-Vrnasotha

B:-Sotha

C:-Vrna

D:-Vidradhi

Correct Answer:- Option-C

Question53:-In Stanaroga _____ is contraindicated except yogaratnakara.

A:-Upanaha

B:-Swedana

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-C

Question54:-Most common benign tumor of breast in younger women

A:-Fibrocystic Breast

B:-Fibroadenoma

C:-Carcinoma Breast

D:-All the above

Correct Answer:- Option-B

Question55:-Which of the following is high risk factor of Breast Carcinoma?

A:-Breast fed Mother

B:-Multiparity

C:-Milky nipple Discharge

D:-Combined oral contraceptives

Correct Answer:- Option-D

Question56:-The appropriate modality for estimating the extent of DCIS (Ductal Carcinoma in Situ) preoperatively is _____.

A:-Mammography

B:-USG Breast

C:-MRI Breast

D:-Combination of MRI and Mammography

Correct Answer:- Option-A

Question57:-Spontaneous superficial thrombophlebitis of breast vein is called _____.

A:-Granular cell tumour

B:-Montgomery's glands

C:-Mondor's Disease

D:-Adenoma Breast

Correct Answer:- Option-C

Question58:-A large mammary tumor e a cystic appearance and leaf-like pattern

A:-Granulosa cell tumor

B:-Fibroadenoma

C:-Phyllodes tumor

D:-Intraductal Pappiloma

Correct Answer:- Option-C

Question59:-A rare site of Breast cancer metastasis is _____.

A:-Brain

B:-Liver

C:-Bone

D:-Kidney

Correct Answer:- Option-D

Question60:-Hamartoma Breast is also known as _____.

A:-Fibroadenolipoma

B:-Lipo fibroadenoma

C:-Adenolipoma

D:-All of these

Correct Answer:- Option-D

Question61:-Autologous Blood is the collection and reinfusion of patient's own _____.

A:-WBC

B:-RBC

C:-Plasma

D:-Platelets

Correct Answer:- Option-B

Question62:-Of the following, which does not come under emergency medicine group?

A:-Lignocaine

B:-Antihistamines

C:-Corticosteroids

D:-Antihypertensives

Correct Answer:- Option-A

Question63:-Which is the feature present in General Peritonitis?

A:-Lax Abdomen

B:-Localized pain

C:-Tachycardia

D:-All the above

Correct Answer:- Option-C

Question64:-'Word Catheter Treatment' is a simple procedure to treat the

A:-Venous Thrombosis

B:-Bartholin's gland cyst

C:-Pelvic Thrombophlebitis

D:-Haemorrhagic cyst

Correct Answer:- Option-B

Question65:-Surgical techniques in Vaginoplasty include

A:-Mc Indoe procedure

B:-Penile Inversion

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-C

Question66:-Vaginal Prolapse totally after Hysterectomy is called _____.

A:-Uterine Prolapse

B:-Post. vaginal wall Prolapse

C:-Anterior Vaginal wall Prolapse

D:-Vault Prolapse

Correct Answer:- Option-D

Question67:-Cervical cerclage should not be done in

A:-Gestational age beyond 28 weeks

B:-Gestational age between 16-24 weeks

C:-Gestational age between 12-20 weeks

D:-All the above

Correct Answer:- Option-A

Question68:-Barr Body is a biconvex chromatin mass of inactivated _____.

A:-Y chromosome

B:-XY chromosome

C:-X chromosome

D:-XX chromosome

Correct Answer:- Option-C

Question69:-_____ is the method in tubal sterilization except

A:-Pomeroy's

B:-Salpingotomy

C:-Parkland

D:-Madlener

Correct Answer:- Option-B

Question70:-Rare complication of Vaginal Hysterectomy

A:-Vault Prolapse

B:-Vault Evisceration

C:-Fallopian tube Prolapse

D:-Both (2) and (3)

Correct Answer:- Option-D

Question71:-_____ is a surgical system so called surgical immersion technology.

A:-da Vinci system

B:-Automated endoscopic system

C:-Virtual reality system

D:-Newer optics

Correct Answer:- Option-A

Question72:-_____ should note be given with blood transfusion as calcium binds with anticoagulant in blood.

A:-Isotonic Saline

B:-Glucose solution

C:-Dextrose saline

D:-Ringer's lactate

Correct Answer:- Option-D

Question73:-_____ is used as vehicle for oxytocin infusion, if more than 500 ml of intravenous fluid required

A:-5% glucose solution

B:-Normal saline

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-B

Question74:-_____ is preferred in obese patients when General anaesthesia is contraindicated and in patients with midline abdominal scars

A:-Fallopscopy

B:-Peritoneoscopy

C:-Culdoscopy

D:-Laparoscopy

Correct Answer:- Option-C

Question75:-_____ is not an incision followed in Episiotomy.

A:-Mediolateral

B:-Lateral

C:-Median

D:-Horizontal

Correct Answer:- Option-D

Question76:-Vacuum extraction should not be attempted for more than _____ minutes.

A:-5 minutes

B:-10 minutes

C:-15 minutes

D:-20 minutes

Correct Answer:- Option-D

Question77:-Christopher B-Lynch suture is used in _____.

A:-Uterine Artery Ligation

B:-Post-Partum Haemorrhage

C:-Vaginal tear

D:-Episiotomy

Correct Answer:- Option-B

Question78:-Joel-Cohen incision is used in _____.

A:-Bartholin's cyst

B:-Vaginal repair

C:-Caesarean Section

D:-All of these

Correct Answer:- Option-C

Question79:-Trachelorrhaphy is best done after _____.

A:-Cessation of a menstrual cycle

B:-Beginning of a menstrual cycle

C:-During menses

D:-During Ovulation

Correct Answer:- Option-A

Question80:-Residual ovary syndrome occurs in patients after Hysterectomy where _____.

A:-Oophorectomy done

B:-Ovaries preserved

C:-Both (1) and (2)

D:-None of these

Correct Answer:- Option-B

Question81:-Which of the following hormonal contraceptives cannot be used during lactation?

A:-Norplant

B:-Mini-pill

C:-Combined oral contraceptive pill

D:-Low estrogen combined oral contraceptive pill

Correct Answer:- Option-C

Question82:-Para Gard is a type of _____.

A:-Cervical cap

B:-Intra uterine Contraceptive Device

C:-Contraceptive Sponge

D:-Diaphragm

Correct Answer:- Option-B

Question83:-Intra uterine contraceptive Device is commonly inserted _____.

A:-Soon after menstruation

B:-In Postpartum period

C:-Both (1) and (2)

D:-After ovulation

Correct Answer:- Option-C

Question84:-Emergency contraception excludes _____ of the following.

A:-Yuzpe regimen

B:-RU 486

C:-Levonorgestrel 1.5 mg

D:-Levonorgestrel ring

Correct Answer:- Option-D

Question85:-The aim of 12 By 12 Initiative is _____.

A:-Nutritional Anaemia in Mothers and Children

B:-Anaemia eradication during adolescence

C:-Anaemia eradication in Antenatal period

D:-All of the above

Correct Answer:- Option-B

Question86:-Which of the following is not an objective of Reproductive and Child

Health Care?

A:-Control Infection

B:-Alleviate malnutrition

C:-Control risk of Cancer

D:-Control unregulated fertility

Correct Answer:- Option-C

Question87:-Maternal Mortality Rate is define as _____.

A:-No. of maternal deaths in a month/No. of live births in a month \times 1,00,000

B:-No. of maternal deaths in a month/No. of live births in a month \times 10,000

C:-No. of maternal deaths in a year/No. of live births in a year \times 1000

D:-No. of maternal deaths in a year/No. of live births in a month \times 1,00,000

Correct Answer:- Option-D

Question88:-Maternal Serum α Fetoprotein is elevated in the following conditions except _____

A:-Cystic Hygroma

B:-Molar Pregnancy

C:-IUGR

D:-Multiple Fetuses

Correct Answer:- Option-B

Question89:-Improving the intrapartum and Postpartum care in labour room and maternity operation theatre is the objective of _____.

A:-JSY

B:-MNM

C:-LAQSHYA

D:-ASHA

Correct Answer:- Option-C

Question90:-EXIT surgery is mainly used in _____.

A:-Rh- incompatibility

B:-Haemophilia

C:-Diaphragmatic hernia

D:-Hypothyroidism

Correct Answer:- Option-C

Question91:-According to Ashtanga Hridaya, Maternal Components in fetus constitute _____.

A:-Arteries

B:-Growth of Body

C:-Hair

D:-Majja

Correct Answer:- Option-D

Question92:-In Ashtanga Hridaya, Abhyanga with Shatadouta ghrita is prescribed in which Garbhavyapat

A:-Upavishtaka

B:-Garbhasrava

C:-Leena

D:-Nagodara

Correct Answer:- Option-B

Question93:-According to Susrutha, Heart is formed from essence of _____.

A:-Blood and fat

B:-Rakta, Kapha, Medas, Mamsa

C:-Mamsa, rakta, Kapha

D:-Rakta and Kapha

Correct Answer:- Option-D

Question94:-Three types of Sanga explained by Susrutha includes the following except _____ in Moodagarbha.

A:-Vertex presentation

B:-Breech presentation

C:-Transverse presentation

D:-Shoulder presentation

Correct Answer:- Option-C

Question95:-In Breech presentation of Moodagarbha extraction is made by pulling out _____.

A:-Cranial Bones

B:-Axilla

C:-Shoulder bones

D:-Hip bones

Correct Answer:- Option-D

Question96:-Brihatiphala and Dwiharidra Kalka as Dhoopana is used in

A:-Dysuria

B:-Dysmenorrhoea

C:-Dyspareunia

D:-All the above

Correct Answer:- Option-C

Question97:-According to Kashyapa, which of the following prevents laxity of Breasts?

A:-Shatavari ghrita

B:-Lasuna Rasayana

C:-Phala ghrita

D:-Jeerakadi Modaka

Correct Answer:- Option-B

Question98:-Yoni Prakshalana with Tugaraka taila is indicated in _____.

A:-Durgandha Yoni

B:-Vivrita Yoni

C:-Stabda Yoni

D:-Karkasha Yoni

Correct Answer:- Option-A

Question99:-Lasuna swarasa is taken with _____.

A:-Milk

B:-Mamsarasa

C:-Both (1) and (2)

D:-Peya

Correct Answer:- Option-C

Question100:-Yoni Varti prepared using Bile of Cow/Fish is used in _____.

A:-Prakcharana

B:-Acharana

C:-Athicharana

D:-All of these

Correct Answer:- Option-B