PROVISIONAL ANSWER KEY

Question 109/2025/OL

Paper Code:

Category

080/2024

Code:

Exam: Pharmacist Grade II (Homoeo)

Date of Test 08-10-2025

Department Homoeopathy

Question1:-The heart is supplied with arterial blood by the

A:-Pulmonary trunk

B:-Coronary sinus

C:-Coronary artery

D:-Carotid artery

Correct Answer:- Option-C

Question2:-Oval window is occluded by

A:-Tympanic membrane

B:-Stapes

C:-Fibrous tissue

D:-Mastoid antrum

Correct Answer:- Option-B

Question3:-The third ventricle communicate with the fourth ventricle by

A:-Cerebral aqueduct

B:-Interventricular foramina

C:-Central canal of the spinal cord

D:-Foramen of Magendie

Correct Answer:- Option-A

Question4:-The end of each uterine tube has finger like projections called

A:-Isthmus

B:-Ampulla

C:-Infundibulum

D:-Fimbriae

Correct Answer: - Option-D

Question5:-The concave medial border of the kidney where the renal blood and lymph vessels, the ureter and nerves enter is called the

A:-hilum

B:-renal pyramids

C:-glomerulus
D:-cortex
Correct Answer:- Option-A
Question6:-The fleshy and rounded contour of the shoulder is formed by
A:-Biceps brachii
B:-Deltoid
C:-Pectoralis major
D:-Coraco brachialis
Correct Answer:- Option-B
Question7:-Elbow joint is an example of
A:-ball and socket joint
B:-hinge joint
C:-pivot joint
D:-saddle joint
Correct Answer:- Option-B
Question8:-Which among the following is an accessory organ of digestion?
A:-Stomach
B:-Large intestine
C:-Pharynx
D:-Liver
Correct Answer:- Option-D
Question9:-The laryngeal prominence or Adam's apple is formed by
A:-thyroid cartilage
B:-cricoid cartilage
C:-arytenoid cartilage
D:-epiglottis
Correct Answer:- Option-A
Question10:-An example of a sesamoid bone is
A:-fibula
B:-sphenoid
C:-atlas vertebra
D:-patella
Correct Answer:- Option-D
Question11:-Plasma constitutes % of total body weight.
A:-5%
B:-15%

C:-20%	
D:-40%	
Correct Answer:- Option-A	
Question12:-Pacemaker of the human heart is	
A:-AV node	
B:-SA node	
C:-Bundle of His	
D:-Purkinje system	
Correct Answer:- Option-B	
Question13:-Surfactant present in the alveoli of lungs is produced by	_
A:-Type I epithelial cells	
B:-Type II epithelial cells	
C:-Capillary endothelial cells	
D:-Alveolar macrophages	
Correct Answer:- Option-B	
Question14:-Parkinson's disease occurs due to lesions in	
A:-Cerebellum	
B:-Red nucleus	
C:-Basal ganglia	
D:-Motor cortex	
Correct Answer:- Option-C	
Question15:-Receptors for hearing are located in	
A:-Horizontal semicircular canal	
B:-Cochlea	
C:-Anterior semicircular canal	
D:-Utricle	
Correct Answer:- Option-B	
Question16:-Normal Glomerular filtration rate is	
A:-675 mL/min	
B:-125 mL/min	
C:-300 mL/min	
D:-180 mL/min	
Correct Answer:- Option-B	
Question17:-HCl secretion in stomach is increased by all EXCEPT	
A:-Prostaglandin	
B:-Gastrin	

C:-Histamine D:-Acetylcholine Correct Answer:- Option-A Question18:-Hormone secreted by Anterior pituitary is A:-Cortisol B:-Calcitriol C:-Growth hormone D:-Corticotropin releasing hormone Correct Answer:- Option-C Question19:-All are actions of Glucocorticoids EXCEPT A:-Increases blood alucose levels B:-Increases mobilization of fatty acids from adipose tissue C:-Increases immunity D:-Decreases muscle proteins Correct Answer: - Option-C Question 20:- In which phase of normal menstrual cycle, progesterone secretion is increased A:-Proliferative phase B:-Secretory phase C:-Follicular phase D:-Menstruation Correct Answer:- Option-B Question21:-The third element in the chain of infection process cycle is A:-Portal of Entry B:-Portal of exit C:-Reservoir D:-Host Correct Answer:- Option-B Question22:-The quantity of sodium chloride in reduced osmolarity Oral

Rehydration Salt solution is

A:-1.6 gram/litre


B:-2 gram/litre

C:-2.6 gram/litre

D:-2.9 gram/litre

Correct Answer:- Option-C

Question23:-The cells that differentiate into helper cells, cytotoxic cells and regulatory cells is



D:-Six

Correct Answer: - Option-A

Question29:-The process of mixing waste with cement and other substances before disposal to minimize contamination of water is known as

A:-Screw feed technology

B:-Interisation

C:-Incineration

D:-Sanitary land fills

Correct Answer:- Option-B

Question 30: The quantity of bleaching powder required to produce a chlorine concentration of 1 mg per litre of water is

A:-1.5 grams per litre of water

B:-2.5 grams per litre of water

C:-3.5 grams per litre of water

D:-4.5 grams per litre of water

Correct Answer:- Option-B

Question31:-The species of the mosquito that spreads Zika is

A:-Culex

B:-Anopheles

C:-Culiseta

D:-Aedes

Correct Answer:- Option-D

Question32:-Complete obstruction of airway by a foreign body is suspected when the victim is

A:-Unable to cough

B:-Coughing forcefully

C:-Crying loudly

D:-Sneezing continuously

Correct Answer: - Option-A

Question33:-A respiratory pattern characterized by abnormal depth and increased rate at a consistent pace

A:-Agonal Respiration

B:-Biot's Respiration

C:-Cheyne Stokes Respiration

D:-Kussmaul Respiration

Correct Answer:- Option-D

Question34:-The wavelength of ultraviolet rays used for cold sterilization is

- A:-50 nanometres
- B:-100 nanometres
- C:-260 nanometres
- D:-340 nanometres

Correct Answer:- Option-C

Question35:-When a client with burns is encountered all the following measures should be done as first aid measures *except*?

- A:-Cool the burn area
- B:-Apply butter or oil
- C:-Cover the area with sterile bandage
- D:-Do not break the blisters

Correct Answer: - Option-B

Question36:-If the temperature of a person is 40 degree Celsius, his temperature in Fahrenheit is

- A:-98 degree
- B:-100 degree
- C:-102 degree
- D:-104 degree

Correct Answer: - Option-D

Question37:-The depth of chest compression while performing cardiopulmonary resuscitation for an unconscious adult is

- A:-0.5-1 inch
- B:-1.5-2 inches
- C:-2.5-3 inches
- D:-3.5-4 inches

Correct Answer:- Option-B

Question38:-If bleeding from nose is encountered the head should be tilted

- A:-Backward
- B:-Forward
- C:-Towards left
- D:-Towards right

Correct Answer:- Option-B

Question39:-The position recommended for a patient in shock without injury to head, neck, spine or leg

- A:-Prone with head elevated to 45 cms
- B:-Prone with head turned to side
- C:-Supine with head elevated to 30 cms

D:-Supine with legs elevated to 30 cms

Correct Answer:- Option-D

Question 40:-Concept of vital force in health is mentioned in which aphorism?

A:-Aphorism 7

B:-Aphorism 10

C:-Aphorism 9

D:-Aphorism 11

Correct Answer:- Option-C

Ouestion41:-Acute diseases are classified into

A:-Individual, Sporadic and Latent

B:-Individual, Sporadic and Epidemic

C:-Individual, Epidemic and Endemic

D:-Individual, Sporadic, Epidemic and latent

Correct Answer:- Option-B

Question42:-Diseases produced by prolonged use of violent heroic medicines in large doses are called

A:-Drug disease

B:-Pseudo chronic disease

C:-Indisposition

D:-Pseudopsora

Correct Answer:- Option-A

Question43:-Causa Occasionalis means

A:-Exciting cause

B:-Maintaining cause

C:-Both exciting and maintaining cause

D:-Exciting cause, maintaining cause of fundamental cause

Correct Answer:- Option-C

Question44:-Primary action is mainly due to

A:-Medicine

B:-Vital power

C:-Both Medicine and vital power

D:-Automatic reaction

Correct Answer: - Option-A

Question45:-According to Hahnemann drug prooving is done

A:-Clinically and on healthy human being

B:-Both sick and healthy human being

C:-Sick D:-In healthy human being Correct Answer:- Option-D Question46:-Secondary curative action is seen in A:-Allopathy B:-Antipathy C:-Homoeopathy D:-Isopathy Correct Answer:- Option-C

Question47:-Dose capable of producing slightest Homoeopathic aggravation is called

A:-Minimum dose

B:-Physiologic dose

C:-Therapeutic dose

D:-Medicinal dose

Correct Answer:- Option-A

Ouestion 48:-Routes of administration of medicine are

A:-Oraly

B:-Olfaction

C:-Inhalation

D:-All of the above

Correct Answer:- Option-D

Question49:-Three (3) basic miasms are

A:-Psora, syphilis, sycosis

B:-Psora, Pseudopsora, latent psora

C:-Psora, Syphilis, Pseudosyphilis

D:-Psora, Tubercular, sycosis

Correct Answer:- Option-A

Question 50:-Examples of Nosodes are

A:-Psorinum, Tuberculinum, Bacilinum

B:-Psorinum, Medorrhinum, Adrenalinum

C:-Pancreatinum, Oophorinum, Folliculinum

D:-Secretinum, Insulinum, Oophorinum

Correct Answer:- Option-A

Question51:-Whole plants are used for medicinal preparation in

A:-Arnica, Chamomilla, Hyperium

B:-Belladona, Pulsatilla, Hyocyamus C:-Both 1 and 2 D:-Arnica, Belladona, Chamomilla, Pulsatilla Correct Answer:- Option-C Question52:-Source of Nicotinum is A:-Tabacum B:-Opium C:-Coca D:-Nux Vomica Correct Answer:- Option-A Question53:-Latrodectus mactans is a A:-Scorpion poison B:-Snake poison C:-Insect poison D:-Spider poison Correct Answer:- Option-D Question54:-Word Nosode means A:-Diseased animal products B:-Cultured products C:-Disease appearance D:-Damaged organ products Correct Answer:- Option-C Question55:-Sarcodes belongs to A:-Isopathy B:-Biotherapy C:-Organotherapy D:-Biotherapeutics Correct Answer:- Option-C Question56:-Direct physical energy medicines are called as A:-Tautopathy B:-Brousseiau treatment C:-Physiological treatment D:-Imponderabilia Correct Answer: - Option-D Question57:-Lac-caninum is otherwise called

A:-Dogs milk

- B:-Cats milk
- C:-Cows milk
- D:-Skimmed milk

Correct Answer:- Option-A

Question58:-Medicines comes under calcium group are

A:-Cal.Carb, Cal.Flour, Cal.Phos

B:-Cal.lod, Cal. Sulph, Hep. Sulph

C:-All of the above

D:-Cal.Carb, Cal. Flour, Cal. Phos, Kal Sulph

Correct Answer:- Option-C

Question59:-Oophorinum is

A:-Ovarian extract of woman

B:-Ovarian extract of cow or sheep

C:-Testicular extract of man

D:-Simple ovarian secretion

Correct Answer:- Option-B

Question60:-All the following are the properties of an ideal vehicle in Homoeopathic Pharmacy EXCEPT

A:-Chemically neutral

B:-Palatable

C:-Therapeutically Inert

D:-Change easily

Correct Answer:- Option-D

Question61:-Prepared lard is an example of

A:-Semisolid vehicle

B:-Liquid vehicle

C:-Solid vehicle

D:-None of the above

Correct Answer:- Option-A

Question62:-Saccharum lactis for homoeopathic pharmacy is prepared preferably from

A:-Cow's milk

B:-Goat's milk

C:-Synthetically in the lab

D:-Both 1 and 3 are correct

Correct Answer:- Option-B

Question63:-All the following are advantages of Alcohol as a vehicle EXCEPT

A:-It is neutral in action

B:-Preparation is not difficult

C:-Stored in Alkaline bottles

D:-Good preservative of animal and plant tissues

Correct Answer:- Option-C

Question64:-Which one among the following vehicles is used for the preparation of Mullein oil?

A:-Sesame oil

B:-Dispensing Alcohol

C:-Coconut oil

D:-Glycerine

Correct Answer:- Option-D

Question65:-The vehicle used in the preparation of Calendula and Arnica plaster is

A:-Isinglass

B:-Starch

C:-Spermaceti

D:-Lanolin

Correct Answer: - Option-A

Question66:-The first Homoeopathic Pharmacopoeia was written by

A:-Dr. Buchner

B:-Hartmann

C:-C.W. Caspari

D:-None of the above

Correct Answer:- Option-C

Question67:-For the preparation of Homoeopathic Drugs in India, which Homoeopathic Pharmacopoeia is followed?

A:-Homoeopathic Pharmacopoeia of Bhattacharya

B:-Homoeopathic Pharmacopoeia of India

C:-Homoeopathic Pharmacopoeia of U.S.A.

D:-French Homoeopathic Pharmacopoeia

Correct Answer:- Option-B

Question68:-The branch of the Pharmacy which deals with patient care using particular emphasis on drug therapy is known as

A:-Clinical Pharmacy

B:-Hospital Pharmacy

C:-Operative Pharmacy

Correct Answer:- Option-A
Question69:-The term 'Pharmaceutics' means the science of
A:-Dispensing medicines
B:-Preparing medicines
C:-Development of new drugs
D:-None of the above
Correct Answer:- Option-B
Question70:-Which one among the following is the potentisation process for insoluble Drug substances?
A:-Succussion
B:-Dilution
C:-Plussing
D:-Trituration
Correct Answer:- Option-D
Question71:-The time taken for the whole process of trituration is
A:-30 minutes
B:-18 minutes
C:-60 minutes
D:-45 minutes
Correct Answer:- Option-C
Question72:-Two to Three potencies prior to the frequently used potencies are called
A:-Fluxion potencies
B:-LM potencies
C:-Jumping potencies
D:-Back potencies
Correct Answer:- Option-D
Question73:-In Homoeopathy there are Scales of Potentisation.
A:-03
B:-02
C:-01
D:-04
Correct Answer:- Option-A
Question74:-In the decimal scale, conversion of trituration into liquid potency is possible only from potency onwards.
A:-2X

D:-Wholesale Pharmacy

```
B:-3X
     C:-6X
     D:-12X
    Correct Answer:- Option-C
Question75:-The term 'Q-Potency' designate
     A:-Mother tincture
     B:-50 Millesimal potency
     C:-Fluxion potency
     D:-None of the above
     Correct Answer:- Option-B
Question 76:- Which one among the following is the more accurate method of
potentisation
     A:-Multiple vial Potentisation
     B:-Single vial Potentisation
     C:-Both 1 and 2
     D:-None of the above
    Correct Answer:- Option-A
Question 77:- The Drug strength of Decimal scale potency is
    A:-1/06
    B:-1/9
    C:-1/100
    D:-1/10
    Correct Answer:- Option-D
Question 78: - Master Hahnemann says "in this way cure of very old diseases may be
furthered by the physician applying externally, rubbing it on the back, arms,
extremities, the same he gives internally and which showed itself curatively".
Mention the aphorism number
    A:-284
    B:-282
    C:-285
    D:-186
     Correct Answer:- Option-C
Question79:-Spongio piline is a substitute for
    A:-Charcoal poultice
     B:-Bread poultice
```

C:-Linseed poultice

D:-Carrot poultice

Correct Answer:- Option-C

Question80:-Oil of Bouchi is prepared from

A:-Seeds of Psoralea corylifolia

B:-Flower extract of Verbascum

C:-Fresh plant of Gaultheria

D:-Whole plant of Psoralea corylifolia

Correct Answer:- Option-A

Question81:-Match the following:

١. Mullein Oil Sciatica Α. Oil of Rosemary II. В. Otorrhoea Wintergreen oil III. C. Leucoderma Oil of Bouchi IV. D. Cosmetic

A:-I-D, II-B, III-A, IV-C

B:-I-B, II-D, III-C, IV-A

C:-I-A, II-C, III-D, IV-B

D:-I-B, II-D, III-A, IV-C

Correct Answer:- Option-D

Question82:-Mention the aphorisms where Master Hahnemann expressed his views against external applications of homoeopathic medicines.

A:-5th edition of organon-187-203

B:-5th edition of organon-186-285

C:-6th edition of organon-183-205

D:-6th edition of organon-187-203

Correct Answer:- Option-A

Question83:-Body of the prescription is

A:-Superscription

B:-Subscription

C:-Inscription

D:-Signature

Correct Answer:- Option-C

Question84:-The solvent used for removing active principles from plant or animal substance during preparation of mother tincture is called

A:-Mother solution

B:-Marc

C:-Magma

D:-Menstruum

Correct Answer:- Option-D

Question85:-The fundamental rule for preparation of class VI A is contained in

Hahnemanns Materia Medica Pura under

- A:-Squilla
- B:-Staphysagria
- C:-Guaiacum
- D:-Gelsemium

Correct Answer:- Option-C

Question86:-Match the ratio of drug substance to vehicle in different classes of preparation of mother tinctures :

Class II 2:99 ١. Α. 1:99 II. Class IX B. Class V B C. 3:2 III. Class VI A 1:9 IV. D.

A:-I-C, II-A, III-B, IV-D

B:-I-B, II-D, III-C, IV-A

C:-I-D, II-B, III-A, IV-C

D:-I-A, II-B, III-C, IV-D

Correct Answer:- Option-A

Question87:-Time taken for preparation of mother tincture in old method is

A:-24 hours

B:-7 days

C:-8 days

D:-15 days

Correct Answer:- Option-C

Question88:-In Class V-A, Mother tincture is prepared with

A:-Strong alcohol

B:-50% alcohol

C:-Small quantity of purified water

D:-Large quantity of purified water

Correct Answer:- Option-C

Question89:-30-AA deals with

A:-Packing and labeling of homoeopathic medicines

B:-Import of new homoeopathic medicines

C:-Standards of ophthalmic preparations

D:-Prohibition of quantity and percentage

Correct Answer:- Option-B

Question 90:- Drug and cosmetic rules 1945 was amended in

A:-1950

B:-1959

C:-1969

D:-1979

Correct Answer:- Option-C

Question91:-Once constituent of Cerates is

A:-Curd

B:-Lard

C:-Wax

D:-Starch

Correct Answer:- Option-C

Ouestion92:-Ter .ben indicates

A:-Rub well

B:-A tablet

C:-Every three hours

D:-Every two hours

Correct Answer:- Option-A

Question93:-Act to provide for levy and collect of duties of excise in medicinal preparation containing alcohol, opium, Indian hemp and other narcotic drugs is

A:-Drugs and magic remedies act

B:-Poison act

C:-Pharmacy act

D:-Medicinal and toilet preparations act

Correct Answer:- Option-D

Question94:-Match the following:

I. ag.cal Α. Frozen water II. ag.ferv B. Warm water C. III. Aq.gel Hot water IV. Cold water aq.ads D.

A:-I-D, II-B, III-A, IV-C

B:-I-B, II-A, III-D, IV-C

C:-I-A, II-B, III-C, IV-D

D:-I-B, II-C, III-D, IV-A


Correct Answer:- Option-D

Question95:-Applications for granting license to sell, stock, exhibit or offer for sale or distribution of homoeopathic medicines shall be made in

A:-FORM 19-A

B:-FORM 19-B

C:-FORM 20-C



Question100:-When the total weight of the drug to be sampled is less than 100 kg and more than 1 cm the official sample shall be at least?

A:-1000 grams

B:-500 grams

C:-250 grams

D:-100 grams

Correct Answer:- Option-B