

Website: www.Keralapsc.gov.in
e-mail: kpsc@keralapsc.gov.in



KERALA PUBLIC SERVICE COMMISSION

EST1A1/6/2023-KPSC

Thiruvananthapuram
Dated :19 .08.2026

QUOTATION NOTICE **Quotation No:EST /08/2026**

Sealed quotations are invited for the supply of one number of Canon MF 3010 Multi Function Printer having the specifications attached to the quotation notice for the use of Kerala Public Service Commission, Head Office, Thiruvananthapuram.

Last date and Time for the receipt of Quotation	01.00 PM. on 31.08.2026
Date and Time for opening the Quotation	03.00 PM. on 31.08.2026
Due up to which rates are to be firm	One Year from the date of contract.
Name and Designation of Purchasing Officer	Saju George, Secretary, Kerala Public Service Commission Pattom, Thiruvananthapuram

Terms and conditions:

1	Model, year of manufacture, warranty etc. of the printer should be clearly mentioned.
2	All charges, taxes, duties and levies should be clearly indicated.
3	The item should be supplied to the office of the Kerala public Service Commission, Pattom, Thiruvananthapuram-4 at the expense of the Tenderer.
4	The Product should be supplied within 15 days from the date of Purchase Order, otherwise the tender will be cancelled without any prior intimation.
5	The supply and initial operation to the satisfaction of the KPSC will be the responsibility of the supplier.
6	The payment will be made after completion of supply, testing subject to the certification by our Technical Experts as to the quality and efficiency of the item supplied.
7	In case of under performance during the warranty period, the item should be replaced and period of warranty will recommence from the date of replacement.
8	Any legal disputes that may arise in relation to the tender formalities will be restricted to jurisdiction of Thiruvananthapuram District.

sd/-

Saju George
Secretary,

Kerala Public Service Commission.

Note : More details can be had from the Office of Joint Secretary, Establishment Wing,
Kerala Public Service Commission, Phone : 0471-2546250

STYLISH, DESKTOP SOLUTION FOR PERSONAL USE



i-SENSYS MF3010

Make quick prints, copies and scans at your convenience, straight from your desktop with this compact mono laser printer. Ideal for home and small offices it's easy to use and energy efficient.



**RAPID PRINT
PERFORMANCE**



**INTUITIVE
DISPLAY**



**EFFICIENT AND
SUSTAINABLE**

Rapid print performance

The speedy 18 ppm mono printing helps you work quickly. With Quick First-Print, the printer wakes from sleep mode and starts printing in only 7.8 seconds.

Efficient and Sustainable

Canon's Recyclable All-in-One print cartridge allows for a maintenance free operation. Packed with energy saving features, save time and money with market leading energy efficiency.

Intuitive display

Packaged in a modern, eye-catching design, this mono laser printer becomes easier to use with a simple vertical display. The easy to use scanning function gives you quick scans at the touch of a button.

TECHNICAL SPECIFICATIONS

PRINTER	
Print speed	Up to 18 ppm (A4)
Printing method	Monochrome laser beam printing
Print quality	Up to 1200 x 600 dpi with Automatic Image Refinement
First Print Out Time	7.8 secs
Print Resolution	600 x 400 dpi
Printer languages	UFR II-LT
Print margins	5 mm-top, 6 mm- bottom, 5 mm-left and right
Toner saver mode	Yes
COPIER	
Copy speed	Up to 18 ppm (A4)
First Copy Output Time (FCOT)	Approx. 12 seconds or less
Copy resolution	Up to 600 x 600 dpi
Copy modes	Text, Text/Photo, Text/Photo+, Photo
Multiple copy	Up to 9 copies
Reduction / Enlargement	50-200% in 10% increments
Toner saver mode	No
Other features	2 on 1, ID Card Copy
SCANNER	
Type	Colour
Scan resolution	Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi
Colour scanning depth	24 bit/24 bit (input/output)
Greyscales	256 levels
Compatibility	TWAIN, WIA
Max. scan width	216 mm
MEDIA HANDLING	
Scanner type	Flatbed
Paper input (Standard)	150-sheet tray
Paper output	100-sheet
Media types	Plain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope
Media sizes	Tray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.
Media weights	Tray: 60 to 163 g/m2
INTERFACE & SOFTWARE	
Interface type	USB 2.0 Hi-speed
Operating System compatibility	Windows® 11 / Windows® 10 / Windows® 8.1 / Server® 2022 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 Mac OS X Version 10.4.9 - 10.7.x ¹ Linux ²
Software and printer management	Presto! Page Manager, MF Toolbox

GENERAL FEATURES	
Duty cycle	Max. 8,000 pages per month
Warm-up Time	Approx.10 seconds from power on
Memory	64 MB
Control panel	1 digit LED
Dimensions with trays (W x D x H)	372 mm x 276 mm x 254 mm
Installation space (W x D x H)	572 mm x 632 mm x 608 mm
Weight	8.2 Kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
Power Source	220-240 V (±10%), 50/60 Hz (±2 Hz)
Power Consumption	Maximum: Approx. 960W Active: Approx. 450W Sleep mode: Approx. 1.4 W Typical Electricity Consumption (TEC): 0.6 kWh
Noise Levels	Sound Power Active: 65.3dB or less, Standby: 43.0dB or less Sound Pressure Active: 50.4dB, Standby: Inaudible
CONSUMABLES	
Cartridges	Cartridge 725 (1,600 pages ³) ⁴
ACCESSORIES/OPTIONS	
Standard disclaimer All specifications subject to change without notice ^[1] Web distribution only. Driver release November 2011 ^[2] Web distribution only. Linux support printing only. Driver release January 2012 ^[3] Ships with 700 pages starter cartridge ^[4] Based on ISO/IEC 19752	



Canon Inc.
canon.com

Canon Europe
canon-europe.com

English edition
© Canon Europa N.V., 2022