

## PROVISIONAL ANSWER KEY

|                      |                                                  |
|----------------------|--------------------------------------------------|
| Question Paper Code: | 165/2026/OL                                      |
| Category Code:       | 610/2025                                         |
| Exam:                | Hospital Superintendent                          |
| Date of Test         | 15-10-2026                                       |
| Department           | Pharmaceutical<br>Corporation (IM) Kerala<br>Ltd |

Question1:-Klaibya is/are mentioned in which dhatu pradoshaja vikara:

- A:-Rasavaha Srotas
- B:-Raktavaha Srotas
- C:-Sukravaha Srotas
- D:-Both 1 and 3

Correct Answer:- Option-D

Question2:-Which of the following is not a typical manifestation of Vata Prakopa due to excessive intake of food?

- A:-Agni vaishamya
- B:-Anaha
- C:-Mukha sosha
- D:-Jwara

Correct Answer:- Option-D

Question3:-Which of the following is 9 Anjali Prmana?

- A:-Mutra
- B:-Rasam
- C:-Kapha
- D:-None of these

Correct Answer:- Option-B

Question4:-According to Charaka samhita, which type of Prakriti is/are described as Sada Atura (always prone to illness)

A:-VATA

B:-PITTA

C:-KAPHA

D:-All of the above

Correct Answer:- Option-D

Question5:-Which of the following is/are nourished by the Ahara sara?

A:-Panchendriya Dravya

B:-Vata

C:-Nakha

D:-Pitta

Correct Answer:- Option-A

Question6:-Which of the following pair is not correctly matched according to the Srotas and Sroto Moola described by Charaka?

A:-Pranavaha Srotas - Hridaya and Mahasrotas

B:-Raktavaha Srotas - Hridaya and Dasa Dhamani

C:-Asthiavaha Srotas - Medas, Jaghanam

D:-Mutravaha Srotas - Vasthi, Vamkshanam

Correct Answer:- Option-B

Question7:-A patient develops severe abdominal pain, vomiting and diarrhoea soon after taking an excessive quantity of food. Which condition is more likely?

A:-Alasaka

B:-Vishuchika

C:-Amlapitta

D:-Both 1 and 2

Correct Answer:- Option-B

Question8:-Lakshana of Pittavvrutha Prana Vata includes:

A:-Niswasa Uchwasa samgraha

B:-Swasa

C:-Swara graham

D:-Soola

Correct Answer:- Option-D

Question9:-According to Charaka Samhita, the constitution of Prakriti of an individual is determined by all of the following except

A:-Desha

B:-Jati

C:-Ahara

D:-Kula

Correct Answer:- Option-C

Question10:-Which of the following is considered as karma of Manas?

A:-Indirya abhigraha

B:-Bhava and Abhava of Jnana

C:-Chinthyam

D:-Both 1 and 3

Correct Answer:- Option-A

Question11:-The Modified Ghent Criteria are primarily used for the diagnosis of which disease?

A:-Loeys-Dietz Syndrome

B:-Ehlers-Danlos Syndrome

C:-Marfan Syndrome

D:-Osteogenesis Imperfecta

Correct Answer:- Option-C

Question12:-Which *Kalka dravyas* are indicated as *Asyadharana* drugs for the management of *Aruchi* especially in the context of *Jwara*?

A:-Matulunga Kesaram, Grutha and Saidhavam

B:-Dhatiri, Draksha and Sitha

C:-Both 1 and 2

D:-Guluchi, Saindavam and Grutha

Correct Answer:- Option-C

Question13:-In which disease *Parasara Ghrutam* indicated?

A:-Jwara

B:-Vathasonitha

C:-Pandu

D:-Rajayakshama

Correct Answer:- Option-D

Question14:-According to Charaka Samhita, in which two diseases are patients advised to be protected from water, fire, trees, rocks and uneven places?

A:-Unmada and Apasmara

B:-Jwara and Pandu

C:-Shwasa and Kasa

D:-Rajayakshma and Madatyaya

Correct Answer:- Option-A

Question15:-Among the following formulations, identify two - one *Ghṛta* and one *Anuvāsana Taila* - that possess the property of *Mūḍhavātānulomana*

A:-Sukumara grutha : balathaila

B:-Dadimadigrutha : Pippalyadi thaila

C:-Sukumara grutha : Erandathaila

D:-Pippalyadi grutha : Nirgudyeranda thaila

Correct Answer:- Option-B

Question16:-According to Charaka Samhita, which one of the following should be strictly avoided by a Visarpa Rogi?

A:-Divāsvapna

B:-Śoka

C:-Avyayāma

D:-Avidhahi Annapana

Correct Answer:- Option-A

Question17:-Inverted champagne bottle appearance of the legs seen in which disease?

A:-Congestive heart failure

B:-Neprotic syndrome

C:-Charcot Marie Tooth Disease

D:-Deep Vein Thrombosis

Correct Answer:- Option-C

Question18:-The Digit Span Test is used to assess which type of memory and recall?

A:-Immediate memory and attention

B:-Remote memory

C:-Procedural memory

D:-Semantic memory

Correct Answer:- Option-A

Question19:-According to Susruthacharya, Cheshtankhya and Aharakhya are two divisions of Pareeksha

A:-Satwam

B:-Satmya

C:-Desa

D:-Nadi

Correct Answer:- Option-B

Question20:-According to Yogaratnakara, Dharani is the synonym of \_\_\_\_\_.

A:-Nadi

B:-Samjna

C:-Budhi

D:-Manas

Correct Answer:- Option-A

Question21:-Which of the following parasite causes cerebral malaria?

A:-Plasmodium vivax

B:-Plasmodium falciparum

C:-Plasmodium ovale

D:-Plasmodium malariae

Correct Answer:- Option-B

Question22:-The following is not a complication of Pneumonia

A:-Pneumonia

B:-Lung abscess

C:-Empyema

D:-Lung collapse

Correct Answer:- Option-D

Question23:-The premalignant lesion of esophageal adenocarcinoma is

A:-Barrets esophagus

B:-APD

C:-Antral gastritis

D:-GERD

Correct Answer:- Option-A

Question24:-Splenomegaly is a feature of

A:-Poly arteritis nodosa

B:-Scleroderma

C:-Felty syndrome

D:-Sjogrens disease

Correct Answer:- Option-C

Question25:-Raised GGT with Normal ALP is a feature of

A:-Alcoholic liver disease

B:-DILI

C:-Both A and B

D:-Biliary Cholangitis

Correct Answer:- Option-C

Question26:-What is the duration to be followed for Sneha prayoga bhojana and vihara niyama according to acharya Vagbhata?

A:-Wholesome regimens should be followed for double the number of days after undergoing treatment

B:-Wholesome regimens should be followed for same number of days after undergoing treatment

C:-Wholesome regimens should be followed for half the number of days after undergoing treatment

D:-Wholesome regimens should be followed for 1 month after undergoing treatment

Correct Answer:- Option-B

Question27:-Quality of food during Pathya Kala?

A:-Drava, ushna, anabhisyandhi, natisnigdham, asamkaram

B:-Laghu, seeta, abhisyandhi, rooksha

C:-Drava, ushna, abhisynadhi, natisnigdham, asamkaram

D:-Laghu, ushna, rooksha, abhisyandhi

Correct Answer:- Option-A

Question28:-In the context of snehana the word "Kshapashaya (क्षपशयः)" means?

A:-Excessive hunger and good sleep

B:-Less hunger and poor sleep

C:-Not to sleep during the day and not to stay awake at night

D:-Sleep during day time and awake at night time

Correct Answer:- Option-C

Question29:-The dose of Madana Phala Pippali Matra for Vamana according to Charaka is

A:-Athura hastapramana

B:-Antarnakha musthipramana

C:-Bindupramana

D:-All the above

Correct Answer:- Option-B

Question30:-The order of Vasti samyojana vidhi is

A:-Lavana, Makshika, Kalka Sneha, Kwatha

B:-Makshika, Lavana, Sneha, Kalka, Kwatha

C:-Sneha, Makshika, Lavana, Kalka, Kwatha

D:-Makshika, Sneha, Lavana, Kwatha, Kalka

Correct Answer:- Option-B

Question31:-Time of Virechana is

A:-Poorvahne

B:-Sayam kale

C:-Madhyane kinchit avarthe

D:-Sleshma kale gate jnatwa

Correct Answer:- Option-D

Question32:-Nasya is administered for the patients suffering from Manyastambha during

A:-Daily Morning

B:-Daily Evening

C:-Daily Morning and Evening

D:-Alternate days

Correct Answer:- Option-C

Question33:-Specific food advised to a patient prior to raktamoksha according to Dalhana Acharya?

A:-Vilepi

B:-Tila yavagu

C:-Krisara

D:-Mamsarasa

Correct Answer:- Option-B

Question34:-Time of administration of Shodana Snehapana?

A:-After food

B:-Along with food

C:-After digestion of previous day meal

D:-After the onset of appetite

Correct Answer:- Option-C

Question35:-Instrument used for doing parisheka sweda

A:-Kumbhi, Galanthi, Nadi, Varshanika

B:-Kumbhi, Galanthi, Nadi, Gokarnam

C:-Kundam, Galanthi, Nadi, Gokarnam

D:-Varshanika, Kundam, Kumbhi, Dhara yantram

Correct Answer:- Option-A

Question36:-Match the following :

- |                              |   |                        |
|------------------------------|---|------------------------|
| a. After sastrakarma         | - | i. Mridu dhumapana     |
| b. After snana               | - | ii. Madhyama dhumapana |
| c. After taking food         | - | iii. Tikshna dhumapana |
| d. After evacuation of bowel | - |                        |

A:-a-iii, b-iii, c-ii, d-ii

B:-a-i, b-iii, c-ii, d-i

C:-a-iii, b-i, c-ii, d-ii

D:-a-ii, b-i, c-i, d-iii

Correct Answer:- Option-B

Question37:-Find out the correct statements according to Ashtanga hridaya?

- Dhumapana can be performed by using a straight nozzle with trikosha and with its tip and base having the measurement of angushta and kolashti.
- Dhumapana can be performed using a sarava sampuda with a hole in the upper part fitted with a 10 or 8 angula nali.

A:-Only a is correct

B:-Only b is correct

C:-Both a and b are correct

D:-Both a and b are incorrect

Correct Answer:- Option-C

Question38:-When anthapraavishta jihwa (retraction of tongue) occurs as a complication of vamana, which of the following measure is not mentioned in Ashtanga hridaya?

A:-Tila draksha kalka lepam over the tongue

B:-Kabalagraham

C:-Intake of mamsarasa having snigdha, amla, lavana and hridya guna

D:-Eating amlarasa dravya in front of the patient

Correct Answer:- Option-A

Question39:-Find out the wrong statement regarding the treatment of vamana-virechana vyapath by Acharya Charaka.

- Suseetha piccha vasti is indicated for jeevadana.
- Kashaya madhura seetha pichavasti is indicated for parikarthika.

A:-Only i

B:-Only ii

C:-Both i and ii

D:-None of the above

Correct Answer:- Option-D

Question40:-मूर्छायां शीत तोयेन सिञ्चेत् परिहरन् शिरः॥

Sprinkle the body with cold water in case of '*Murcha*', is mentioned in the management of complication of which Panchakarma procedure?

A:-Vamana

B:-Virechana

C:-Nasya

D:-Niruha vasti

Correct Answer:- Option-C

Question41:-According to Acharya Charaka, in the context of '*samsarjana krama*', the amount of '*odana*' that should be take along with '*yusha*' is

A:-1 pala

B:-3 pala

C:-1 prasritha

D:-2 prasritha

Correct Answer:- Option-D

Question42:-According to Acharya Charaka, after samyak vamana, the food advised for the first Annakala is

A:-Mandapurva sukhoshna peya

B:-Mandapurva sukhoshna yavagu

C:-Sukhoshna manda

D:-Sukhoshna peya

Correct Answer:- Option-B

Question43:-According to Acharya Charaka, administration of snehapana and sneha vasti together leads to the complication of

A:-Dusti of vata and agni

B:-Dushti of kapha and agni

C:-Agnimadyam

D:-Ama samchayam

Correct Answer:- Option-A

Question44:-According to Ashtanga hridaya, which of the following karmas having similar paschatkarma?

- a. Sodhananga snehapana
- b. Samananga snehapana
- c. Vamana
- d. Virechana
- e. Anuvasana
- f. Niruha
- g. Uttarvasti
- h. Virechana nasya

A:-a and g

B:-b and d

C:-c and h

D:-e and f

Correct Answer:- Option-B

Question45:-Match the following :

- |            |   |                  |
|------------|---|------------------|
| a. Klinna  | - | i. Nisrava       |
| b. Chinna  | - | ii. Adharyathvam |
| c. Jalika  | - | iii. Chyuthi     |
| d. Snigdha | - | iv. Srava        |

A:-a-iii, b-iv, c-i, d-ii

B:-a-iii, b-i, c-iv, d-ii

C:-a-ii, b-iv, c-i, d-iii

D:-a-ii, b-i, c-iv, d-iii

Correct Answer:- Option-C

Question46:-Which of the following is/are true about effleurage?

- A. It can be applied using slightly clenched fist
- B. It is performed in a circular movement either from proximal to distal or distal

to proximal

C. It can be applied in the direction of the lymph glands or opposite.

A:-A only

B:-B only

C:-A and C only

D:-A, B and C

Correct Answer:- Option-C

Question47:-Assertion (A) : To minimize reflection in ultrasonic therapy avoid leaving air between the treatment head and the patient.

Reason (R) : Air will not transmit ultrasonic waves.

A:-Both (A) and (R) are true and (R) is the correct explanation of (A)

B:-Both (A) and (R) are true and (R) is not the correct explanation of (A)

C:-A is true but (R) is false

D:-A is false but (R) is true

Correct Answer:- Option-A

Question48:-Which type of muscle contraction occurs when the muscle length remains constant while tension is generated?

A:-Isometric

B:-Isotonic

C:-Isokinetic

D:-Eccentric

Correct Answer:- Option-A

Question49:-Which among the following is NOT considered as the deciding factor for dose fixation of cryotherapy?

A:-Size of the injury

B:-Depth of the tissue injured

C:-Subcutaneous fat depth

D:-Bleeding time

Correct Answer:- Option-D

Question50:-In Rehabilitation, muscle tone is commonly assessed using which of the following outcome measures?

A:-Visual Analogue Scale (VAS)

B:-Modified Ashworth Scale

C:-Barthel Index

D:-Rivermead Motor Assessment

Correct Answer:- Option-B

Question51:-Which of the following is an example of distributive shock?

A:-Hypovolaemic shock

B:-Anaphylactic shock

C:-Cardiogenic shock

D:-Obstructive shock

Correct Answer:- Option-B

Question52:-In road traffic accident the patient is unconscious and we are suspecting the head injury, immediate diagnostic investigation is

A:-USG

B:-MRI

C:-CAT

D:-X - ray

Correct Answer:- Option-C

Question53:-Ethical principle related with informed consent in surgery

A:-Beneficence

B:-Do no harm

C:-Justice

D:-Autonomy

Correct Answer:- Option-D

Question54:-Which of the following is an indication for siravydhana?

A:-Pandu roga

B:-Siragranthi

C:-Bhrama

D:-Garbhini sophia

Correct Answer:- Option-B

Question55:-The Sadyovrana with severe internal organ injury

A:-Bhinna

B:-Grishta

C:-Vidalitha

D:-Picchitha

Correct Answer:- Option-A

Question56:-According to susruta the powder of chitraka and langali are added in

A:-Mridu kshara

B:-Madhyama kshara

C:-Theekshna kshara

D:-Paneeya kshara

Correct Answer:- Option-C

Question57:-Name of the arterial occlusive disease found in smokers

A:-Haemangioma

B:-Buerger's disease

C:-Aneurysm

D:-Port - wine stain

Correct Answer:- Option-B

Question58:-Bhedana sastra karma is the treatment of

A:-Ama vrana sophia

B:-Garbhini sophia

C:-Pachyamana vrana sophia

D:-Pakva vrana sophia

Correct Answer:- Option-D

Question59:-Which of the following is an absolute contraindication for spinal anaesthesia?

A:-Severe hypovolaemic shock

B:-Pelvic surgery

C:-Lower limb orthopaedic surgery

D:-Perineal surgery

Correct Answer:- Option-A

Question60:-Encapsulated, smooth, non-tender, freely moving lump in breast common in females of 15-25 years of age group is

A:-Fibro adenosis

B:-Fibroadenoma

C:-Phyllodes tumour

D:-Mastitis

Correct Answer:- Option-B

Question61:-Select the most appropriate answer regarding Plummer Vinson Syndrome:

i. Typical patients are men above 40 years of age

ii. Cervical dysphagia is an important symptom

iii. Fibrous web partially obstructing oesophageal lumen at upper end

iv. Is a pre-malignant lesion

A:-Statement iv only is incorrect

B:-All statements are incorrect

C:-Statement ii and iii only are incorrect

D:-Statement i only is incorrect

Correct Answer:- Option-D

Question62:-"*Trikandakasya beejaanaam choornam makshikasamyutham Awiksheerena sapthaham ..... pibeth*".

Above mentioned sloka is typically indicated by susrutha for the management of which roga/rogas?

- i. Kaphaja granthi
- ii. Bhagnam
- iii. Asmari
- iv. Kaphaja udara

A:-i and iv only

B:-iii only

C:-iii and iv only

D:-ii only

Correct Answer:- Option-B

Question63:-Select the most appropriate answer regarding "Amoebic liver abscess":

A:-Chocolate sause/anchovy sauce appearance of pus

B:-Picknet fence pattern of fever

C:-Casonis test will be positive

D:-Positive hydatid thrill

Correct Answer:- Option-A

Question64:-Which among is not a component of Ranson scoring system used for the diagnosis of pancreatitis?

- i. Age above 55 years
- ii. Arterial oxygen saturation (kPa) - Less than 8
- iii. Blood glucose more than 200 mg per 100 ml
- iv. Serum sodium - less than 100 mg per mol

A:-Statement i and iv only

B:-All statements are components of Ranson scoring system

C:-Statement iii and iv only

D:-Statement iv only

Correct Answer:- Option-D

Question65:-"*Kshatah nimittah kodha upajaayathae, tasmincha kshathae pooya rudhiraawakeenam mamsakadhae bhoomaviwa jala praklinnaayaam krimayhah*"

*samjaayanthae*"

is feature found in which bhagandara as per susrutha

- i. Shambookavarta
- ii. Parisravi
- iii. Ushtagreeva
- iv. Unmargi

A:-iv only

B:-i, ii and iii only

C:-ii only

D:-Above sloka is not a feature of any of the bhagandaras

Correct Answer:- Option-A

Question66:-Complete the verse as per susrutha samhita:

*"Yadha sarvaani kushtaani hatha Khadira beejakow  
Thadaaiwa arshaamsi sarvaani \_\_\_\_\_ hatha"*

A:-Ksharagnaair

B:-Vrikshakarushkarow

C:-Haridraya

D:-Kaalasheyow

Correct Answer:- Option-B

Question67:-Select the incorrect statement, regarding Prostate Specific Antigen (PSA).

- i. Normal upper limit is 4-5 nmol/ml
- ii. Major and minor are two types of PSA
- iii. Out of the two forms of PSA, "major" form is the 'free' form
- iv. PSA level more than 35 ng/ml is almost diagnostic of prostate carcinoma

A:-Statement iii only is incorrect

B:-all statements are incorrect

C:-statement ii and iii only are incorrect

D:-statement i only is incorrect

Correct Answer:- Option-A

Question68:-"*Manaerdhadhasthaath koshascha granthiوروopena lambhathae*"  
is feature mentioned by susrutha in the context of

A:-Kaphaja granthi

B:-Asadhya lakshana of galaganda

C:-Parivarthika

D:-Nirudhaprakasha

Correct Answer:- Option-C

Question69:-Select the most appropriate answer regarding undescended testis:

- i. 'Prune belly syndrome' can be a cause of undescended testis
- ii. Cryptorchidism is bilateral undescended testis
- iii. Dysfunction of gubernaculum can lead to undescended testis
- iv. Undescended testis is more on left side compared to right side

A:-Statement iii only is incorrect

B:-All statements are correct

C:-Statement ii only is incorrect

D:-Statement iv only is incorrect

Correct Answer:- Option-D

Question70:-Sastra indicated in Susrutha Samhitha Chikitsa-sthana for vyadhana-karma in udara

- i. Vethasapathra
- ii. Trikoorchaka
- iii. Soochi
- iv. Vreehimukha

A:-i and iv only

B:-iii only

C:-iii and iv only

D:-iv only

Correct Answer:- Option-D

Question71:-Prognosis of Gudabhramsha as per Susrutha Samhitha

A:-Krichra sadhya

B:-Asadhya

C:-Sukhasadhya

D:-Anupakrama

Correct Answer:- Option-A

Question72:-"Raccoon eye" sign is a clinical feature of which of the following?

A:-Fracture of middle cranial fossa

B:-Fracture of posterior cranial fossa

C:-Subdural hematoma

D:-Fracture of anterior cranial fossa

Correct Answer:- Option-D

Question73:-In the Salter - Harris classification of epiphyseal injuries, a characteristic triangular fragment of the metaphysis attached to the slipped epiphysis is seen in

A:-Type IV

B:-Type III

C:-Type II

D:-Type V

Correct Answer:- Option-C

Question74:-Assertion (A) : Wasting of the deltoid muscle may occur following shoulder dislocation.

Reason (R) : Shoulder dislocation may cause temporary loss of function of the axillary nerve supplying the deltoid.

A:-Both A and R are true, and R is the correct explanation of A

B:-Both A and R are true, but R is not the correct explanation of A

C:-A is true, but R is false

D:-A is false, but R is true

Correct Answer:- Option-A

Question75:-Risser's sign is a radiological feature used in the assessment of

A:-Spondylolisthesis

B:-Scoliosis

C:-Slipped capital femoral epiphysis

D:-Perthes disease

Correct Answer:- Option-B

Question76:-अतिशीर्घ्यान is mentioned as one of the nidanas of Netra roga in

A:-Madhava Nidana

B:-Susruta samhita

C:-Bhavaprakasha

D:-Yogaratanakara

Correct Answer:- Option-C

Question77:-Which of the following medicine is used for gandusha in 'Mukha-dourgandhya'?

A:-Tailam

B:-Dhanyamlam

C:-Madhu

D:-Sarpi

Correct Answer:- Option-B

Question78:-सुपर्ण दृष्टि प्रतिमं च चक्षुः is mentioned as an indication for which of the following?

A:-Traiphala Ghritam

B:-Jeevantyadi Nasyatailam

C:-Shadbindu tailam

D:-Saptamrita loham

Correct Answer:- Option-C

Question79:-The Cardiff visual Acuity Test is primarily used to assess visual acuity in children in which age group?

A:-6 - 12 months

B:-1 - 3 years

C:-3 - 5 years

D:-Above 5 years

Correct Answer:- Option-B

Question80:-Which of the following statement/statements regarding the mechanism of action of antiglaucoma drug is/are correct?

- i. Prostaglandin analogues reduce IOP by increasing the Uveoscleral outflow
- ii. Topical beta blockers reduce IOP by blocking beta-2 receptors in the ciliary process and thereby increasing trabecular outflow
- iii. Carbonic anhydrase inhibitors reduce IOP primarily by increasing trabecular outflow through inhibition of carbonic anhydrase in the trabecular meshwork.
- iv. Brimonidine lowers IOP by decreasing aqueous production and also by increasing uveoscleral outflow:

A:-i, ii and iv are correct

B:-i and iii are correct

C:-ii and iii are correct

D:-i and iv are correct

Correct Answer:- Option-D

Question81:-In the management of 'Atipravrishta Nayana' all of the following are mentioned as therapeutic measures Except:

A:-Pranoparodha

B:-Vamana

C:-Ucchinghana

D:-Kantarodha

Correct Answer:- Option-C

Question82:-A patient with a large cerebellopontine angle vestibular schwannoma is examined for cranial nerve involvement. Which of the following ocular findings is most suggestive of late involvement due to compression of the trigeminal nerve?

A:-Absent pupillary light reflex

B:-Absent corneal reflex

C:-Increased lacrimation

D:-Reduced blink rate

Correct Answer:- Option-B

Question83:-हीनाधिकाङ्गान्यथवा ज्योतिष्यपि च पश्यति is seen in \_\_\_\_\_ Timira.

A:-Vataja

B:-Pittaja

C:-Raktaja

D:-Sannipathaja

Correct Answer:- Option-D

Question84:-A severely decomposed body is brought for identification. Which dental evidence would be most useful for establishing identity?

A:-Comparison of postmortem dental findings with available ante mortem dental records

B:-Tooth colour and gingival appearance

C:-Salivary pH

D:-Dental caries

Correct Answer:- Option-A

Question85:-Which of the following is an acute complication of advanced keratoconus?

A:-Acute corneal hydrops

B:-Hypopyon

C:-Endophthalmitis

D:-Anterior uveitis

Correct Answer:- Option-A

Question86:-A patient with chronic otitis media is suspected to have mastoid involvement . Which X-ray view would be most appropriate to assess the mastoid air cells?

A:-Schuller's view

B:-Rhese view

C:-Owen's view

D:-Water's view

Correct Answer:- Option-A

Question87:-Merciful anosmia is seen in:

A:-Chronic sinusitis

B:-Nasal polyp

C:-Deviated nasal septum

D:-Atrophic rhinitis

Correct Answer:- Option-D

Question88:-The clinical feature, "Paracusis Willisii" is most commonly seen in

A:-Meniere's disease

B:-Cholesteatoma

C:-Otosclerosis

D:-Otomycosis

Correct Answer:- Option-C

Question89:-Sastra recommended for Prachanakarma in Indraluptha in Ashtangasangraha is

A:-Aara

B:-Soochi

C:-Badisa

D:-Soochi Koorchaka

Correct Answer:- Option-D

Question90:-Select the disease in which karnashoola is a lakshana (according to Vagbhata):

A:-Dantavidradhi

B:-Vidarbha

C:-Adhimamsa

D:-Dandanadi

Correct Answer:- Option-C

Question91:-Find the odd one with respect to Sadhya Asadhya (According to Vagbhata\_

A:-Alasa

B:-Jalarbuda

C:-Oordhwaguda

D:-Valaya

Correct Answer:- Option-B

Question92:-According to Ashtangahrudaya, Aschyothanam with masthu, sarkara and kshoudra is indicated in

A:-Sukthika

B:-Pishtaka

C:-Arjuna

D:-Arma

Correct Answer:- Option-C

Question93:-Paithikanethraroga in which Vamana is indicated?

A:-Pakshmasatha

B:-Lagana

C:-Sukthika

D:-Pithothklishtam

Correct Answer:- Option-A

Question94:-'Berlin's Oedema' is caused by

A:-Photoretinitis

B:-Blunt trauma

C:-Papilloedema

D:-CRVO

Correct Answer:- Option-B

Question95:-Under the revised focus areas of National Programme to Prevention and control of Deafness (NPPCD) in India, which objective screening method is commonly used for hearing screening of Newborns?

A:-Pure Tone Audiometry (PTA)

B:-Oto Acoustic Emissions (OAE)

C:-Tuning fork test

D:-Brain stem Auditory Evoked Response (BAER)

Correct Answer:- Option-B

Question96:-Hypervitaminosis D may lead to

A:-Zonular cataract

B:-Band keratopathy

C:-Papilloedema

D:-Increased lacrimation

Correct Answer:- Option-B

Question97:-Which of the following is/are considered as Pathya in netra roga?

A:-Eye wash with Triphala kashaya daily in the morning

B:-Applying paste of Krishna Tila over head and then taking bath

C:-Drinking sufficient quantity of water after meals

D:-All the above

Correct Answer:- Option-D

Question98:-\_\_\_\_\_ of nasal skin is the first indication of disease progression of asymptomatic HIV to AIDS.

A:-Herpes Zoster

B:-Seborrheic dermatitis

C:-Kaposi's sarcoma

D:-None of the above

Correct Answer:- Option-C

Question99:-Which of the following statement/statements is/are true regarding Armachedana as per Acharya Vagbahata?

- i. Vimardana of eye with Beejapoorra rasa and saindhava as purvakarma
- ii. Sechana with Karanjabeeja siddha ksheera from 4th day onwards
- iii. Removal of bandage on 7th day

A:-i, ii and iii are true

B:-i and ii are true

C:-i and iii are true

D:-Only i is true

Correct Answer:- Option-C

Question100:-Match the following Sastrakarma:  
(Column I) with appropriate Netraroga  
(Column II) as described by Acharya Susruta

Column I      Column II

- |             |                            |
|-------------|----------------------------|
| i. chedya   | a. Bisavartma krimigranthi |
| ii. Lekhya  | b. Sirotpatam, Siraharsham |
| iii. Bhedya | c. Sirajalam, Sirapitaka   |
| iv. Vedhya  | d. Utsangi, Pothaki        |

A:-i-c, ii-d, iii-a, iv-b

B:-i-b, ii-d, iii-a, iv-c

C:-i-c, ii-a, iii-d, iv-b

D:-i-a, ii-b, iii-d, iv-c

Correct Answer:- Option-A